JOHANN KARL MEGERLE

Catalogus insectorum quae
Viennae Austriae... distrahuntur
[no.1-11], 1801-1805

Photostatic copy made from the original in the Deutsches Entomologisches Institut der Kaiser Wilhelm-Gesellschaft, Berlin-Dahlem, Gossler Str. 20.

Following the catalogs is a translation of an article about them by Sigmund Schenkling entitled "Uber die alten Auktions kataloge von Johann Carl Megerle", which appeared in Arb. morphol. & taxonom. Entomologie, vol. 2, no. 3, 1935, pp. 153-156. (Translation by C. Zeimet).

The photostatic copy was obtained in February 1938 by the U. S. Department of Agriculture Library through the cooperation of Dr. Walther Horn, Director, Deutsches Entomologisches Institut.

CATALOGUS INSECTORUM,

QUAE

VIENNAE AUSTRIAE DIE XIV. ET SEQUENTIBUS DECEMBRIS MDCCCI. AUCTIONIS LEGE DISTRAHUNTUR.

Monenda.

1. Nomina authorum hoc modo abbreviata ſunt. Cr. Creutzer. E. Exemplaria. F. Fabricii Entomologia futura. Gm. Gmelin. Hl. Hellwig. H. Herbſt. Ho. Hoppe. Hyb. Hybner. Ill. Illiger. Ko. Koy. K. Kugellan. Lai. Laicharding. L. Linné. M. Megerle. Mi. Mickan. NF. Naturforſcher. Ol. Olivier. P. Panzer. Pay. Paykull. R. Roſsi. Sc. Schneider. Sr. Schrank. Sco. Scopoli. St. Sturm. S. Sulzer. Z. Zenker. Zi. Ziegler.
2. Specimen cujus nomen *litteris curſivis* expreſſum, exoticum eſt.
3. Aſteriſcus * poſt nomen poſitus denotat, quod ſpecimen ſit aliquo modo laeſum.
4. Linea recta horizontalis — in columna prima denotat unum exemplar, p. ſignificat duo ſpecimina; et ſigna m. et f. marem et feminam conjunctim pro eodem pretio annotant.
5. Amatoribus, praeferrim exteris, qui ex hoc ſupellectili emtione aliquid ſibi comparare cupiunt, ut magis inſerviretur Dnus. *Carolus Megerle*, Muſei Caeſarei hiſtoriae naturalis Inſpector ſeſe lubenter, absque ulla exinde ad ipſius commodum reduntante remuneratione, ad ſuſcipiendas commiſſiones offert, hac tamen lege, ut ſumma pretii una cum eo, quod quilibet ſuper pretium annotatum ſolvere velit, pro ſigillatim notatis numeris Catalogi huc remiſſis, aut ad amicum quemdam hic Viennae degentem, aut ad Dnum. Paſtorem *Herbſt*, Berolini, vel ad DDnos. *Vidal* et Conſortes, Hamburgi, adhuc in tempore et in Valore Viennenſi, i. e. floreno ad 16 groſſos ſaxonicos computato, aſſignetur, vel alio quocunque congruo modo locoque ſecuritati proſpiciatur.
6. Cum fere omnium numerorum plura adſint exemplaria, licet ſolummodo unum vel duo allegata ſint, cuilibet emtori plura deſideranti, hisce ſatisfieri poterit, quod etiam de maribus et feminis intelligendum.

		Exemplaria.	Pretium Subhaſtationis. fl.	kr
	COLEOPTERA.			
	Ackis.			
1	ſpinosa:	—	1	--
	Actinophorus *Cr.*			
2	Geoffroy S.	p.	--	10
3	laticollis.	—	--	40

		Exemplaria.	Pretium Subhaſtationis. fl.	kr
4	pilullarius.	—	--	40
5	ſacer.	—	--	24
6	Schaefferi.	p.	--	10
7	ſemipunctatus.	—	--	30
	Anobium.			
8	Abietis.	p.	--	15
9	caſtaneum.	—	--	10
10	denticolle. P.	p.	--	20
11	reticulatum. P.	—	--	20

			fl.	kr
12	teſſullatum.	—	--	12
	Anthrenus.			
13	glaber. P.	p.	--	15
14	varius.	p.	--	12
15	Verbasci.	p.	--	10
	Anthribus.			
16	albinus.	m.f	--	30
17	albiroſtris.	p.	--	10
18	breviroſtris. P.	—	--	17
19	latiroſtris.	p.	--	24
20	planiroſtris.	p.	--	10
21	ſcabroſus.	—	--	15
22	Sepicola.	—	--	15
23	varius.	—	--	12
	Aphodius. *Ill.*			
24	bimaculatus.	p.	--	20
25	bipunctatus.	—	--	34
26	caeſus. Cr.	p.	--	15
27	conjugatus. P.	—	--	30
28	contaminatus.	—	--	15
29	depreſſus.	p.	--	10
30	elevatus.	—	--	40
31	erraticus.	p.	--	10
32	ictericus. Pay.	—	--	7
33	immundus. Cr.	p.	--	10
34	lugens. Cr.	p.	--	12
35	maculatus. St.	—	--	20
36	obſoletus. F.	—	--	10
37	Pecari.	p.	--	10
38	rugicollis. Cr.	p.	--	34
39	Scrutator.	m.f	--	17
40	Scybalarius.	—	--	20
41	Sticticus.	—	--	7
42	Sus.	p.	--	10
43	Thermicola. Cr. obſcur. F. ?	—	--	30
44	teſtudinarius.	—	--	20
	Apion. *H.*			
45	aeneum.	—	--	10
46	flavipes.	p.	--	15
47	flavofemoratum. H.	p.	--	15
48	Piſi F.	—	--	30
	Attelabus.			
49	aequatus.	p.	--	10
50	curculionoides.	p.	--	12
51	hungaricus.	p.	--	34

			fl.	kr
	Blaps.			
52	fatidica. Cr.	—	--	20
53	femoralis.	p.	--	12
54	Gigas.	—	1	20
55	glabra.	p.	--	36
56	laticollis. H.	p.	--	7
57	ſpinipes.	p.	--	24
	Boſtrichus.			
58	Dactyliperda F.	—	--	15
59	Laricis.	—	--	12
60	puſillus. Cr.	—	--	12
61	Stenographus.	p.	--	12
	Brachycerus.			
62	muricatus. *	—	--	24
63	*obeſus.*	—	1	8
64	*ſcalaris.*	—	1	--
	Bruchus.			
65	Lentis.	—	--	20
66	Mimoſae.	—	--	34
	Bolitophagus. *F.*			
67	armatus. P.	m.f	--	40
68	connatus. Cr. Tritoma.	p.	--	15
69	pictus P.	p.	--	40
	Bupreſtis.			
70	aurulenta.	—	1	20
71	calcarata. F.	—	--	24
72	carniolica. F.	p.	1	8
73	*chryſis.* *	—	1	12
74	chryſoſtigma.	—	--	24
75	cyanicornis.	—	--	45
76	decoſtigma.	p.	--	20
77	elata.	p.	--	15
78	*faſcicularis.*	—	1	8
79	*Var. Elytr. virid.*	—	--	51
80	*Var. — cupr.*	—	1	--
81	Filum. M.	p.	--	40
82	*gigantea.*	—	1	30
83	haemorrhoidalis. H.	p.	--	12
84	Hyperici. Cr.	p.	--	20
85	*hirta.*	—	1	--
86	*Var. absque faſciis.*	—	1	8
87	lugubris.	—	--	10
88	manca.	—	--	36
89	Millefolii F.	p.	--	30
90	*N.Sp.affin. flavomac.*	—	2	--

			fl.	kr
91	8. guttata.	—	--	40
92	Quercus. H.	—	--	40
93	rutilans.	p.	--	15
94	6. guttata. M.	—	--	15
95	ſubrugoſa. Pay.	p.	--	24
96	taeniata.	p.	--	24
97	tarda.	p.	--	20
98	Tenebrionis.	—	--	15
99	*tomentoſa.* Ol.	—	1	--
100	*Var. Elyt. rufis.**	—	1	8
101	Trochilus.	—	1	8
102	*vittata.*	—	1	8
	Byrrhus.			
103	aeneus.	—	--	15
104	nitens.	p.	--	17
105	ornatus.	—	--	24
106	varius.	—	--	12
	Callopus.			
107	teſtaceus. Ho.	p.	1	--
	Callidium.			
108	clavipes.	—	--	17
109	fulcratum.	—	--	12
110	puſillum.	p.	--	40
111	rufipes.	p.	--	10
112	ruſticum.	m.f	--	24
113	Salicis.	—	--	10
114	ſtriatum.	p.	--	7
115	teſtaceum.	p.	--	40
116	undatum.	—	--	24
117	variabile.	—	--	24
118	violaceum.	—	--	7
	Cantharis.			
119	2. punctata.	m.f	--	30
	Carabus.			
130	agreſtis. Cr.	m.f	--	20
121	anguſticollis. Hl.	p.	--	12
122	arvenſis.	p.	--	17
123	aulicus. Pay.	—	--	15
124	auratus.	—	--	20
125	auratonitens.	—	--	40
126	auſtriacus. F.	—	--	10
127	2. puſtulatus.	p.	--	10
128	brunipes Cr.	p.	--	12
129	caelatus F.	m.f	5	--
130	caſſideus.	—	--	25
131	catenulatus. L. et Sco.	m.f	1	8
132	idem F. problem. H.*	—	--	34

			fl.	kr
133	Cephalotes.	p.	--	15
134	cistelloides.	m.f	--	7
135	Creutzeri. F.	—	4	--
136	decorus. P.	p.	--	12
137	detonans. Cr.	p.	--	34
138	faſciatopunctatus. Cr.	m.f	--	20
139	faſciatus.	—	--	17
140	feſtivus.	m.f	--	15
141	Gagates. F.	—	--	10
142	gemmatus.	—	--	24
143	Germanus.	p.	--	15
144	gibbus.	—	--	17
145	Gigas Cr. et F.	m.f	9	--
146	glabratus.	—	--	49
147	hirtipes.	p.	--	10
148	holoſericeus.	p.	--	15
149	hortenſis.	—	--	24
150	humeralis.	p.	--	12
151	hungaricus.	m.f	1	8
152	ignavus. Cr.	p.	--	20
153	lunatus.	p.	--	15
154	Maurus.	p.	--	12
155	Melas. Cr.	p.	--	30
156	metallicus.	p.	--	17
157	miliaris.	—	--	30
158	modeſtus. F.	—	--	20
159	multipunctatus.	p.	--	12
160	niger.	—	--	12
161	nigricornis.	p.	--	10
162	nitens.	p.	--	40
163	noduloſus. F.	—	3	--
164	peltatus. Cr.	p.	--	15
165	picicornis.	p.	--	18
166	picimanus. Cr.	—	--	30
167	pilicornis.	—	--	10
168	planus.	—	--	30
169	Preysleri. Cr.	m.f	2	30
170	puncticollis. Pay.	p.	--	17
171	punctulatus.	—	--	10
172	4. *guttatus.*	m.f	3	--
173	4. ſtriatus. Sr.	p.	--	12
174	rubripes.	p.	--	20
175	rufeſcens.	p.	--	15
176	rufipes.	p.	--	17
177	Sabulicola. P.	p.	--	34
178	ſabuloſus.	p.	--	12
179	Scheidleri. F.	m.f	1	--
180	ſerripes. Cr.	p.	--	17
181	Servus. Cr.	p.	--	25
182	ſpoliatus.	—	--	30
183	ſtriolatus. F.	—	--	40
184	ſylveſtris. P.	m.f	1	--

			fl.	kr
185	*tabidus.*	—	1	30
186	uſtulatus.	p.	--	12
187	Vaporariorum.	p.	--	12
188	variegatulus. F.	—	--	20
189	vernalis.	p.	--	10
190	veſtitus.	p.	--	10
191	viduus. K.	p.	--	20

Caſſida.

			fl.	kr
192	atrata.	p.	--	30
193	auſtriaca.	—	--	15
194	azurea.	—	--	30
195	Lineola.	p.	--	40
196	margaritacea.	—	--	10
197	muraea.	p.	--	10
198	nobilis.	p.	--	10
199	praſina.	—	--	15
200	ſanguinoſa. F.	—	--	17

Cerambyx.

			fl.	kr
201	alpinus.	—	--	7
202	balteatus.	—	--	24
203	Budenſis.	m. f	--	51
204	crinitus. P.	p.	--	30
205	griſeus.	m. f	--	24
206	Heros.	—	--	12
207	hiſpidus.	p.	--	17
208	Kaehleri.	m. f	--	40
209	piloſus.	p.	--	30
210	*ſuccinctus.*	m. f	2	30

Cerocoma.

			fl.	kr
211	Schaefferi.	m. f	--	20

Cetonia.

			fl.	kr
212	affinis. Ho.	—	--	12
213	*corticina.* Ol.	—	3	--
214	*faſcicularis.*	—	1	30
215	faſtuoſa.	—	--	15
216	Floricula. H.	p.	--	30
217	marmorata.	p.	--	15
218	Morio.	—	--	40
219	*nitida.*	—	1	30
220	obſcura. Ho.	—	--	20
221	4. punctata.	—	--	40
222	viridis.	—	--	12

Chryſomela.

			fl.	kr
223	adonidis.	p.	--	15
224	aenea.	p.	--	12
225	alternans. P.	p.	--	12
226	cerealis.	p.	--	12
227	coerulea. F.	p.	1	--
228	cuprea.	p.	--	15
229	dorſalis. Sc.	p.	--	12
230	fulgida. F.	—	--	30
231	gemmellata. R.	—	--	24
232	globoſa. F.	p.	1	8
233	glorioſa.	p.	--	15
234	groſſa.	—	--	51
235	lurida.	p.	--	34
236	pratenſis. M.	—	--	45
237	Schach.	p.	--	10
238	varians.	p.	--	15

Cicindela.

			fl.	kr
239	emarginata.	p.	--	30
240	littoralis.	—	--	24
241	ſinuata.	p.	--	10
242	ſylvatica.	—	--	20

Ciſtella.

			fl.	kr
243	2. puſtulata.	p.	--	12
244	cervina.	p.	--	12
245	cinerea.	p.	--	12
246	Evonymi.	p.	--	12
247	fulvipes.	—	--	15
248	laeta. P.	—	--	10
249	Maura.	—	--	12
250	Nigrita.	p.	--	12
251	opaca. Hl.	p.	--	17
252	thoracica.	p.	--	20

Clerus.

			fl.	kr
253	alvearius.	—	--	30
254	formicarius.	p.	--	15
255	mollis. F. Notoxus.	p.	--	24
256	unifaſciatus.	p.	1	--

Clythra.

			fl.	kr
257	affinis. P.	p.	--	15
258	aurita.	p.	--	15
259	collaris. Sc.	p.	--	17
260	concolor.	m. f	--	30
261	4. maculata.	m. f	--	15
262	ſcopolina.	m. f	--	12
263	6. maculata.	—	--	45

Clytus.

			fl.	kr
264	Arietis.	p.	--	20
265	atomarius.	p.	--	15
266	detritus.	—	--	12
267	Gazella.	p.	--	24
268	maſſilienſis.	p.	--	18
269	ſemipunctatus.	p.	1	20
270	3. faſciatus.	—	--	40
271	Verbaſci.	p.	--	24

Coccinella.

			fl.	kr
272	bis 6. guttata.	p.	--	24
273	chryſomelina.	—	--	24
274	12. punctata.	p.	--	18
275	lateralis. Ill.	—	--	12
276	margine punctata.	p.	--	15
277	oblongo guttata.	p.	--	30
278	ocellata.	p.	--	12
279	5. punctata.	p.	--	24
280	repenſis.	p.	--	20
281	16. guttata.	—	--	7
282	11. maculata.	—	--	30

Colydium.

			fl.	kr
283	bicolor. F.	—	--	45

Copris.

			fl.	kr
284	Alces.	m. f	--	20
285	auſtriaca.	m. f	--	20
286	*Bachus.*	—	2	--
287	Camellus.	p.	--	15
288	Capra.	—	--	17
289	*Carnifex.*	m. f	2	--
290	*Eſculapius.*	—	1	30
291	furcata.	m. f	--	30
292	hiſpana.	—	--	48
293	Hybneri.	p.	--	20
294	Lemur.	m. f	--	15
295	Paniscus.	—	1	--
296	ſemicornis P.	—	--	51

Crioceris.

			fl.	kr
297	aduſta. Cr.	p.	--	24
298	2. maculata.	p.	--	30
299	fulvicollis.	p.	--	17
300	violacea.	p.	--	10

Cryptocephalus.

			fl.	kr
301	2. lineatus.	p.	--	17
302	bis 3. punctatus.	—	--	30
303	coloratus.	p.	--	34
304	Hybneri.	p.	--	12
305	laetus.	—	--	34
306	lobatus.	m. f	--	17
307	minutus.	p.	--	15
308	nitens.	p.	--	24
309	8. guttatus.	p.	--	30
310	4. - - - - Ko.	p.	--	30
311	6. punctatus.	—	--	48
312	variabilis.	—	--	15
313	vittatus.	p.	--	24
314	Wawarius. Ko.	p.	--	17

Cucujus.

			fl.	kr
315	flavipes.	p.	--	15
316	maxilloſus. Z.	—	--	40
317	monilis.	p.	--	17
318	teſtaceus.	p.	--	30

Curculio.

			fl.	kr
319	Abietis.	p.	--	15
320	Abſinthii. P.	—	--	15
321	albidus.	p.	--	15
322	albofaſciatus. H.	—	--	24
323	Alneti.	p.	--	17
324	antiodontalgicus. H.	—	--	17
325	arcuatus. P.	p.	--	15
326	*argyreus.*	m. f	3	--
327	articulatus.	p.	--	45
328	atomarius. Cr.	p.	--	24
329	Atriplicis.	p.	--	30
330	auſtriacus. H.	—	--	12
331	avarus.	p.	--	25
332	Betulae.	p.	--	20
333	2. maculatus.	p.	--	15
334	2. notatus.	p.	--	10
335	Campanulae.	p.	--	12
336	canus. H.	—	--	12
337	cinereus. Sr.	p.	--	10
338	coerulescens. Sr.	p.	--	12
339	complicatus. Ko.	p.	--	30
340	Coryli.	p.	--	12
341	Crux.	—	--	20
342	Cynarae.	—	--	15
343	declivis. Ko.	—	--	20
344	diſtinctus.	p.	--	12
345	Echii.	p.	--	10
346	Erynaceus. F.	—	--	20
347	Faber. H.	p.	--	15
348	filiformis.	p.	--	12
349	flabellipes. M.	—	1	8
350	Fruteti. Cr.	p.	--	15
351	fulvipes.	p.	--	17
352	fusco maculatus.	p.	--	15
353	gemmatus.	p.	--	17
354	Germanus.	p.	--	17
355	glabratus. F. Dyrus. H	—	--	20
356	holoſericeus. F.	—	--	24
357	laevigatus.	m. f	--	20
358	Lapathi.	p.	--	15

			fl.	kr
359	Linariae. P.	p.	--	15
360	lineatus.	p.	--	7
361	marmoratus.	p.	--	12
362	Maftix. Hl.	m.f	--	20
363	Megerlei. F.	—	1	8
364	micans.	p.	--	7
365	muricatus.	p.	--	7
366	niger.	m.f	--	45
367	*nodofus*. H.	—	3	--
368	Nucleorum. Cr.	—	--	17
369	orbicularis. H.	p.	--	24
370	paraplectious.	—	--	10
371	Perdix. Cr.	—	--	20
372	Picus.	p.	--	15
373	pilofus.	p.	--	7
374	Pineti.	—	--	25
375	placidus. H.	p.	--	12
376	planatus. H.	m.f	--	45
377	Plantaginis. H.	p.	--	10
378	pollinofus.	m.f	--	17
379	pulverulentus. F.	—	--	24
380	Raphani.	p.	--	24
381	raucus.	p.	--	10
382	rorridus.	p.	--	15
383	Rubi.	p.	--	12
384	fphaeroides. Cr.	p.	--	30
385	fquameus. Cr.	p.	--	30
386	fquamulatus. H.	p.	--	20
387	fulphurifer. H.	m.f	--	20
388	fufpiciofus. H.	—	--	15
389	taeniatus.	p.	--	15
390	tenebricofus. H.	—	--	30
391	teter.	p.	--	12
392	timidus. R.	—	--	15
393	3. guttatus.	m.f	--	10
394	verrucofus.	p.	--	15
395	vespertinus.	p.	--	10
396	violaceus.	p.	--	15
397	viridicollis.	—	--	20
398	Zebra.	m.f	--	30

Cychrus.

			fl.	kr
399	attenuatus.	p.	--	45

Cyphon. *Pay.*

			fl.	kr
400	coarctatus. Pay.	p.	--	15

Dermeltes.

			fl.	kr
401	ater. Ol.	p.	--	15
402	fumatus.	p.	--	10
403	undatus.	p.	--	12
404	20. punctatus.	p.	--	30
405	Serra.	—	--	20

Diaperis.

			fl.	kr
406	aenea. P. Scolytus.	—	--	30
407	Boleti.	p.	--	10

Dircaea.

			fl.	kr
408	barbata.	—	1	--
409	dubia. F. Notoxus.	—	--	30
410	4. guttata.	—	1	8

Donacia.

			fl.	kr
411	crafipes.	p.	--	12
412	dentipes.	p.	--	15
413	discolor. P.	m.f	--	12
414	Hydrochaeridis.	p.	--	15
415	nigra.	p.	--	17
416	Sagittariae.	p.	--	12
417	fimplex.	p.	--	15

Dorcatoma.

			fl.	kr
418	Dresdenfis. H.	—	--	30

Dyticus.

			fl.	kr
419	adfperfus.	p.	--	15
420	arcuatus. P.	—	--	15
421	2. puftulatus.	p.	--	12
422	cinereus.	m.	--	12
423	feneftratus.	—	--	15
424	gibbus.	p.	--	30
425	latiffimus.	m.	--	20
426	litturatus.	p.	--	20
427	planus.	p.	--	17
428	Roefelii.	m.	--	30
429	transverfalis.	—	--	17

Elaphrus.

			fl.	kr
430	uliginofus.	p.	--	10

Elater.

			fl.	kr
421	aeruginofus.	—	--	17
432	analis.	p.	--	15
433	atomarius.	—	--	17
434	balteatus. *	—	--	10
435	2. puftulatus.	p.	--	20
436	clavicornis. Ill.	p.	--	15
437	cruciatus.	—	--	15
438	elongatulus.	p.	--	40
439	equeftris.	p.	--	15
440	fasciatus.	—	--	48
441	ferrugineus.	—	--	51
442	filiformis.	p.	--	17
443	Filum. F.	p.	--	20
444	flavicornis. P.	p.	--	20
445	haeinatodes.	m.f	--	20
446	hirtus. H.	p.	--	10
447	holofericeus.	p.	--	10
448	lateralis.	p.	--	17
449	linearis.	—	--	36
450	longicollis.	m.f	--	10
451	niger.	p.	--	12
452	obfcurus.	p.	--	12
453	pectinicornis.	m.f	--	15
454	pilofus.	—	--	10
455	4. maculatus.	—	--	17
456	ruficollis.	p.	1	30
457	rufipes.	p.	--	17
458	fignatus. P.	m.f	1	8
459	ftriatus.	—	--	10
460	*fulcatus*.	—	2	--
461	varius.	p.	1	20
462	vittatus.	p.	--	15

Endomychus.

			fl.	kr
463	coccineus.	p.	--	12
464	4. puftulatus.	p.	--	34

Erodius.

			fl.	kr
465	bilineatus. H.	—	1	--
466	teftudinarius. *	—	1	8

Eumolpus.

			fl.	kr
467	aeneus. Sc.	p.	--	17
468	obfcurus.	—	--	10
469	praetiofus.	p.	--	34
470	Vitis.	p.	--	15

Forficula.

			fl.	kr
471	bipunctata.	m.f	--	36
472	minor.	p.	--	30

Galleruca.

			fl.	kr
473	Calmarienfis.	p.	--	10
474	Capreae.	p.	--	10
475	Lineola.	p.	--	10
476	nigricornis.	m.f	--	30
477	fanguinea.	p.	--	14
478	20. punctata.	p.	--	15

Geotrupes.

			fl.	kr
479	Monodon.	—	--	30

Helops.

			fl.	kr
480	ater.	p.	--	24
481	lanipes.	m.f	--	10
482	ferratus.	p.	--	15

Heterocerus.

			fl.	kr
483	marginatus.	—	--	15

Hifpa.

			fl.	kr
484	atra.	p.	--	10
485	teftacea.	—	--	30

Hifter.

			fl.	kr
486	2. maculatus.	p.	--	10
487	2. puftulatus.	p.	--	10
488	bis 6. ftriatus. M.	—	--	17
489	caefus.	p.	--	12
490	complanatus. H.	p.	--	30
491	10. ftriatus. R.	—	--	15
492	12. - - - - Sr.	p.	--	15
493	inaequalis.	m.f	--	27
494	oblongus.	p.	--	15
495	picipes.	p.	--	12
496	planus.	p	1	30
497	purpurascens.	p.	--	24
498	finuatus.	p.	--	10
499	fulcatus.	p.	--	17
500	transverfalis. Cr.	p.	--	17

Hydrophilus.

			fl.	kr
501	aeneus.	—	--	20
502	bicolor.	p.	--	12
503	emarginatus.	p.	--	17
504	luridus.	p.	--	24
505	oblongus.	—	--	24
306	fcarabaeoides.	p.	--	10

Hylefinus. *F.*

			fl.	kr
507	varius. Boftr. Fraxini. P.	p.	--	12
508	vittatus. F.	p	--	12

Hypophloeus.

			fl.	kr
509	bicolor.	p.	--	7
510	caftaneus.	p.	--	7
511	depreffus.	—	--	17

Ips.

			fl.	kr
512	aenea.	p.	--	24
513	haemorrhoidalis.	m.f	--	20
514	humeralis.	p.	--	10
515	nigripennis.	p.	--	15
516	4. guttata.	p.	--	20
517	4. puftulata.	—	--	12

No.			fl.	kr
518	rufifrons.	p.	--	10
	Lagria.			
519	coerulea.	p.	--	15
520	nigricornis.	p.	--	17
	Lamia.			
521	aedilis.	m. f	--	25
522	atomaria.	m. f	--	36
523	*bicincta.*	—	1	45
524	curculionoides.	—	--	15
525	decipiens. Ko.	p.	--	45
526	*Hottentotta.*	—	1	30
527	lugubris.	—	1	10
528	Morio.	p.	--	15
529	Var. fulva.	m. f	--	17
530	nebulofa.	—	--	15
531	rufipes.	p.	--	10
532	Textor.	—	--	15
533	triftis.	—	--	17
534	varia.	p.	--	15
535	vittigera. P.	p.	--	45
	Latridius. *H.*			
536	longicornis. P. Derm:	p.	--	17
537	porcatus. P. Derm:	p.	--	17
	Lema.			
538	brunnea.	p.	--	15
539	cyanella.	—	--	7
540	flavipes.	m. f	--	15
541	14. punctata.	—	--	20
542	5. punctata.	p.	--	17
543	rufipes.	p.	--	12
	Leptura.			
544	atra.	m. f	--	24
545	auriflua. M.	m. f	--	36
546	aurulenta.	m. f	1	8
547	bifasciata. Sr.	m. f	--	15
548	cincta.	m. f	--	45
549	haftata.	—	--	40
550	holofericea. F.	p.	--	45
551	humeralis.	p.	--	30
552	laevis.	m. f	--	12
553	lurida.	p.	--	30
554	maculicornis.	m. f	--	15
555	melanaria. H.	—	--	24
556	melanura.	m. f	--	24
557	meridiana.	m. f	--	20
558	— Var: Eltyr: nigr.	m. f	--	24
559	— — — Pedib: nigr.	p.	--	30

No.			fl	kr
560	nigra.	m. f	--	12
561	8. maculata.	m. f	--	15
562	praeufta.	p.	--	36
563	rufipes. Gm.	m. f	--	12
564	fauguinolenta.	m. f	--	10
565	fcutellata.	m. f	--	36
566	7. punctata.	p.	--	12
567	thoracica. Cr.	—	3	--
568	tomentofa.	m. f	--	45
569	unipunctata.	m. f	--	15
	Lethrus.			
570	Cephalotes.	m. f	--	45
	Lucanus.			
571	caraboides.	m. f	--	20
572	Var. Elyt: virid:	—	--	15
573	fcarabaeoides. Cr.	m. f	1	8
574	tenebrioides.	f.	--	30
	Lycus.			
575	Aurora.	p.	--	15
	Lymexylon.			
576	dermeftoides.	p.	-	17
577	proboscideum.	—	--	20
	Lytta.			
578	erythrocephala.	p.	--	15
	Malachius.			
579	analis. P.	p.	--	17
580	concolor. F.	—	--	20
581	fasciatus.	p.	--	17
582	flavipes.	p.	--	15
583	marginellus.	—	--	10
	Melafis.			
584	flabellicornis.	—	--	24
	Meliris.			
585	aenea. Ol.	p.	1	8
586	*viridis.*	p.	1	--
	Meloe.			
587	tecta. Hl.	—	--	12
	Melolontha.			
588	aeftiva.	p.	1	--
589	Agricola. V. nigra.	—	--	20
590	aprilina. Cr.	p.	--	15
591	argentea.	m. f	--	15

No.			fl.	kr
592	aurata. F.	—	--	45
593	chryfomelina.	p.	--	30
594	Floricola.	p.	--	12
595	Horticola.	p.	--	12
596	Hippocaftani. F.	m. f	--	25
597	Junii. Cr.	—	--	45
598	*melanocephala.*	—	1	--
599	pilofa. *	m. f	--	17
600	*rubripes.* M. *Bot.* Bay.	—	3	--
	Molorchus.			
601	abbreviatus.	—	--	20
602	dimidiatus.	m. f	--	24
	Mordella.			
603	atomaria. F.	p.	--	30
604	frontalis.	p.	--	10
605	teftacea. F.	p.	--	30
606	thoracica.	p.	--	17
	Mycetophagus.			
607	caftaneus.	p.	--	15
608	dermeftoides.	p.	--	17
609	fafciatus. F.	p.	--	15
610	glabratus. F.	—	--	30
611	piceus.	p.	--	20
612	4. maculatus.	p.	--	15
613	teftaceus.	p.	--	15
	Mylabris.			
614	algirica.	—	--	45
615	auftralis. Ko.	—	--	40
616	Füeslinii.	p.	--	20
617	3. maculata.	—	--	15
618	?? Ol. fig. 10. b.	—	--	45
619	?? Ol. fig. 2. b.	—	--	45
	Necydalis.			
620	adufta. P.	—	--	15
621	dispar. M.	m. f	--	24
622	femorata. P.	—	--	15
623	flavicollis. P.	—	--	15
624	rufa.	p.	--	20
625	ruficollis.	—	--	10
626	fimplex.	p.	--	12
627	uftulata.	p.	--	17
	Nicrophorus.			
628	Humator.	p.	--	36
629	Mortuorum.	—	--	15
	Nitidula.			
630	biloba. H.	p.	--	15
631	ferruginea.	p.	--	10
632	ftrigata.	p.	--	15
633	varia.	p.	--	12
	Notoxus.			
634	antherinus.	p.	--	10

No.			fl.	kr
635	cornutus.	p.	--	36
636	pedeftris.	—	--	15
	Onitis.			
637	Clinias.	n. f	1	--
638	Vandellii.	—	--	40
	Opatrum.			
639	Lufitanicum. Sc.	—	--	34
	Orcheftes. *Cr.*			
640	Fragariae.	p.	--	15
641	Signifer. Cr.	p.	--	40
	Parnus.			
642	acuminatus.	p.	--	20
643	prolifericornis.	p.	--	12
	Paffalus.			
644	interruptus.	m.	2	--
645	— — —	f.	1	30
	Peltis.			
646	groffa.	p.	--	24
	Pimelia.			
647	2. punctata.	—	--	45
648	curculionoides.	—	--	45
649	gibba.	—	1	30
650	maculata.	—	1	8
651	orbiculata ??	—	1	30
652	ovata. Ol.	—	1	30
653	pygmaea.	p.	--	36
654	ftriata.	—	1	20
	Prionus.			
655	fcabricornis.	n. f	--	40
	Ptinus.			
656	elegans. F.	p.	--	17
657	imperialis.	p.	--	15
658	rufipes. Ol.	—	--	12
659	Scotias.	p.	--	12
	Ptilinus.			
660	ater. Cr.	p.	--	36
661	pectinatus.	p.	--	20
662	pectinicornis.	n. f	--	17
	Rhagium.			
663	2. fafciatum.	n. f	--	40
664	cinctum.	n. f	2	--
665	— Var. nigra.	—	3	--
666	Curfor.	—	--	34
667	Indagator.	m. f	--	30
668	Inquifitor.	p.	--	27
669	Noctis.	m. f	1	--
	Rhinomacer.			
670	curculionoides.	p.	--	17
671	lepturoides. F.	p.	1	8

No.			fl.	kr
	Ripiphorus.			
672	2. maculatus.	—	--	30
	Rhyncolus. *Cr.*			
673	craſſiroſtris. Cr.	p.	--	30
674	tenuiroſtris. Cr.	—	--	25
	Rhynchophorus. *H.*			
675	abbreviatus. F. Curc.	p.	--	34
676	*Palmarum.* F. Curc.	—	1	30
677	piceus. H.	—	--	20
678	— Var. nigra.	—	--	24
	Saperda.			
679	affinis. P.	—	1	8
680	Argus. N. F.	p.	1	30
681	cylindrica.	p.	1	20
682	erythrocephala.	—	--	10
683	ferrea. Sr.	p.	--	20
684	flavimana. P.	p.	1	30
685	hirſutula. N. F.	p.	1	8
686	linearis.	p.	--	20
687	marginella. F.	p.	--	36
688	nigripes.	p.	--	20
689	praeuſta.	p.	--	15
690	populnea.	p.	--	17
691	punctata.	—	--	24
692	Seidlii. F.	—	1	8
693	ſcutellata.	—	--	30
694	ſuturalis.	—	--	40
695	Tremulae.	p.	--	24
696	violacea.	p.	1	8
697	virescens.	p.	--	24
	Scaphidium.			
698	4. maculatum.	p.	--	17
	Scarabaeus.			
699	diſpar.	m. f	1	20
700	Hipocryta. Sc.	—	--	45
701	mobilicornis.	m. f	--	30
702	4. dens.	m. f	--	12
703	ſylvaticus.	p.	--	15
704	teſtaceus.	f.	--	45
705	Typhoeus.	m. f	--	51
	Scarites.			
706	arenarius.	p.	--	15
707	ſubterraneus.	—	--	45
	Scolytus.			
708	limbatus.	p.	--	15
	Sepidium.			
709	elongatum. Ol.	—	1	30
710	reticulatum.	—	1	30
711	rugoſum.	—	1	30

No.			fl.	kr
	Silpha.			
712	clavipes. M.	p.	--	24
713	littoralis.	p.	--	17
714	lunata.	p.	--	24
715	4. punctata.	p.	--	15
716	reticulata.	p.	--	30
717	thoracica.	p.	--	12
	Sphaeridium.			
718	atomarium.	—	--	12
719	fasciculare.	p.	--	15
720	ferrugineum.	—	--	24
	Spondylis.			
721	bupreſtoides.	—	--	15
	Staphylinus.			
722	aeneocephalus. Pay.	p.	--	17
723	chloropterus. Cr.	m. f	1	30
724	cyaneus.	—	--	24
725	hirtus.	p.	--	17
726	olens.	p.	--	15
727	porcatus.	p.	--	30
	Stenocorus.			
728	diſpar. Sc.	m. f	1	--
	Synodendron.			
729	cylindricum.	m. f	--	45
730	muricatum.	p.	1	20
	Tenebrio.			
731	culinaris.	—	--	15
732	ferrugineus. P.	—	--	15
	Tillus.			
733	elongatus.	p.	--	36
734	filiformis. Cr.	p.	--	30
	Trichius.			
735	Eremita.	p.	--	15
736	hemipterus.	m. f	--	10
737	nobilis.	m. f	--	24
738	8. punctatus.	m. f	--	36
	Tritoma.			
739	2. puſtulata.	p.	--	15
740	rufipes.	p.	--	17
	Trogoſita.			
741	caraboides.	p.	--	17
742	coerulea.	—	1	--
	Trox.			
743	hispidus. Lat.	p.	--	12
	Zonitis.			
744	clavipes. M.	m. f	3	--
745	mutica.	p.	--	36

HEMIPTERA.

No.			fl.	kr
	Acanthia.			
1	annulata. M.	p.	--	30
2	annulicornis. F.	p.	--	30
3	craſſipes.	m. f	--	24
4	depreſſa.	—	--	7
5	Echii. F.	p.	--	17
	Cercopis.			
6	angulata.	p.	--	20
7	atra.	p.	--	17
8	2. fasciata.	p.	--	15
9	coleoptrata.	p.	--	12
10	marginella.	p.	--	17
11	thoracica. F.	—	--	7
	Cicada.			
12	bicolor.	—	--	17
13	Cynosbatis.	p.	--	30
14	interrupta.	p.	--	17
15	leporina. L.	p.	--	24
16	nervoſa.	p.	--	24
	Chermes.			
17	Alni.	p.	--	15
	Cimex.			
18	acuminatus.	p.	--	10
19	agathinus.	p.	--	17
20	albolineatus.	p.	--	45
21	albomarginellus.	p.	--	15
22	aſſimilis. M.	p.	--	30
23	2. punctatus.	p.	--	20
24	diſſimilis.	p.	--	20
25	Globus.	p.	--	17
26	haemorrhoidalis.	p.	--	20
27	melanocephalus.	p.	--	20
28	Nigellae.	—	--	30
29	niger. F.	—	--	30
30	perlatus.	—	--	10
31	pictus. F.	p.	--	34
32	triſtis.	p.	--	15
	Coreus.			
33	*Clavator.* M.	—	2	--
34	hirticornis.	p.	--	34
35	quadratus.	—	--	12
36	Scapha.	—	--	17
	Fulgora.			
37	*candelaria.*	—	1	30
38	europaea.	p.	--	24
	Gerris.			
39	Stagnorum.	—	--	15
	Gryllus.			
40	cothurnatus. Cr.	—	--	20

No.			fl.	kr
	Locuſta.			
41	regina. F.	m.	--	40
	Lygaeus.			
42	apterus. Var. alata.	—	--	20
43	brevis. P.	p.	--	24
44	capitatus.	p.	--	20
45	Echii. P.	p.	--	30
46	Fraxini.	p.	--	17
47	flavo maculatus.	p.	--	15
48	leucocephalus.	—	--	10
49	melanocephalus.	p.	--	24
50	Punctum.	p.	--	24
51	ſaxatilis.	p.	--	10
52	*ſerripes.*	—	1	30
	Mantis.			
53	pagana.	—	--	34
	Membracis.			
54	aurita.	—	--	24
55	Geniſtae.	p.	--	24
	Naucoris.			
56	cimicoides.	p.	--	17
	Pſoccus. *E.*			
57	atratus. F.	—	--	17
58	erythrocephalus. F.	p.	--	36
	Reduvius.			
59	iracundus.	p.	--	20
60	*ſerratus.*	—	2	16
61	ſtridulus.	m. f	--	30
	Tettigonia.			
62	obscura. F.	—	1	--
63	tibialis. P.	—	--	24

LEPIDOPTERA.

No.			fl.	kr
	Bombyx.			
1	Aesculi.	m. f	2	30
2	argentina.	m. f	2	--
3	aulica.	m. f	--	24
4	Auſtera.	m. f	1	20
5	Betulifolia.	m. f	2	30
6	bicoloria.	m. f	3	--
7	bifida.	m. f	--	40
8	Capucina.	f.	4	--
9	Caſſinia.	m. f	--	40
10	caſtanea.	m. f	9	--
11	Celſia.	m.	2	30
12	Chaonia.	m. f	--	30
13	crenata.	m.	1	30
14	Cucula.	m. f	4	36

			fl.	kr
15	detrita.	m. f	2	30
16	Dominula.	m. f	--	24
17	Everia.	m. f	--	45
18	Fagi.	m.	1	--
19	Flina.	f.	--	24
20	Hebe.	m. f	--	40
21	Hoſpita.	m.	--	40
22	lobulina.	m. f	1	--
23	luctifera.	m. f	--	45
24	maculoſa.	m. f	1	--
25	Matronula.	m. f	5	--
26	mendica.	m. f	--	30
27	Morio.	m. f	--	20
28	nivoſa.	m.	--	45
29	nubeculoſa.	m. f	1	20
30	oleagina.	m. f	--	48
31	Pavonia major.	m. f	1	--
32	— Spini.	m. f	--	48
33	Pini.	m. f	--	36
34	plumigera.	m. f	--	48
35	populifolia.	m f	2	20
36	potatoria.	m. f	--	24
37	Pruni.	f.	1	24
38	pulchra.	f.	1	30
39	purpurea.	m. f	--	18
40	Quercus.	m. f	--	24
41	ſelenitica.	m. f	4	30
42	Taraxaci.	m. f	2	30
43	Tau.	m. f	--	48
44	terrifica.	m. f	4	--
45	Tremula.	m. f	1	40
46	trepida.	m. f	--	40
47	Trifolii.	m. f	--	30
48	Ulmi	m. f	--	40
49	verſicoloria.	m. f	--	48
50	villica.	m. f	--	40

Geometra.

			fl.	kr
51	albicilata.	m. f	--	20
52	badiata.	m. f	--	20
53	berberata.	m. f	--	20
54	decuſſaria.	m. f	1	--
55	defoliaria.	m. f	--	24
56	gilvaria.	m	--	10
57	hexapterata.	m. f	--	24
58	hispidaria.	m. f	--	45
59	margaritaria.	f.	--	30
60	pennaria.	m. f	--	30
61	piloſaria.	m f	--	30
62	pomonaria.	m. f	1	--
63	procellata.	m. f	--	30
64	prodromaria.	m. f	--	36
65	ruſticata.	m. f	--	20

			fl.	kr
66	ulmaria.	m. f	1	--
67	virgaria.	m. f	1	--
68	zonaria.	m. f	--	45

Noctua.

			fl.	kr
69	Abſynthii.	m. f	--	24
70	Artemiſiae.	f.	--	50
71	Batis.	f.	--	20
72	bimaculoſa.	m. f	--	45
73	Bractea.	m. f	3	--
74	caecimacula.	m.	--	24
75	Cardui.	m.	--	45
76	cincta.	m.	2	--
77	cinerea.	m. f	--	40
78	compta.	m. f	1	--
79	conformis.	m. f	--	40
80	conſpersa.	m.	--	30
81	Croceago.	m. f	--	40
82	Delphinii.	m. f	1	40
83	deraſa.	m. f	1	10
84	diffinis.	m. f	--	40
85	electa.	m. f	--	40
86	Flammatra.	m.	--	20
87	Fraxini.	m. f	1	--
88	Gothica.	m. f	--	40
89	herbyda.	m.	--	45
90	hymenaea.	m. f	3	--
91	Janthina.	m.	--	20
92	illuſtris.	m. f	1	--
93	Liguſtri.	f. f	--	24
94	livida.	m. f	2	40
95	lunaris.	m. f	1	30
96	lithoxylea.	m.	--	40
97	Maura.	f.	--	40
98	Moneta.	f.	7	--
99	Nymphagoga.	f.	1	--
100	occulta.	m.	--	45
101	Ononis.	m. f	--	40
102	Oo.	f.	--	20
103	perſpicillaris.	f.	--	40
104	Petroriza	m. f	--	48
105	Phragmitis. N. Sp. Zi.	m. f	3	--
106	polygona.	m. f	--	48
107	promiſſa.	m. f	--	40
108	prunea.	f.	--	40
109	Puella.	m. f	--	20
110	punica.	m.	--	20
111	rubiginea.	m. f	1	--
112	ruficollis.	f.	1	20
113	runica.	p.	--	18
114	Saponariae.	m. f	--	30
115	Sponſa.	m. f	--	48
116	ſubſequa.	m. f	--	30

			fl.	kr
117	Tanaceti.	m. f	1	--
118	tetra.	m. f	--	48
119	texta.	—	--	40
120	triquetra.	f.	--	30
121	Typhae.	m. f	2	40
122	Vau punct.	m. f	1	30
123	virens.	m. f	1	—

Papilio.

			fl.	kr
124	Aceris.	m.	1	—
125	Admethus.	m.	--	40
126	Aegeria.	m. f	--	15
127	Alcyone.	m. f	--	40
128	Apollo.	m. f	--	30
129	Arethuſa.	m. f	--	30
130	Ceraſi.	m. f	--	30
131	Chloris.	m. f	--	24
132	Chryſotheme.	m. f	2	30
133	Dejanira.	m.	--	10
134	Fauna.	m.	--	40
135	Fritillum maj.	m. f	--	34
136	Hecate.	m. f	--	24
137	Hermione.	m. f	--	20
138	Hypothoae.	m. f	--	20
139	Hylas.	m.	--	10
140	Ino.	m. f	--	40
141	Iris junonia.	m.	--	20
142	— — —	f.	1	—
143	Laodice.	m. f	2	30
144	Leucomelas.	f.	1	20
145	Lucilla.	p.	2	30
146	Pandora.	m. f	1	10
147	Phaebe.	m. f	--	48
148	Phaedra.	m. f	--	30
149	Phicomone.	m. f	3	—
150	Polyxena.	m. f	1	—
151	Polysperchon.	m.	--	20
152	Proſerpina.	m. f	--	15
153	Pyrrha.	m.	--	40
154	— — —	f.	1	20
155	Sibilla.	m. f	--	40
156	Steropes.	m. f	--	40
157	Thelephii.	m. f	--	20
158	Therſamon.	m.	--	24
159	trivia. Hyb.	m. f	--	36
160	V. album.	m. f	2	30

Sphinx.

			fl.	kr
161	Aeacus.	f.	2	—
162	appendiculata.	m. f	2	—
163	aſiliformis.	m.	--	40
164	Atropos.	m.	--	40
165	conopiformis.	m.	--	30
166	Cynarae.	m. f	2	30

			fl.	kr
167	Elpenor.	p.	--	30
168	empiformis.	m. f	--	24
169	Euphorbiae.	m. f	--	40
170	fauſta.	f.	--	40
171	feneſtrina.	m. f	--	24
172	fuciformis.	m. f	--	20
173	Koechlinii.	m.	9	—
174	Nerii.	—	7	—
175	ocellata.	—	--	20
176	Oenotherae.	m. f	1	—
177	oeſtriformis.	m. f	--	40
178	Phegea.	m f	--	20
179	Populi.	p.	--	30
180	Quercus.	—	9	—
181	Veronicae.	f.	1	20

Tinea.

			fl.	kr
182	Anthracinella.	m. f	--	20
183	Cribrumella.	m. f	--	20

HYMENOPTERA.

Andrena.

			fl.	kr
1	aenea.	p.	--	20
2	armata. P.	—	--	30
3	atterrima. P.	—	--	20
4	auſtriaca. P.	p.	--	24
5	bicolor.	p.	--	20
6	coerulescens.	p.	--	24
7	hirtipes.	—	--	15
8	lobata. P.	m. f	--	36
9	marginalis. M.	p.	--	20
10	plumipes. P.	—	--	30
11	3. cincta. M.	—	--	17
12	3. fasciata. M.	—	--	17

Apis.

			fl.	kr
13	agrorum.	p.	--	20
14	autumnalis.	—	--	15
15	2. maculata. P.	—	--	24
16	centuncularis.	p.	--	17
17	ciliata. F.	—	--	17
18	conica.	p.	--	24
19	equeſtris.	—	--	17
20	italica.	—	--	34
21	punctata.	—	--	20
22	rufa.	p.	--	20
23	Taurus. F.	—	--	17

Banchus.

			fl.	kr
24	Variator.	p.	--	24
25	Variegator.	—	--	20
26	Viridator. F.	—	--	30

			fl.	kr
	Chryſis.			
27	aurata.	p.	--	17
28	2. dentata.	p.	--	34
29	cyanea.	p.	--	12
30	cyanocephala. M.	p.	--	30
31	puſilla.	p.	--	34
32	regia.	p.	--	15
	Crabro.			
33	albilabris.	—	--	17
34	ſcutatus.	—	--	15
35	vagabundus. P.	—	--	15
36	vexillatus. P.	p.	--	24
	Eucera.			
37	longicornis.	—	--	12
	Formica.			
38	dorſata.	—	--	10
39	Herculeana.	—	--	12
40	nigra.	p.	--	15
	Hylaeus.			
41	floriſomnis.	p.	--	15
42	maxilloſus.	p.	--	12
43	6. cinctus.	p.	--	24
	Ichneumon.			
44	bidentorius.	m. f	--	20
45	Edictor.	p.	--	17
46	foſſorius.	—	--	10
47	Incubitor.	p.	--	12
48	Initiator.	—	--	12
49	Inſtigator.	m. f	--	20
50	luctatorius.	p.	--	12
51	Manducator. P.	—	--	20
52	mercatorius.	—	--	10
53	motatorius.	p.	--	12
54	Oculator.	m. f	--	24
	Leucoſpis.			
55	dorſigera.	—	--	30
	Maſaris.			
56	apiformis.	—	1	—
	Nomada.			
57	flava.	p.	--	27
58	fulvicornis.	p.	--	17
59	furva. P.	p.	--	17
60	gibba.	p.	--	15
61	ruſicornis.	p.	--	15
62	ſcutellaris.	—	--	45
63	ſuccincta. P.	—	--	24
64	zonnata. P.	p.	--	27
	Ophion.			
65	flavus.	p.	--	12
66	glaucopterus.	—	--	12
67	luteus.	—	--	12

			fl.	kr
68	obſcurus. F.	p.	--	30
69	ramidulus.	—	--	15
	Oryſſus.			
70	Veſpertilio.	—	--	17
	Philanthus.			
71	arenarius.	—	--	7
72	4. faſciatus. P.	p.	--	20
	Pompilus.			
73	2. punctatus.	—	--	7
74	exaltatus.	p.	--	15
75	frontalis. P.	p.	--	20
76	fuſcus.	p.	--	10
77	gibbus.	p.	--	12
78	hircanus.	p.	--	17
79	niger.	p.	--	15
	Scolia.			
80	Boehmiana. M.	—	--	30
81	flavifrons.	—	--	30
82	4. punctata.	m. f	1	—
83	ſignata. P.	m. f	--	40
	Sirex.			
84	Gigas.	f.	--	15
85	Spectrum.	m. f	--	30
	Sphex.			
86	annulata. P.	p.	--	17
87	Figulus.	p.	--	15
88	ſpirifex.	p.	--	40
89	unicolor.	—	--	7
	Tenthredo.			
90	annulata.	m. f	--	12
91	atra.	—	--	10
92	2. cincta.	p.	--	15
93	blanda.	p.	--	12
94	carbonaria.	p.	--	15
95	cincta.	p.	--	15
96	coerulescens.	m. f	--	15
97	coſtalis.	—	--	24
98	craſſa.	p.	--	15
99	Ephippium.	p.	--	17
100	faſcialis. M. F. 51. β.	p.	--	15
101	faſciata.	—	--	17
102	ferra.	—	--	12
103	flavicornis.	—	--	7
104	germanica.	p.	--	12
105	Juniperi.	m. f	--	24
106	laeta.	—	--	17
107	lutea.	m. f	1	—
108	marginata.	m. f	--	36
109	naſſata.	p.	--	15
110	Nemorum.	m. f	--	15
111	nigra.	m. f	--	12

			fl.	kr
112	notata. P.	p.	--	17
113	ovata.	p.	--	15
114	punctata.	—	--	15
115	Punctum.	p.	--	12
116	Ribis. Sr.	m. f	--	15
117	rufiventris.	m. f	--	30
118	ſemicincta. P.	—	--	12
119	ſeptentrionalis. f. *	m. f	--	45
120	Spinarum.	—	--	7
121	Stigma.	m. f	--	17
122	ſylvatica.	m. f	--	15
	Tiphia.			
123	depreſſa. M.	—	--	40
124	Ephippium. F. Mutil.	—	--	24
125	femorata.	p.	--	24
	Veſpa.			
126	faſciata.	—	--	10
127	gallica.	p.	--	17
128	germanica.	p.	--	15
129	labiata.	—	--	36
130	Parietum.	—	--	12
131	ſpinipes.	m. f	--	17

DYPTERA.

			fl.	kr
	Anthrax.			
1	Belzebul.	p.	--	15
2	Maura.	p.	--	10
3	Morio.	p.	--	12
	Aſilus.			
4	Diadema.	—	--	12
5	Ephippium.	f.	--	12
6	flavus.	m. f	--	17
7	frontalis.	p.	--	12
8	fuliginoſus.	p.	--	20
9	gibboſus.	m.	--	12
10	linearis.	p.	--	15
11	minutus.	p.	--	12
12	pedemontanus.	m. f	--	20
	Bombylius.			
13	ater.	p.	--	10
14	minimus.	—	--	15
15	ſulphureus. Mi.	—	--	15
16	vireſcens. F.	p.	--	17
	Ceria.			
17	clavicornis.	m. f	1	--
18	conopſea. L. Muſca.	p.	--	45
	Conops.			
19	flavipes.	p.	--	24

			fl.	kr
20	veſicularis.	—	—	20
	Empis.			
21	ciliata.	m. f	—	15
	Mulio.			
22	arcuatus.	p.	—	12
23	2. cinctus.	m. f	—	17
24	bicolor.	m. f	—	20
25	intermedius. M.	m. f	—	17
26	virens. M.	m. f	—	17
	Muſca.			
27	Argus. M.	p.	—	17
28	braſſicaria.	p.	—	12
29	Centaureae.	p.	—	17
30	filiformis.	p.	—	30
31	formoſa. P.	p.	—	12
32	lateralis.	p.	—	12
33	leptogaſter. P.	p.	—	30
34	lineata.	p	—	12
35	ludifica.	p.	—	15
36	lurida.	—	—	12
37	maculata.	p.	—	15
38	marginata.	—	—	12
39	reticulata.	p	—	20
40	Seminationes.	p.	—	12
41	teſſellata.	p.	—	15
42	vibrans.	p.	—	10
	Myopa.			
43	annulata.	p.	—	20
44	buccata.	—	—	10
45	cinerea.	p.	—	30
46	dorſalis.	p	—	30
47	ferruginea.	p.	—	17
48	punctata.	—	—	20
49	teſtacea.	p	—	17
	Nemotellus.			
50	ater. P.	p.	—	34
51	auratus. M.	—	—	15
52	marginatus.	p.	—	24
53	uliginoſus.	p.	—	30
	Rhingia.			
54	roſtrata.	p.	—	15
	Sargus.			
55	auratus.	p.	—	12
56	cuprarius.	p.	—	10
57	politus.	p.	—	10
	Stratyomis.			
58	Chamaeleon.	p.	—	7
59	Hypoleon.	m. f	—	15
60	mutica.	p.	—	15
61	ſplendens.	—	—	10

			fl.	kr
62	ftrigata.	m.f	—	15
63	3. lineata.	p.	—	24
	Syrphus.			
64	albimanus.	p.	—	10
65	apiarius.	p.	—	12
66	2. fasciatus.	m.f	—	12
67	bombylans.	p.	—	17
68	coarctatus. P.	—	—	24
69	elongatus.	p.	—	17
70	femoratus. P.	m.f	—	24
71	floreus.	m.f	—	10
72	inanis.	p.	—	20
73	inflatus.	—	—	17
74	micans.	—	—	17
75	mixtus.	—	—	20
76	myftaceus.	p.	—	20
77	pellucens.	m.f	—	12
78	pendulus.	p.	—	10
79	podagricus.	p.	—	15
80	Ribefii.	m.f	—	10
81	ruficornis.	m.f	—	24
82	fepulchralis.	p.	—	17
83	fpeciofus. R.	p.	—	24
84	fpinipes.	m.f	—	24
85	Sylvarum.	p.	—	20
86	variabilis.	p.	—	12
87	varius.	—	—	17
88	Volvulus.	p.	—	30
	Tabanus.			
89	albipes.	—	—	24
90	bromius.	p.	—	20
91	graecus.	m.f	—	30
	Thereva.			
92	analis. P. Mufca.	p.	—	24
93	continua. P. Mufca.	—	—	10
94	craffipennis.	—	—	12
95	obefa. F.	—	—	15
96	rotundata. F. Mufca.	m.f	—	12
97	taeniata. P. Mufca.	—	—	10

APTERA.

			fl.	kr
	Callapa.			
1	marmorata.	p.	—	30
	Dromia.			
2	Rumphii.	p.	—	45
	Inachus.			
3	lanatus. H.	—	—	40
4	Tetraodon. H.	p.	—	45
	Leucofia.			
5	Nucleus.	p.	—	34
	Portunus.			
6	pellagicus.	—	—	34
7	vellutinus. H.	—	—	36
	Scorpio.			
8	cimicoides.	p.	—	15

APPENDIX.

			fl.	kr
1	Collectio Infectorum auftriacorum, bene confervatorum, continens circa 800 diverfas Species, de quibus 453 jam determinatae funt.	—	30	—
2	Species fequentes in una Scatula :	—	6	—
	Ackis.			
	fpinofa. *	p.		
	Actinophorus.			
	femipunctatus.	3		
	Afcalaphus.			
	italicus. *	—		
	Carabus.			
	Sycophanta.	3		
	Melolontha.			
	villôfa. *	—		
	Papilio.			
	Polyxena. *	p.		
	Pimelia.			
	groffa.	—		
	Nov. Sp. *	—		
	Zygaena.			
	Filipendulae. *	—		
	Byrrhus.			
3	Gigas.	—	1	—
	Melolontha.			
4	variabilis.	p.	—	20
5	Vitis.	p.	—	24
6	Copris media	—	—	15
7	Aphodius globosus	p	—	34
8.	Leptura strigillata	—	—	20

APPENDIX

AD

CATALOGUM INSECTÓRUM, QUAE MENSE DECEMBRIS MDCCCI. VIENNAE AUSTRIAE AUCTIONIS LEGE VENDITA FUERE.

Monenda.

I. Die 12. et ſequentibus Aprilis 1802 alia Inſectorum Auctio erit, in qua non ſolum illa, hisce pagellis enumerata, ſed — deletis abſentibus ſpeciebus Catalogi primarii = nempe *Coleopt.* 9. 30. 60. 73. 82. 90. 102. 210. 213. 234. 273. 283. 289. 326. 367. 425. 460. 527. 567. 597. 598. 600. 644. 676. 699. 707. 724. *Hemipt.* 33. 52. 60. *Lepidopt.* 10. 44. 188. *Hymenopt.* 28. 30. 46. 56. 89. 126. 129. *Dypt.* 89. 90. 95. *Apt.* 4. 7. *App.* 2. 3, &c. &c. — etiam omnia reliqua, ibi allegata, Emtioni publicae exponentur.

II. Nomina authorum ibi non allegatorum, hoc modo hic abbreviata ſunt. B. Borkhauſen. D. Duftſchmidt. Es. Esper. Fr. Fröhlich. Ja. Jacquinii Collectanea. Kn. Knoch. W. V. Wienerverzeichniſs der Schmetterlinge.

III. Monita ea, quae in Catalogo principali fronte exſtant etiam hic adhuc valent.

		Exemplaria.	Pretium Subhaſtationis. fl.	kr
	COLEOPTERA.			
	Apate.			
1	diſpar.	f.	—	30
	Aphodius.			
2	conflagratus.	—	—	12
	Ateuchus.			
3	*gibboſus.*	—	4	30
	Bruchus.			
4	ſuturalis.	—	—	12
	Bupreſtis.			
5	marginata.	—	2	30
6	micans.	p.	2	40
7	plebeja.	—	—	34
8	4. lineata. H.	—	4	30
	Byrrhus.			
9	Gigas.	—	1	—
10	ſetiger. Ill.	—	—	34
	Callidium.			
11	ſpinosum.	—	—	36
	Caloſoma.			
12	*Scrutator.*	—	4	—
	Cantharis.			
13	puſilla. D.	p.	—	15
	Carabus.			
14	abbreviatus.	—	—	15
15	calceatur. Cr.	—	—	30
16	convexus.	—	—	24
17	cylindricus.	—	1	—

			fl.	kr
18	familiaris. Cr.	—	—	17
19	flavicornis.	p.	—	45
20	idem Elytr: nigr:	—	1	8
21	gemmatus.	—	—	30
22	haemorrhoidalis.	—	—	24
23	ingenuus. Cr.	—	—	24
24	nobilis. Cr.	—	—	24
25	piger. Cr.	—	—	17
26	pumicatus. P.	p.	—	20
27	Quadrillum. Cr.	p.	—	24
28	tempestivus. Z.	p.	—	15
	Cerocoma.			
29	Vahlii.	—	—	20
	Ciſtella.			
30	ceramboides.	—	—	20
	Chryſomela.			
31	Americana.	—	—	34
32	gramminicola. P.	—	—	17
33	haemorrhoidalis.	—	—	30
	Clytus.			
34	*flexuoſus.*	—	2	—
	Coccinella.			
35	11. punctata.	—	—	24
36	28. *punctata.*	—	1	—
	Copris.			
37	affinis. St.	f.	—	30
38	fracticornis.	m. f	—	17
39	media.	m. f	—	30
	Crioceris.			
40	ſubſpinoſa.	m. f	—	24
	Cryptocephalus.			
41	*congeſtus.*	—	2	—
	Cucujus.			
42	coeruleus.	f.	1	30
	Curculio.			
43	abbreviatulus.	—	—	24
44	acridulus.	—	—	15
45	ater. H.	p.	—	24
46	Auſtriacus. F.	—	1	—
47	Chloris.	—	—	10
48	Cochleariae. Fr.	p.	—	30
49	Corruptor. Ja.	—	1	—
50	diſtinctus. F.	—	1	—
51	elevatus. H.	p.	1	—
52	floralis.	p.	—	24
53	Friulicus. H.	—	—	24
54	foſſulatus. M.	—	—	34
55	geminatus.	—	—	17
56	Lamii.	p.	—	24
57	mercurialis. F.	p.	—	30
58	Oxalis. H.	—	—	40
59	pectoralis. P.	p.	—	17
60	Pinnastri. H.	—	—	30
61	polygranoſus. M.	—	1	—
62	porcatus. P.	—	—	45
63	Pſeudacori.	—	—	20
64	Robiniae. H.	—	1	—
65	ſulcatus. Hl.	—	—	30
66	teſſellatus.	—	—	10
67	unicolor. H.	—	—	34
68	longicollis. M.	m. f	—	45
69	nigriroſtris.	p.	—	30
70	ſtrupoſus. M.	—	—	45
71	ulceratus. Cr.	p.	—	40
	Cyphon.			
72	hemisphaericus.	—	—	24
	Dermestes.			
73	6. dentatus.	p.	—	40
	Donacia.			
74	linearis. Ho.	p.	—	17
75	ſtriata. Ho.	m. f	—	36
	Dorcatoma.			
76	chryſomelina. *	—	—	20
	Dyticus.			
77	abbreviatus.	—	—	7
78	agilis.	p.	—	10
79	chalconatus K.	—	—	7
80	granularis.	p.	—	20
81	obscurus. P.	—	—	12
82	ornatus. Hl.	p.	—	45
	Elater.			
83	cupreus.	m.	—	30
84	Equiſeti. P.	p.	—	24
85	Meſomelus.	—	—	50
86	nigripes. Fr.	—	—	17
87	Nigrita. M.	p.	—	36
88	*noctilucus.*	—	2	—
89	rubens. P.	—	2	—
90	3. fasciatus. H.	—	1	30
	Elophorus.			
91	griſeus. H.	—	—	17
92	minimus.	—	—	12
	Eumorphus.			
93	*imarginatus.*	—	2	16
	Geotrupes.			
94	*Antaeus.*	—	4	—
95	*Didymus.*	—	3	—
	Gyrinus.			
96	*ſpinoſus.*	—	—	48
	Helodes.			
97	Phellandrii.	p.	—	30
	Heterocerus.			
98	laevigatus. P.	—	—	34
	Hydrophylus.			
99	marginellus.	—	—	12
100	orbicularis.	—	—	7
101	ſtriatulus.	—	—	17
	Lagria.			
102	pubescens.	—	—	15
	Lamia.			
103	Fuliginator.	—	—	20
104	Sartor.	p.	—	30
105	Sutor.	p.	—	30
106	*Tornator.*	—	1	20
	Leptura.			
107	humeralis.	f.	1	—
108	Morio.	p.	—	40
109	4. maculata.	p.	—	20
110	ſmaragdula.	—	1	—
111	villica.	—	1	—
112	virginea.	p.	—	12
	Lycus.			
113	minutus.	—	—	12
	Lytta.			
114	Syriaca.	p.	—	24
	Meloe.			
115	glabrata. M.	—	—	24
	Melolontha.			
116	ſtrigata Hl.	m.	1	—
	Nitidula.			
117	bipustulata.	p.	—	17
118	Colon.	—	—	12
119	obſcura.	—	—	7
	Oxyporus.			
120	rufus.	—	—	12
	Peltis.			
121	limbata.	p.	—	30
	Prionus.			
122	depſarius.	—	2	—
123	*imbricornis.* e. Georg. maj. coria: cinamom: tho. 6. dent.	m. f	7	—
	Pſoa.			
124	Viennenſis.	—	—	30
	Rinomacer.			
125	attelaboides.	—	1	8
	Saperda.			
126	brunnea.	—	—	15
127	ferruginea.	—	—	24
128	Lineola.	p.	—	14
129	Seidlii. Var. virid.	f.	1	30
	Scarabaeus.			
130	laevigatus.	—	1	—
	Silpha.			
131	dentata.	—	1	30
132	Nigrita. Cr.	—	1	—
	Stenocorus.			
133	Lamed.	—	1	—
	Tenebrio.			
134	cadaverinus.	—	—	51
	Tillus.			
135	*bilineatus.* ex Georg. noſtrat; 4plo. maj. nig. tho. rubr. aur. lin. 2. nigr.	—	5	—
	Trichodes.			
136	Amios.	mf*	1	30

			fl.	kr
137	favarius. Ill.	—	—	30
	HEMIPTERA.			
	Acanthia.			
1	Humuli.	p.	—	15
	Cimex.			
2	*fignatus.*	—	2	16
	Mantis.			
3	religiofa.	—	—	12
	Ranatra.			
4	linearis.	—	—	12
	Tettigonia.			
5	haematodes.	—	—	15
	Truxalis.			
6	nafutus.	—	—	20
	LEPIDOPTERA.			
	Bombyx.			
1	Anachoreta.	m.f	—	40
2	dictaea.	m.f	1	30
3	dicteoides. Es.	m.f	2	—
4	dodonea.	—	—	30
5	Erminea.	f.	2	30
6	Fagi.	m.f	2	—
7	Falcula.	m.f	—	30
8	falcelina.	m.f	—	20
9	flexula.	m.f	—	50
10	Franconica.	f.	3	—
11	Hamula.	m.f	—	50
12	Harpagula.	—	1	—
13	Hecta.	m.	—	24
14	- - - -	f.	1	12
15	Lacertula.	m.f	—	50
16	Querna.	m.f	2	—
17	Rimicola.	m.f	—	40
18	rubicunda.	—	—	30
19	rubricollis.	—	—	24
20	fericina. Hyb.	m.f	1	30
21	Sicula.	m.f	—	40
22	fylvina. Es.	m.	—	45
23	velitaris.	m.f	1	40

			fl.	kr
24	Ziczac.	m.f	1	20
	Geometra.			
25	carbonaria.	m.f	1	20
26	Cebraria. Hyb.	m.f	2	- -
27	confpicuaria. Hyb.	—	1	- -
28	decolorata Hyb.	—	1	30
29	derivata.	—	—	40
30	dilucidaria.	m.f	1	20
31	elutata. Hyb.	—	1	30
32	exterfaria.	m.f	1	20
33	fasciaria.	—	—	40
34	gilvaria.	f.	—	30
35	moniliaria.	p.	—	40
36	nivearia. Hyb.	—	—	20
37	pinnaria.	m.f	1	- -
38	plumaria.	m.	—	20
39	- - - - -	f.	—	40
40	prafinaria.	m.f	—	40
41	prunata. W. V.	m.f	—	54
42	pulveraria. Hyb.	—	1	20
43	Rhamnata.	m.f	—	50
44	rhomboidaria.	m.	—	15
45	- - - - -	f.	—	45
46	rubidata.	m.f	—	50
47	ruffata. W.V.	m.f	—	50
48	Sambucaria.	m.f	1	- -
49	finuata. Hyb.	—	—	40
50	Syringaria.	m f	1	40
51	velutata.	m.f	—	45
	Noctua.			
52	Abrotani.	—	—	30
53	Acetofellae.	p.	—	40
54	achatina.	f.	2	- -
55	Aduena.	—	—	20
56	aenea.	p.	—	24
57	Ain.	f.	3	30
58	Alchimifta.	m.f	2	- -
59	Auricoma.	p.	1	20
60	Caefia. W. V.	—	—	40
61	Chryfon. Es.	—	7	30
62	cinamomea.	—	1	30
63	Comma.	p.	—	48
64	confona.	f.	4	30
65	culta.	m.f	1	20
66	decora.	m.f	2	- -
67	dilecta. B.	m.f	6	- -
68	Domiduca. B.	—	6	- -
69	Fimbria.	m.f	—	48
70	hepatica. *	—	—	45
71	Interrogationis.	—	1	20

			fl.	kr
72	Jota. ex Auftr.	--	1	20
73	- - ex Styr.	--	2	--
74	Lagopus. Es.	--	9	--
75	leporina.	p.	2	--
76	lucipara.	p.	1	--
77	lucipeta.	--	1	40
78	meticulofa.	p.	--	45
79	nigricans.	p.	--	36
80	Nymphea.	--	3	--
81	Nun atrum.	p.	--	40
82	Obelifca.	p.	--	24
83	occultae. Vari.	--	1	20
84	Pofithea.	--	1	30
85	perfpicillaris.	m.f	1	40
86	pinniperda. Er.	--	1	36
87	Pisi.	p.	--	40
88	Polymita.	m.f	1	--
89	porphyrea.	p.	2	30
90	Praeceps.	--	1	--
91	ramofa. Es.	f.	6	--
92	fcutofa.	m.f	1	20
	Papilio.			
93	Acteon.	m.	--	30
94	Aphirape. Hyb.	m.	1	--
95	Belemia. Es.	m.	2	30
96	Boeticus.	m.f	2	30
97	Cleopatra.	m.	2	30
98	Cynthia. W. V.	m.	--	20
99	Daphnis. W. V.	m.	--	15
100	Diana. Hyb.	--	1	--
101	Epiphron. Kn.	m.f	1	40
102	Eudora.	p.	--	20
103	Eupheno.	m.f	4	30
104	Europomenae. Es.	--	1	--
105	Fidia.	m.	3	--
106	- - -	f.	2	--
107	Freja.	m.f	2	30
108	Geticus. Es.	--	2	--
109	Herfe.	m.f	2	--
110	Hylas. W. V.	m.	--	7
111	Ida. Kn.	m.f	2	30
112	L. album.	--	1	--
113	Laodice.	m.f	2	40
114	Lapona.	--	1	30
115	Lavaterae.	m.	--	30
116	Manto. Es.	m.	--	30
117	- - - - - -	f.	1	--
118	Meone.	--	1	--
119	Maurus. Es.	--	4	--
120	Pales.	m.f	2	--
121	Pafiphe.	m.f	3	--

			fl.	kr
122	Philomela. Hyb.	m.f	1	40
123	Pirene. Hyb.	m.	6	--
124	Populi.	m.	--	24
125	Quercus.	m.f	--	30
126	Rumina.	m.	2	30
127	Xanthomelas.	--	1	30
	Pyralis.			
128	achatalis. Hyb.	--	1	--
129	anguinalis. Hyb.	p.	--	40
130	emortualis. Hyb.	--	--	40
131	pollinalis. Hyb.	p.	--	24
132	fulphuralis. W.V.	--	1	--
133	trinalis. Hyb.	p.	--	40
	Sphinx.			
134	Astragali. Hyb.	m.f	1	--
135	bombyliformis.	m.f	--	40
136	Lavandulae.	--	2	30
137	Loti.	f.	--	30
138	Sarpedon. Hyb.	--	2	30
139	Tabaniformis.	--	--	40
140	*Tetrio.* *	--	2	--
141	Viciae.	m.f	1	--
	Tinea.			
42	Conchella. Hyb.	p.	--	30
43	flavella. Hyb.	p.	--	24
	NEUROPTERA.			
	Ascalaphus.			
1	barbarus.	m*f	1	--
2	Italicus.	--	--	45
	Hemerobius.			
3	maculatus.	--	--	20
	Myrmeleon.			
4	Formicarium.	p.	1	--
5	libelluloides.	--	2	--
	HYMENOPTERA.			
	Apis.			
1	feladonia. F.	--	--	24
	Banchus.			
2	Fornicator.	--	--	20

			fl.	kr
	Bembex.			
3	roſtrata.	m. f	1	--
	Chryſis.			
4	haemorrhoa. M.	--	--	24
	Crabro.			
5	pictus.	--	--	45
6	6. cinctus.	--	--	15
7	ſignatus.	--	--	15
8	ſubterraneus.	--	--	15
9	3. maculatus.	p.	--	34
	Ichneumon.			
10	auratus. P.	--	--	24
11	Auriculator. F.	--	--	24
12	Coerulator.	--	--	30
13	Deprimator.	--	--	12
14	Extenſor.	--	--	17
15	Fabricator.	--	--	17
16	Fuſorius.	--	--	20
17	Laetatorius.	--	--	12
18	Moſchator.	--	--	24
19	Narrator. F.	--	--	20
20	Nunciator.	--	--	17
21	Regenerator.	p.	--	34
22	ſemiauratus.	--	--	24
	Mutilla.			
23	ſellata. P.	--	--	20
	Philanthus.			
24	Hortorum.	--	--	12
25	labiatus. F. Crab.	--	--	12
26	ornatus.	--	--	12
	Pompilus.			
27	variegatus.	--	--	30
	Sirex.			
28	Magus.	--	--	30
29	tabidus.	--	--	24
	Tenthredo.			
30	ſericea.	p.	1	--
	Tiphia.			
31	abdominalis. P.	--	--	24
	Vespa.			
32	pectoralis. M.	--	--	20

DYPTERA.

			fl.	pr
	Aſilus.			
1	cingulatus ?	p.	-	54
2	Sabaudus.	--	-	40
	Bombylius.			
3	pictus. P.	m. f	--	40
	Conops.			
4	ruſipes.	--	--	15
5	vittatus.	--	--	20
	Empis.			
6	clavipes.	--	--	15
7	teſtacea. F.	--	--	-0
	Muſca.			
8	arcuata.	p.	--	20
9	Bryoniae. M.	p.	--	24
10	funebris.	--	--	17
11	groſſa.	--	--	20
12	Lanio. P.	--	--	12
13	lobata. F.	--	--	20
14	rivularis. F.	-	--	24
	Myopa.			
15	femorata. F.	p.	1	--
	Rhagio.			
16	oculatus. F.	--	1	--
	Sargus.			
17	genniculatus. F. *	--	--	30
	Sicus.			
18	errans.	p.	1	--
	Syrphus.			
19	fallax.	p	--	30
	Tabanus.			
20	Auſtriacus. F.	--	--	30
21	flavus. M.	p.	--	40
22	Italicus. F.	--	--	20
23	Vituli. P.	--	--	24

APTERA.

	Acarus.			
1	ſanguiſugus.	--	--	15

CATALOGUS INSECTORUM,

QUAE

VIENNAE AUSTRIAE DIE IX. ET SEQUENTIBUS NOVEMBRIS MDCCCII. AUCTIONIS LEGE DISTRAHUNTUR.

Monenda.

. Nomina authorum hoc modo abbreviata ſunt. B. Borkhauſen. C. Cramer. Cr. Creutzer. E. Eſper. F. Fabricii Entomologia futura. Fr. Fröhlich. G. Goldegg. H. Herbſt. Hl. Hellwigg. Ho. Hoppe. Hyb. Hybner. Ill. Illiger. K. Koy. L. Linné. M. Megerle. Mi. Mickan. NF. Naturforſcher. Ol. Olivier. P. Panzer. Pay. Paykull. Pr. Preysler. R. Roſsi. Sc. Schneider. Sco. Scopoli. Sm. Smith Natural-History of the rarer Lepidopterous Inſects of Georgia. Sr. Schrank. S. Sulzer. W. V. Wiener - Verzeichniſs. Z. Zenker. Zi. Ziegler.

2. Specimen cujus nomen *litteris curſivis* expreſsum, exoticum eſt.

3. Aſteriſcus * poſt nomen poſitus, denotat, quod ſpecimen aliquo modo ſit laeſum.

4. Linea recta horizontalis — in columna prima, denotat unum exemplar, p. ſignificat duo ſpecimina; et ſigna m. et f. marem et feminam conjunctim pro eodem pretio annotant.

5. Amatoribus, praeſertim exteris, qui ex hoc ſupellectili emtione aliquid ſibi comparare cupiunt, ut magis inſerviretur: Dnus. *Carolus Megerle*, Muſei Caeſarei hiſtoriae naturalis Inſpector ſeſe lubenter, absque ulla exinde ad ipſius commodum reduntante remuneratione, ad ſuſcipiendas commiſsiones offert, hac tamen lege, ut ſumma pretii una cum eo, quod quilibet ſuper pretium annotatum ſolvere velit, pro ſigillatim notatis numeris Catalogi huc retromiſsis, aut ad amicum quemdam hic Viennae degentem, aut ad Dnum. Paſtorem *Herbſt*, Berolini, vel ad D.Dnos. *Vidal* et Conſortes, Hamburgi, adhuc in tempore et in Valore Viennenſi i. e. floreno ad 16 groſsos ſaxonicos computato, aſsignetur, vel alio quocunque congruo modo locoque ſecuritati proſpiciatur.

6. Cum fere omnium numerorum plura adsint exemplaria, licet ſolummodo unum vel duo allegata ſint, cuilibet emptori plura desideranti, hiſce ſatisfieri poterit, quod etiam de maribus et feminis intelligendum.

		Exemplaria.	Pretium Subhaſtationis. fl.	kr.
	COLEOPTERA.			
	Adorium.			
1	2. *punctatum*.	m. f.	1	8
	Aeſalus.			
2	Scarabaeoides.	m. f.	1	8
	Agathidium.			
3	globoſum. *Ill.*	p.	—	30

			fl.	kr
4	minutum. *Cr.*	p.	—	30
	Allecula.			
5	2. puftulata. *Hl.*	m. f.	—	17
6	fufcata.	m. f.	—	15
	Anifotoma.			
7	glabra. *Ill.*	—	—	15
	Anobium.			
8	denticolle. *P.*	p.	—	15
9	politum. *M.*	—	—	20
10	reticulatum	p.	—	24
11	tefsellatum	p.	—	15
	Anthia.			
12	6. *guttata.*	—	1	30
13	*tabida.*	—	1	20
	Anthicus.			
14	antherinus.	p.	—	7
15	axillaris. *Fr.*	—	—	17
16	cornutus.	—	—	12
17	pedestris.	—	—	12
18	ruficollis. *Fr.*	p.	—	30
	Anthrenus.			
19	glabratus.	p.	—	15
20	hirtus.	p.	—	20
	Anthribus.			
21	albinus.	m. f.	—	27
22	latiraftris.	p.	—	20
23	planiroftris.	p.	—	10
24	ruficollis. *P.*	—	—	12
25	fcabrofus.	—	—	12
26	Sepicola.	p.	—	24
27	varius.	—	—	12
	Apate.			
28	fronticornis. *Fr.*	m. f.	—	40
	Aphodius.			
29	2. maculatus.	p.	—	12
30	2. punctatus.	—	—	30
31	conflagratus.	p.	—	12
32	contaminatus.	—	—	10
33	deprefsus.	p.	—	7
34	elevatus.	—	—	34
35	fafciatus.	—	—	30
36	immundus. *Cr.*	p.	—	7

			fl.	kr
37	Pecari.	p.	—	7
38	Sabuleti.	—	—	24
39	Scrutator.	m. f.	—	12
40	Scybalarius.	—	—	15
41	Sus.	p.	—	7
42	testudinarius.	—	—	15
	Apion.			
43	aeneum.	p.	—	12
44	flavofemoratum. *H*	—	—	7
45	Pifi. *F, Attel.*	—	—	20
	Ateuchus.			
46	*flagellatus.*	—	1	—
47	Geoffroy, *S.*	p.	—	10
48	*Koenigii.*	—	—	45
49	facer.	—	—	20
50	femi punctatus.	—	—	24
51	*finuatus.* *	—	—	30
52	variolofus. *	—	—	24
	Atopa.			
53	cervina.	p.	—	7
54	cinerea.	p.	—	7
	Attelabus.			
55	coeruleocephalus.	p.	—	24
56	cupreus.	p.	—	20
57	curculionoides.	p.	—	7
58	*gemmatus.*	—	—	34
59	Hungaricus.	—	—	15
	Blaps.			
60	dermeftoides.	p.	—	[illegible]
61	fatidica. *Cr.*	—	—	10
62	femoralis.	p.	—	17
63	fpinipes.	m. f.	—	10
				20
	Boletophagus.			
64	armatus.	m. f.	—	36
	Boftrichus.			
65	bidens.	—	—	15
66	cylindricus.	p.	—	12
67	Dactyliperda.	p.	—	30
68	Laricis.	—	—	7
69	Stenographus. *Cr.*	p.	—	12
	Brachinus.			
70	2. *maculatus.*	—	—	40
71	mutilatus.	p.	—	34

			fl.	kr
	Brachycerus.			
72	muricatus.	—	—	51
73	*obefus.*	—	1	—
74	*fcalaris.*	—	1	—
	Brentus.			
75	*Anchorago.*	—	2	16
76	*ferriroftris.*	m. f.	3	10
	Bruchus.			
77	denticornis. *Hl.*	m. f.	1	45
78	futuralis.	p.	—	20
	Bupreftis.			
79	aurulenta.	—	1	12
80	Auftriaca.	—	—	34
81	Berolinenfis.	p.	—	15
82	bicolor.	p.	—	20
83	calcarata.	—	—	24
84	Carniolica.	—	—	40
85	chryfoftigma.	p.	—	40
86	cyanicornis.	p.	1	20
87	*cylindrica.*	—	1	—
88	*fafcicularis.*	—	1	—
89	*Var. Elytr. virid.*	—	1	—
90	flavomaculata.	m. f.	2	30
91	funefta.	—	1	8
92	haemorrhoidalis.	m. f.	—	10
93	*hirta*	—	1	—
94	*Var. abfq. fafc.*	—	1	—
95	*imperialis.*	—	2	16
96	*Lineata.* * *Ant.*	—	1	8
97	lugubris.	—	—	34
98	manca.	—	—	30
99	mariana.	m. f.	—	20
100	Millefolii.	p.	—	30
101	*ocellata.*	—	4	—
102	8. guttata.	—	—	36
103	*Onopordi.*	—	1	8
104	4. lineata. *H.*	—	4	—
105	Quercus. *H.*	p.	—	54
106	*rufipes.*	p.	1	40
107	rutilans.	p.	—	12
108	6 guttata. *M.*	—	—	15
109	taeniata.	p.	—	17
110	tarda.	—	—	15
111	*tarfata.* *	—	1	—
112	Tenebrionis.	—	—	12
113	*tomentofa.* Ol.	—	—	51
114	*Var. Elytr. rufis.*	—	1	—

			fl.	kr
115	*triftis.*	—	1	30
116	Trochilus	p.	1	40
117	*Volvulus.* *	—	—	30
	Byrrhus.			
118	aeneus.	p.	—	24
119	Gigas.	—	1	—
120	ornatus. *P.*	p.	—	36
121	politus. *M.*	—	—	24
122	varius.	p.	—	15
	Calandra.			
123	*ferruginea.*	—	1	8
	Callidium.			
124	Alni.	—	—	30
125	aulicum.	—	—	12
126	clavipes.	p.	—	20
127	curiale. *P.*	—	—	15
128	cyaneum.	m. f.	1	30
129	fulcratum.	p.	—	20
130	luridum.	—	—	10
131	pufillum.	p.	—	40
132	rufipes.	p.	—	7
133	rufticum.	m. f.	—	24
134	fpinofum.	m. f.	1	—
135	variabile.	—	—	17
136	violaceum.	p.	—	10
	Calopus.			
137	teftaceus. *Ho.*	m. f.	—	48
	Calofoma.			
138	Inquifitor.	m. f.	—	15
139	Sycophanta.	m. f.	—	20
140	fericeum.	m. f.	3	—
	Cantharis.			
141	2. punctata.	m. f.	—	24
	Carabus.			
142	abbreviatus.	—	—	10
143	Aethiops. *Ill.*	m. f.	1	—
144	aggreftis. *Cr.*	m. f.	—	17
145	anguftricollis. *Hl.*	m. f.	—	10
146	arenarius.	f.	1	30
147	armiger. *Z.*	m. f.	1	8
148	arvenfis.	p.	—	17
149	Var. fem. rubr.	p.	—	24
150	aterrimus.	—	—	20
151	auratonitens.	m. f.	—	45

			fl.	kr
152	auratus.	m. f.	—	40
153	Auſtriacus.	—	—	10
154	borealis.	—	—	30
155	brunnipes. *Cr.*	p.	—	10
156	caelatus.	m. f.	3	40
157	cancellatus. *Ill.*	—	—	10
158	Var. ped. ruf.	m. f.	—	24
159	caſſidius.	m. f.	—	40
160	catenulatus.	p.	1	—
161	coſſyphoides. *M.*	—	—	45
	aff. Aethiop. Ill.			
	aſt Thor. diſt.			
162	decorus. *P.*	p.	—	10
163	Cephalotes.	p.	—	12
164	convexus.	m. f.	—	34
165	Creutzeri.	m. f.	6	—
166	cupripennis. *M.*	m. f.	1	30
	min. metal. et			
	punct. impr.			
167	Fabricii. *M.*	m. f.	4	—
	aff. irreg. punct.			
	virid. aur.			
168	faſciato punctatus.	m. f.	—	17
169	femoralis *Cr.*	—	—	17
170	feſtivus.	m. f.	—	12
171	flavicornis.	m. f.	—	40
172	idem. *Elytr. nigr.*	—	1	—
173	foſſulatus. *Pr.*	—	1	8
	aff. Striol., aeneus,			
	punct. excavat.			
174	fumigatus. *Cr.*	—	—	10
175	Gagates.	—	—	7
176	gemmatus.	m. f.	—	40
177	Germanus.	p.	—	10
178	gibbus	m. f.	—	20
179	glabratus.	m.	—	30
180	griſeus. *P.*	—	—	15
181	haemorrhoidalis.	p.	—	30
182	Helwigii. *M.*	m. f.	1	30
	aff. brevicol. ater,			
	ped. ruf.			
183	hirtipes.	p.	—	7
184	hortenſis.	p.	—	30
185	humeralis.	p.	—	12
186	Hungaricus.	m. f.	1	—
187	Illigeri. *M.*	—	—	45
	min. brunnip. Cr.			
	brunneus, ped.			
	rubr.			
188	Maurus.	p.	—	10
189	Melas. *Cr.*	m. f.	—	20

			fl.	kr
190	metallicus.	p.	—	1[illegible]
191	miliaris.	m. f.	—	4[illegible]
192	modeſtus.	—	—	17
193	morbilloſus.	m. f.	—	20
194	niger.	—	—	10
195	nigricornis.	p.	—	7
196	Nigrita.	p.	—	30
197	nitens.	—	—	40
198	noduloſus.	m. f.	2	30
199	oblongo punctatus.	—	—	15
200	Panzeri. *M.*	m. f.	1	8
	min. leucopht. et			
	punct. impr.			
201	picicornis.	p.	—	17
202	picimanus. *Cr.*	—	—	24
203	pilicornis.	—	—	7
204	planus.	—	—	17
205	plebejus. *Cr.*	m.	—	20
206	Preysleri. *Cr.*	m. f.	2	30
207	pumicatus. *P.*	—	—	17
208	punctato ſtriat. *M.*	—	—	34
	Striol. paul. minor.			
	et ſtriis excav.			
	punct.			
	puncticollis. *Pay.*	p.	—	12
209	punctulatus.	—	—	7
210	4. ſtriatus. *Sr.*	p.	—	12
211	rufipes.	—	—	12
212	Sabulicola. *P.*	p.	—	24
213	ſabuloſus.	p.	—	10
214	ſcabroſus.	m. f.	7	—
215	Scopolii. *M.*	m. f.	1	—
216	*maj. catennul. et*			
	diſt. var. coerul.			
	virid. et nig.			
	Scheidleri.	m. f.	—	51
217	ſecalis. *Pay.*	—	—	10
218	ſerripes. *Cr.*	p.	—	14
219	ſpoliatus.	—	—	20
220	ſtrenuus. *P.*	p.	—	30
221	ſtriolatus.	m. f.	—	50
222	ſylveſtris.	m. f.	—	50
223	Vari. nigra. *niſi*			
224	*poti, nov. Sp.*	—	—	40
	uſtulatus.	p.	—	7
225	Vaporariorum.	p.	—	7
226	Verbaſci. *Cr.*	—	—	17
227	vernalis.	p.	—	10
228	veſtitus.	p.	—	7
229	viduus.	p.	—	14
230				

			fl.	kr
	Caſſida.			
231	atrata.	—	—	12
232	Auſtriaca.	—	—	15
233	azurea.	—	—	24
234	*Jamaicenſis.*	—	—	40
235	Lineola. *Cr.*	p.	—	40
236	margaritacea.	—	—	7
237	*miliaris.*	—	—	40
238	muraea.	p.	—	7
239	nobilis.	p.	—	10
240	oblonga. *Ill.*	p.	—	30
241	praſina.	—	—	12
242	pulchella. *P.*	—	—	10
243	4. *punctata. M. ex*			
	Bengal.	—	—	48
	aff. ſignat. H.			
244	ſanguinolenta.	—	—	12
245	ſanguinoſa. *Cr.*	p.	—	24
	Catops.			
246	ciſtelloides. *N. F.*			
	28.	—	—	20
247	rufeſcens.	—	—	15
	Cerambyx.			
248	alpinus.	m. f.	—	15
249	balteatus.	p.	—	36
250	Budenſis.	m. f.	—	48
251	*cinctus. M. ex*			
	Georg.	—	2	30
	holoſ. nigr. Elytr.			
	faſc. lat. ferrug.			
252	faſciculatus.	—	—	30
253	griſeus.	m. f.	—	20
254	Heros.	—	—	7
255	hiſpidus.	p.	—	17
256	piloſus.	—	—	15
	Cerocoma.			
257	Schaefferi.	m. f.	—	15
258	Vahlii.	—	—	15
	Cetonia.			
259	affinis. *Ho.*	—	—	7
260	faſtuoſa.	p.	—	20
261	Floricola. *H.*	p.	—	20
262	Var. thor. macul.	—	—	17
263	marmorata.	p.	—	10
264	Morio.	—	—	30
265	*nitida.*	—	1	—

			fl.	kr
266	obſcura. *Ho.*	—	—	20
267	*verſicolor.*	—	—	48
268	viridis.	—	—	10
	Chryſomela.			
269	aenea.	p.	—	10
270	Bulgharenſis.	p.	—	24
271	cerealis.	p.	—	10
272	coerulea. *M.*	p.	—	42
273	cuprea.	p.	—	10
274	10. punctata.	p.	—	12
275	dorſalis. *Sc.*	p.	—	10
276	fucata.	m. f.	—	40
277	gemminata. *Pay.*	—	—	12
278	globoſa. *M.*	p.	1	—
279	eadem violaſcens.	p.	1	8
280	— rufeſcens.	—	—	34
281	glorioſa.	p.	—	12
282	haemorrhoidalis.	m. f.	—	36
283	Megerlaei.	p.	—	12
284	metallica.	—	—	34
285	Nigrita.	p.	—	30
286	pallida.	p.	—	7
287	eadem nigr. punct.	p.	—	7
288	Salicis.	—	—	24
289	triſtis.	m. f.	—	20
290	eadem viridis.	—	—	12
291	20. punctata.	p.	—	10
292	viminalis.	m. f.	—	17
	Cicindela.			
293	littoralis.	—	—	20
294	ocellata. *Sc.*	—	—	30
295	6. *punctata.*	—	—	51
296	ſinuata.	p.	—	10
297	ſylvatica.	—	—	15
	Ciſtella.			
298	ceramboides.	m. f.	—	40
299	Evonymi.	p.	—	7
300	flavipes.	p.	—	20
301	eadem teſtacea.	p.	—	24
302	fulvipes.	p.	—	20
303	laeta. *P.*	—	—	10
304	Nigrita.	p.	—	7
305	opaca. *Hl.*	p.	—	12
306	thoracica.	p.	—	15

			fl.	kr
	Clerus.			
307	formicarius.	p.	—	12
308	mutillarius.	p,	—	7
309	unifafciatus,	—	—	24
	Clythra.			
310	affinis. *P.*	p.	—	12
311	aurita.	p.	—	10
312	concolor.	—	—	12
313	lateralis. *Cr.*	—	—	12
314	4. maculata.	m, f.	—	10
315	Scopolina,	m. f.	—	7
	Clytus.			
316	Arietis,	p.	—	24
317	detritus,	p.	—	12
318	Gazella.	p.	—	12
319	Mafsilienfis.	p.	—	14
320	femipunctatus.	p.	1	8
321	Verbafci,	p.	—	20
	Coccinella.			
322	bis 6 guttata.	p.	—	15
323	chryfomelina.	—	—	20
324	12. punctata.	p.	—	15
325	margine punctata.	p.	—	10
326	oblongo guttata.	p.	—	20
327	ocellata.	p.	—	10
328	5. punctata.	p.	—	17
329	repenfis. *H.*	—	—	10
330	16. guttata.	p.	—	12
331	tigrina.	p.	—	36
332	11. maculata.	—	—	24
333	11. punctata.	—	—	17
334	variabilis.	—	—	12
	Colafpis.			
335	*flavicornis.*	—	—	45
	Collyris.			
336	*longicollis.*	—	1	30
	Colydium.			
337	elongatum.	—	—	10
	Copris.			
338	Alces.	m. f.	—	20
339	Auftriaca.	m. f.	—	20
340	*Bachus.*	—	2	—
341	Camellus.	p.	—	10

			fl.	kr
342	Capra.	—	—	12
343	*Efculapius.*	—	1	30
344	furcata.	m. f.	—	24
345	Hybneri.	p.	—	12
346	Lemur.	m. f.	—	10
347	media.	—	—	15
348	*Molofsus.*	m. f.	3	—
349	*Nemeftrinus.*	m,	2	30
350	*nuchidens.*	—	—	48
351	*pallipes.*	—	—	30
352	*parvula.*	—	—	24
353	femicornis. *P.*	m. f.	1	8
	Corynetes.			
354	fanguinicollis. *	—	—	40
355	fcutellaris. *P. Clerus.*	p.	—	40
	Cofsonus.			
356	linearis.	m. f.	—	17
	Cofsyphus.			
357	*depreffus.*	—	1	—
	Crioceris.			
358	adufta.	p.	—	20
359	atra.	—	—	7
360	flavipes.	m. f.	—	7
361	nigricornis.	m. f.	—	24
362	rufipes.	m. f.	—	7
	Cryptocephalus			
363	2. lineatus.	p.	—	12
364	2. notatus. *M. aff. haemor. ast. pilof.*	p.	—	36
365	bis 3. punctatus *Cr.*	—	—	24
366	coloratus.	—	—	15
367	*congeftus.*	—	1	30
368	Hybneri.	p.	—	7
369	lobatus.	m. f.	—	12
370	vittatus.	p	—	12
371	Wawarius. *Ko.*	—	—	7
	Cucujus.			
372	flavipes.	p.	—	10
373	monilis.	m. f.	—	12
374	teftaceus.	p.	—	20
	Curculio.			
375	albidus.	p.	—	7

			fl.	kr
376	Alneti.	p.	—	10
377	atomarius. *Cr.*	p.	—	20
378	Auftriacus.	p.	—	45
379	Betulae.	—	—	7
380	2. notatus.	p.	—	7
381	carinatus. *M. aff. Megerlaei, fed. min.*	—	1	—
382	chlorophanus. *M. aff. gemmat. fed. Elytr. ftriat. et mag. macul.*	p.	—	15
383	cinereus.	p.	—	7
384	diftinctus.	p.	—	10
385	elevatus. *H.*	—	—	24
386	Erinaceus.	p.	—	30
387	Erythroceros. *H.*	p.	—	10
388	fafciculatus. *H.*	—	—	12
389	flabellipes. *M.*	m. f.	1	8
390	foffulatus. *M.*	p.	—	50
391	Friulicus. *H.*	p.	—	20
392	fulvipes.	—	—	7
393	fufco maculatus.	p.	—	10
394	gemmatus.	p.	—	12
395	genniculatus. *M. aff. Maftix. Hl. fed maculat. et ped. rubr. Gennic. nigr.*	p.	—	30
396	glabratus.	—	—	15
397	holofericeus.	—	—	20
398	laevigatus.	m. f.	—	14
399	lepidopterus.	p.	—	24
400	longicollis. *M.*	m. f.	—	40
401	Lufitanicus.	m. f.	1	20
402	marmoratus.	p.	—	7
403	Maftix. *Hl,*	m. f.	—	15
404	Megerlaei.	—	1	—
405	Mercurialis.	—	—	17
406	multipunctatus.	—	—	30
407	muricatus.	p.	—	7
408	niger.	m. f.	—	30
409	nigerrimus. *M.*	m. f.	1	—
410	obliquatus. *M.*	p.	—	30
411	obfcurus.	—	—	17
412	orbicularis.	p.	—	20
413	Perdix. *Cr.*	p.	—	30
414	picipes.	p.	—	30
415	Picus.	—	—	7
416	pillipes. *M. min. flabell. M. ped. rubr. et tibiis pofti, uti in flabell. apud. f. non pilofis.*	f.	—	30

			fl.	kr
417	Pinnaftri. *H.*	p.	—	36
418	placidus. *H.*	p.	—	10
419	planatus.	m. f.	—	40
420	pollinofus.	p.	—	10
421	polygranofus. *M.*	—	—	51
422	punctatus.	p.	—	15
423	*Punctum.*	—	—	48
424	*fpectabilis.*	—	2	16
425	fquameus. *Cr.*	p.	—	20
426	fquamiger.	p.	1	—
427	*fquamofus.* *	—	—	34
428	Styriacus. *M. aff. carinato. M.*	—	—	45
429	fulphurifer.	m. f.	—	17
430	fufpiciofus. *H.*	—	—	10
431	Tamarifci.	—	—	48
432	turpidus. *Cr.*	p.	—	45
433	undatus.	m. f.	—	36
434	unicolor. *H,*	m. f.	—	34
435	*Valgus.*	—	1	30
436	viridis.	p.	—	7
437	Zebra,	p.	—	20
	Cychrus.			
438	attenuatus.	p.	—	36
439	roftratus.	p.	—	40
	Cyphon.			
440	grifeus.	—	—	12
441	haemisphericus.	p.	—	20
442	lividus.	—	—	17
443	pubefcens.	p.	—	17
	Dermeftes.			
444	Adftrictor.	p.	—	10
445	ater. *Ol.*	—	—	7
446	fumatus.	p.	—	7
447	pedicularius.	m. f.	—	12
448	Serra.	m. f.	—	30
449	6. dentatus.	p.	—	24
450	fubterraneus.	—	—	24
451	undatus.	p.	—	7
452	variabilis.	p.	—	12
453	20. guttatus.	p.	—	30
	Diaperis.			
454	*Hydni.*	—	2	—

			fl.	kr
	Dyrcaea.			
455	barbata.	m. f.	1	36
456	humeralis.	—	—	20
457	4. guttata. *	—	—	45
	Donacia.			
458	crasſipes.	p.	—	7
459	deſnipes.	p.	—	12
460	discolor. *P.*	m. f.	—	7
461	Hydrochaeridis.	p.	—	10
462	linearis. *Ho.*	p.	—	17
463	nigra.	p.	—	12
464	Sagittariae.	m. f,	—	12
465	ſtriata. *P.*	m. f.	—	30
	Dorcatoma.			
466	chryſomelina. *Fr.*	—	—	20
467	Dresdenſis.	—	—	20
468	Lycoperdi. *Fr.*	—	—	30
	Drypta.			
469	emarginata.	—	—	15
470	*Lineola. M. ex Bengal.*	—	1	—
	mai. emargi. rufa, Elytr. cyan. Vita rufa.			
	Dytiſcus.			
471	abbreviatus.	p.	—	12
472	adſperſus.	p.	—	12
473	alpinus. *Pay.*	p.	—	30
474	ater.	—	—	10
475	cinereus.	m.	—	7
476	feneſtratus.	—	—	12
477	ſuscus.	m. f.	—	15
478	gemminus.	—	—	7
479	Hallenſis.	p.	—	20
480	inaequalis.	p.	—	15
481	interruptus.	p.	—	12
482	lacuſtris.	p.	—	12
483	latisſimus.	m.	—	20
484	maculatus. *	—	—	10
485	marginalis.	m. f.	—	20
	ſed f. Elytr. non ſulcat.			
486	minutus.	—	—	7
487	obscurus. *P.*	—	—	7
488	picipes.	—	—	7
489	planus.	p.	—	10

			fl.	kr
490	reticulatus.	p.	—	20
491	Roeſelii.	m. f.	—	40
492	ſemicornis. Sc.	m. f.	1	30
	aff. ſtriato, minor, et mas Ant. clavato ſerratis.			
493	6. puſtulatus.	—	—	10
494	ſtriatus.	—	—	36
495	transverſalis. *	p.	—	17
496	Volkmari. *P.*	—	—	30
	Elater.			
497	aeruginoſus.	m. f.	—	30
498	analis.	p.	—	10
499	atomarius.	—	—	17
500	aulicus. *P.*	m. f,	1	20
501	balteatus.	p.	—	20
502	2. puſtulatus.	p.	—	15
503	cupreus.	m.	—	24
504	elongatulus.	p.	—	34
505	equeſtris.	—	—	7
506	Equiſeti. *P.*	p.	—	17
507	fasciatus.	—	—	34
508	ferrugineus.	—	—	42
509	filiformis.	—	—	7
510	flavicornis.	—	—	7
511	hirtus. *H.*	p.	—	7
512	holoſericeus.	p.	—	7
513	lateralis.	—	—	7
514	latus.	p.	—	10
515	linearis.	—	—	25
516	Meſomelas.	—	—	30
517	nigripes. *Fr.*	p.	—	20
518	Nigrita. *M.*	p.	—	36
519	pallens. *M.*	—	—	30
520	piloſus.	p.	—	15
521	punctatisſimus. *M.*	—	—	17
	aff. ſtriato.			
522	riparius.	p.	—	10
523	ruficollis.	p.	1	—
524	rufipes.	p.	—	10
525	ſignatus. *P.*	m. f.	—	50
526	ſtriatus.	p.	—	12
527	tristis.	p.	—	12
528	varius.	p.	1	—
	Elophorus.			
529	grandis. *Ill.*	—	—	10
530	griſeus. *H.*	—	—	10
531	Pygmaeus.	—	—	20

			fl.	kr
	Engis.			
532	*ornata. M. ex Bengal.*	—	2	30
	atra, Thor. mac. 2. Elytr. fasciis 2. dentat. rufis. 9. lin. long.			
	Erodius.			
533	2. lineatus. *H.*	—	—	51
534	*teſtudinarius.* *	—	—	54
	Eumolpus.			
535	aeneus.	p.	—	12
536	*nitidus.*	—	1	—
537	obſcurus.	—	—	7
538	pretioſus.	p.	—	26
539	Vitis.	p.	—	10
	Galerita.			
540	*Americana.* *	—	1	30
541	*attelaboides.*	—	1	30
	Galleruca.			
542	*bicolor.*	—	—	45
543	Capreae.	p.	—	7
544	Lineola.	p.	—	7
545	ſanguinea.	p.	—	10
	Geotrupes.			
546	Monodon.	—	—	20
547	*Oromedon.*	m. f.	3	—
548	*Rhinoceros.*	m. f.	1	30
	Gyrinus.			
549	*ſpinoſus.*	—	—	30
	Helodes.			
550	Phellandrii.	—	—	10
551	violacea.	m. f.	—	7
	Helops.			
552	ater.	p.	—	14
553	lanipes.	m. f.	—	7
	Heterocerus.			
554	laevigatus.	p.	—	20
555	marginatus.	p.	—	17

			fl.	kr
	Hiſpa.			
556	atra.	p.	—	10
557	*Erinaceus.*	—	1	30
558	*flavicollis. M. ex Bengal.*	—	2	16
	cyanea, thor. abdo. pedibusq. flavis. Cap. nigr.			
559	*vittata.* * *deſ. Ant.*	—	—	24
	Hiſter.			
560	2. maculatus.	p.	—	7
561	2. pustulatus.	p.	—	10
562	bis. 6. ſtriatus.	p.	—	24
563	conjugatus. *M.*	—	—	17
564	12. ſtriatus.	p.	—	10
565	inaequalis.	m. f.	—	20
566	oblongus.	p.	—	7
567	*nitidulus.*	—	—	36
568	picipes.	p.	—	7
569	planus.	p.	1	20
570	quadratus.	—	—	25
571	ſulcatus.	—	—	7
572	transverſalis. *Cr.*	—	—	7
	Hydrophilus.			
573	aeneus.	—	—	20
574	conſperſus. *M.*	—	—	10
575	*limbatus.* * *absq. Ant. et Ped.*	—	—	20
576	luridus.	p.	—	12
577	marginellus.	—	—	7
578	*olivaceus.*	f.	1	—
579	orbicularis.	p.	—	10
580	ſtriatulus.	—	—	12
581	teſtaceus.	—	—	10
	Hyleſinus.			
582	chloropus.	—	—	12
583	Fraxini.	p.	—	10
584	vittatus.	p.	—	12
	Hypophloeus.			
585	Boros.	—	1	—
586	depreſſus.	—	—	10
	Ips.			
587	2. puſtulata.	—	—	15
588	ferruginea.	—	—	20
589	haemorrhoidalis.	m. f.	—	15

No.	Name		fl.	kr
590	4. guttata.	p.	—	12
591	4. pustulata.	—	—	10
	Lamia.			
592	aedilis.	m. f.	—	20
593	*araneiformis.*	—	1	30
594	atomaria.	m. f.	—	36
595	2. *cincta.*	—	1	30
596	curculionoides.	—	—	10
597	decipiens. *Ko.*	—	—	20
598	Fuliginator.	p.	—	40
599	*Hottentotta.*	—	1	20
600	Morio.	p.	—	7
601	Var. fulva.	m. f.	—	10
602	pedestris.	—	—	36
603	Sartor.	p.	—	24
604	*Spinator.*	—	2	16
605	Sutor.	p.	—	24
606	Textor.	p.	—	12
607	*Tornator.* *	—	—	45
608	tristis.	p.	—	15
609	vittigera.	—	—	20
	Lampyris.			
610	Italica. * *def. Ant.*	—	—	17
	Latridius.			
611	fasciculatus. *H.*	—	—	17
612	fenestralis. *F. Derm.*	p.	—	10
613	quadratua. *H.*	p.	—	15
	Lema.			
614	brunnea.	p.	—	10
615	14. punctata.	—	—	15
616	*5.* ——	p.	—	10
	Leptura.			
617	arcuata. *Hl.*	m. f.	2	30
618	atra.	m. f.	—	15
619	auriflua. *M.*	m. f.	—	24
620	aurulenta.	m. f.	—	50
621	2. fasciata. *Sr.*	m. f.	—	7
622	cincta.	m. f.	—	30
623	collaris.	p.	—	12
624	Var. Elytr. virid.	p.	—	12
625	femorata. *M.*	—	—	34
626	holosericea.	m. f.	—	30
627	humeralis.	p.	—	24
628	Interrogationis.	—	1	8
629	Lamed.	—	1	—

No.	Name		fl.	kr
630	lurida.	p.	—	20
631	maculicornis.	m. f.	—	10
632	melanaria. *H.*	—	—	20
633	melanura.	m. f.	—	10
634	meridiana.	m. f.	—	12
635	Var. Elytr. nigr.	m. f.	—	15
636	Var. Ped. nigr.	p.	—	17
637	nigra.	m. f.	—	7
638	praeusta.	p.	—	30
639	4. maculata.	m. f.	—	1[illegible]
640	4. fasciata.	m. f.	—	4[illegible]
641	4. guttata.	m. f.	—	30
642	rostrata. *	—	—	30
643	rufipes.	m. f.	—	10
644	scutellata.	m. f.	—	30
645	6. guttata.	m. f.	—	30
646	tomentosa.	m. f.	—	3[illegible]
647	varians. *M.*	—	—	30
648	Var. fem. rufis.	—	—	34
649	virens.	m. f.	—	20
	Lixus.			
650	Atriplicis.	—	—	12
651	Bardanae.	—	—	
652	ferrugatus.	—	—	20
653	filiformis.	p.	—	7
654	gramicus. *H. Curcul.*	—	—	17
655	paraplecticus.	—	—	7
656	pulverulentus.	—	—	20
657	3. *color. M. ex Bengal.*	—	1	8
	Bardanae minor, Thor. fusco, laterib. albis.			
	Lucanus.			
658	caraboides.	m. f.	—	12
659	Idem Elytr. virid.	m. f.	—	15
660	— Elytr. nigr. viola.	p.	—	20
661	*Dama.*	—	1	20
662	tenebrioides.	m. f.	—	50
	Lycus.			
663	Aurora.	p.	—	10
664	minutus.	—	—	12
665	rubens. *M.*	—	—	24
	Lyctus.			
666	2. pustulatus.	—	—	15

No.	Name		fl.	kr
667	contractus.	—	—	12
668	cylindricus. *P.*	—	—	17
669	Juglandis.	p.	—	20
	Lymexylon.			
670	dermestoides.	p.	—	12
	Lytta.			
671	Erythrocephala.	p.	—	12
672	Syriaca.	p.	—	24
	Malachius.			
673	analis. *P.*	—	—	7
674	concolor.	—	—	20
675	fasciatus.	p.	—	10
676	flavipes.	p.	—	12
677	marginellus.	—	—	7
678	sanguinolentus.	p.	—	20
	Melandria.			
679	serrata.	p.	—	15
	Melasis.			
680	flabellicornis.	—	—	24
	Melyris.			
681	*abdominalis.*	—	1	—
682	*viridis.*	p.	—	48
	Meloe.			
683	brevicollis.	p.	—	15
684	glabrata. *M.*	—	—	20
	Melolontha.			
685	aestiva.	m. f.	—	48
686	aprilina. *Cr.*	m. f.	—	15
687	argentea.	m. f.	—	10
688	aurata.	—	—	40
689	brunnea.	m. f.	—	40
690	chrysomelina.	—	—	12
691	Floricola.	p.	—	7
692	Hippocastani.	m. f.	—	20
693	Var. ped. et Thor. testac.	m. f.	—	24
694	Junii. *Cr.*	—	—	40
695	*Ursus.* *	—	—	20
696	variabilis.	p.	—	20
	Molorchus.			
697	abbreviatus.	m. f.	—	36
698	dimidiatus.	m. f.	—	20

No.	Name		fl.	kr
	Mordella.			
699	abdominalis.	—	—	17
700	atomaria.	p.	—	20
701	brunnea.	p.	—	24
	Mycetophagus.			
702	castaneus.	p.	—	10
703	dermestoides.	p.	—	10
704	nigricornis.	—	—	24
705	piceus.	p.	—	12
706	punctatus.	p.	—	20
707	sinuatus.	p.	—	20
708	testaceus.	p.	—	10
	Mylabris.			
709	Füeslinii.	p.	—	15
710	*Punctum.* *	—	—	24
711	*Sidae.* *	—	—	30
	Necrophorus			
712	Humator.	p.	—	20
713	Mortuorum.	—	—	12
714	Vespillo.	p.	—	7
	Necydalis.			
715	adusta. *P.*	—	—	7
716	annulata. *M.*	m. f.	—	34
717	dispar. *M.*	m. f.	—	17
718	femorata. *P.*	—	—	7
719	flavicollis. *P.*	—	—	12
720	rufa.	p.	—	12
721	ruficollis.	—	—	7
722	ustulata.	p.	—	10
	Nitidula.			
723	biloba. *H.*	p.	—	12
724	2. pustulata.	—	—	7
725	Colon.	—	—	7
726	ferruginea.	—	—	7
727	haemorrhoidalis.	p.	—	12
728	imperialis.	p.	—	15
729	obsoleta.	p.	—	12
730	4. pustulata.	p.	—	12
731	rufipes.	p.	—	12
732	strigata.	p.	—	10
733	varia.	p.	—	7
	Notoxus.			
734	mollis.	p.	—	20

			fl.	kr
	Odacantha.			
735	*bifasciata.* *	—	1	—
	Onitis.			
736	Biſon.	m.	—	40
737	Clinias.	m. f.	1	—
	Opatrum.			
738	pictum.	—	—	20
739	puſillum.	—	—	20
	Oxyporus.			
740	rufus.	—	—	7
	Parnus.			
741	auriculatus.	p.	—	20
742	prolifericornis.	p.	—	7
	Paſsalus.			
743	*dentatus.* *	—	—	40
	Pauſus.			
744	*denticornis. M. ex Bengal.*	—	3	—
	Brunneus, Elytr. ſtriga nigr. Ant. Clava foliac. unident.			
745	*thoracicus. M. ex Bengal.*	—	3	—
	Teſtac. Thor. fer. bipart. punct. 2. nigr. Elytr. faſcia lat. nigr.			
	Peltis.			
746	ferruginea.	—	—	12
747	groſſa.	p.	—	20
748	limbata.	p.	—	30
749	oblonga.	—	—	24
	Pimelia.			
750	*gibba.*	—	1	12
751	glabrata.	m. f.	—	30
752	*orbiculata.*	—	1	8
753	pygmaea.	p.	—	36
754	*ſtriata.*	—	1	—
	Prionus.			
755	coriarius.	m. f.	—	24

			fl.	kr
756	Depſarius.	—	1	20
757	Faber.	—	—	40
758	*imbricornis. Ol.*	m.	3	30
759	ſcabricornis.	m. f.	—	34
760	Serrarius. *P.*	—	—	51
	Pſoa.			
761	Viennenſis.	p.	—	40
	Ptilinus.			
762	pectinatus.	p.	—	10
763	pectinicornis.	m. f.	—	12
764	ſerratus.	—	—	17
	Ptinus.			
765	elegans.	p.	—	17
766	imperialis.	p.	—	12
767	rufipes.	—	—	10
768	Scotias.	p.	—	10
	Pytho.			
769	caſtaneus.	—	1	8
	Rhagium.			
770	2. fasciatum.	m. f.	—	34
771	cinctum.	m. f.	1	36
772	Curſor.	—	—	30
773	Indagator.	m. f.	—	20
774	Noctis.	—	—	30
775	Salicis.	—	—	10
	Rhinomacer.			
776	curculionoides.	p.	—	7
777	Var. flava.	p.	—	10
778	lepturoides.	—	—	30
	Rhynchaenus.			
779	abbreviatulus.	—	—	17
780	Abietis.	p.	—	10
781	acridulus.	—	—	7
782	Aethiops.	—	—	30
783	avarus.	—	—	12
784	2. maculatus.	p.	—	10
785	*calidus.*	—	1	30
786	Cochleariae. *Fr.*	—	—	15
787	Crux.	p	—	30
788	Cynarae.	—	—	12
789	didymus.	p.	—	17
790	Druparum.	—	—	12
791	Echii.	p.	—	7
792	floralis.	—	—	10

			fl.	kr
793	Fragariae.	p.	—	10
794	Germanus.	p.	—	12
795	Lamii.	p.	—	17
796	Lapathi.	p.	—	7
797	nigriroſtris.	p.	—	20
798	Nucleorum. *Cr.*	—	—	15
799	Pinneti.	p.	—	40
800	Pinni.	p.	—	10
801	Porculus.	—	—	40
802	Pſeudacori.	p.	—	30
803	*Punctum.*	—	—	48
804	5. punctatus.	p.	—	12
805	Raphani.	p.	—	17
806	Rubi.	p.	—	7
807	ſignifer. *Cr.*	—	—	17
808	teter.	p.	—	7
809	timidus. *R.* Cure.	—	—	12
	Rhyncolus. *Cr.*			
810	craſſiroſtris. *Cr.*	—	—	12
811	tenuiroſtris. *Cr.*	p.	—	30
	Rhynchophorus. *H.*			
812	abbreviatus. *F. Rhynchaen.*	p.	—	20
813	piceus. *H.*	—	—	7
	Saperda.			
814	affinis. *P.*	—	—	45
815	Argus.	—	—	40
816	brunnea.	—	—	10
817	Carcharias.	—	—	12
818	cylindrica.	p.	1	—
819	erythrocephala.	p.	—	12
820	ferrea.	p.	—	15
821	hirſutula.	—	—	30
822	linearis.	p.	—	10
823	marginella.	p.	—	36
824	nigripes.	p.	—	12
825	populnea.	p.	—	10
826	punctata.	—	—	24
827	rufimana.	p.	1	8
828	ſcalaris.	p.	—	17
829	Seidlii.	—	1	8
830	teſtacea.	—	—	48
831	Tremulae.	p.	—	15
832	violacea.	—	—	30
833	virescens.	p.	—	15

			fl.	kr
	Sarrotrium.			
834	muticum.	—	—	45
	Scaphidium.			
835	agaricinum.	p.	—	48
836	4. maculatum.	p.	—	12
	Scarabaeus.			
837	mobilicornis.	m. f.	—	24
838	quadridens.	m. f.	—	16
839	ſylvaticus.	p.	—	10
	Scolytus.			
840	limbatus.	p.	—	10
	Sepidium.			
841	*rugoſum.*	—	1	20
	Silpha.			
842	carinata. *H.*	p.	—	20
843	clavipes. *M.*	m. f.	—	20
844	dentata.	—	1	30
845	Lapponica.	—	—	20
846	minuta.	p.	—	10
847	Nigrita. *Cr.*	—	—	45
848	4. punctata.	p.	—	10
849	reticulata.	p.	—	17
850	rugoſa.	p.	—	12
851	ſtriata. *M.*	—	1	—
	aff. atrat. ſed Elytr. ſtriatis.			
852	thoracica.	p.	—	7
	Sinodendron.			
853	cylindricum.	m. f.	—	40
854	muricatum.	p.	1	—
	Sperchaeus.			
855	emarginatus.	p.	—	14
	Sphaeridium.			
856	atomarium.	p.	—	10
857	fasciculare.	p.	—	12
	Spondylis.			
858	bupreſtoides.	m. f.	—	17
	Staphylinus.			
859	aeneocephalus. *Pay.*	p.	—	12

No.			fl.	kr
860	chloropterus.	m. f.	1	30
861	cyaneus.	—	—	24
862	Foſſor.	—	—	17
863	impreſſus. *P.*	—	—	10
864	olens.	p.	—	10
865	porcatus.	p.	—	17
	Stenocorus.			
866	dispar. *Sc.*	m. f.	—	48
	Stenus.			
867	2. guttatus.	p.	—	10
868	Juno.	p.	—	12
	Tenebrio.			
869	culinaris.	p.	—	24
870	ferrugineus. *P.*	p.	—	24
871	Luſitanicus. *H.*	—	—	40
	Trachys.			
872	minuta.	p.	—	12
873	nana.	—	—	20
874	pygmaea.	—	—	40
	Trichius.			
875	Eremita.	m. f.	—	15
876	nobilis.	m. f.	—	20
877	8. punctatus.	m. f.	—	30
	Trichodes.			
878	alvearius.	—	—	24
879	favarius. *Ill.*	—	—	20
	Triplax.			
880	aenea.	p.	—	20
881	nigripennis.	p.	—	7
	Tritoma.			
882	2. puſtulata.	p.	—	10
883	rufipes.	p.	—	12
	Trogoſita.			
884	caraboides.	p.	—	10
885	Calcar.	f.	1	—
886	coerulea.	p.	1	40
	Throx.			
887	hispidus.	p.	—	7
888	*ſuberoſus.*	—	—	34

No.			fl.	kr
	Tyllus.			
889	elongatus.	—	—	15
890	filiformis. *Cr.*	p.	—	20
	Zonitis.			
891	clavipes. *M.*	m. f.	2	30
892	Var. ped. nigr.	m. f.	2	45
893	mutica.	—	—	20

HEMIPTERA.

No.			fl.	kr
	Acanthia.			
1	annulicornis. *F.*	—	—	12
2	crasſipes.	m. f.	—	17
3	depreſſa.	—	—	6
4	Echii. *F.*	p.	—	12
5	*eroſa.*	—	1	—
6	Humuli.	—	—	7
	Centrotus. *F.*			
7	*clavatus.*	—	4	—
	Cercopis.			
8	2. fasciata.	p.	—	12
9	coleoptrata.	p.	—	7
10	haemorrhoa. *P. Cicad.*	p.	—	15
11	marginella.	p.	—	12
12	thoracica. *F.*	—	—	6
	Cicada.			
13	Cynosbatis.	p.	—	20
14	interrupta.	p.	—	12
15	*lanata.*	—	1	—
16	leporina. *L.*	p.	—	20
17	lineata. *L.*	p.	—	12
18	nervoſa.	p.	—	20
19	*ocellata.*	—	1	30
20	*phallaenoides.* *	—	—	36
	Chermes.			
21	Alni.	p.	—	12
22	Lapidarius. *F.*	—	—	20
	Cimex.			
23	acuminatus.	p.	—	7
24	agathinus.	p.	—	12

No.			fl.	kr
25	albolineatus.	p	—	34
26	albomarginellus.	p.	—	10
27	aſſimilis. *M.*	—	—	12
28	*dentatus.* *	—	1	8
29	diſſimilis.	p.	—	14
30	Globus.	p.	—	10
31	haemorrhoidalis.	p.	—	12
32	melanocephalus.	p.	—	12
33	Nigellae.	—	—	20
34	*nobilis.* * *deſ. Ant.*	—	—	30
35	perlatus.	—	—	7
36	pictus. *F.*	p.	—	24
37	*ſignatus.*	—	1	30
38	*Stockerus.* * *deſ. Ant.*	—	—	30
39	triſtis.	p.	—	10
	Coreus.			
40	hirticornis.	p.	—	20
41	quadratus.	—	—	7
42	Scapha.	—	—	10
	Fulgora.			
43	*adſcendens.*	—	1	30
44	Europaea.	p.	—	17
	Gerris.			
45	currens.	—	—	10
46	*Fluviorum.* *	—	—	17
47	*oratorius.*	—	1	—
	Gryllus.			
48	cothurnatus. *Cr.*	—	—	15
	Lygaeus.			
49	apterus. *Var. alata.*	—	—	15
50	capitatus.	p.	—	12
51	echii. *P.*	p.	—	20
52	Fraxini.	p.	—	12
53	leucocephalus.	—	—	6
54	*pedeſtris.* *	—	1	—
55	Punctum.	p.	—	12
56	ſaxatilis.	p.	—	7
57	*tarſatus.* *	—	1	—
58	*valgus.* *	—	1	8
	Mantis.			
59	pagana.	—	—	24
60	religioſa.	—	—	10

No.			fl.	kr
	Membracis.			
61	aurita.	—	—	17
62	Geniſtae.	p.	—	15
	Naucoris.			
63	cimicoides.	p.	—	10
	Pſoccus. *F.*			
64	atratus. *F.*	—	—	12
65	erythrocephalus *F.*	—	—	12
	Reduvuis.			
66	irracundus.	p.		12
67	ſtridulus.	m. f.		17
	Tettigonia.			
68	*aeſtuans.*	—	1	—
69	*brunnea.*	—	1	8
70	haematodes.	—	—	10
71	obscura. *F.*	—	—	48
72	*ſanguinolenta.*	—	1	30
73	tibialis. *P.*	—	—	17

LEPIDOPTERA.

No.			fl.	kr
	Bombyx.			
1	Aesculi.	m.	1	20
2	apiformis. *E.* *	m.	1	30
3	Argentina.	m. f.	1	40
4	atra. *B.*	m.	—	30
5	aulica.	m. f.	—	24
6	*Aurora. Sm.*	m. f.	4	—
7	Auſtera. *B.*	m. f.	1	20
8	betulifolia.	m. f.	2	30
9	bicolora.	m. f.	2	30
10	bifida. *Hyb.*	m.	—	20
11	Bombycella. *B.*	m.	—	20
12	Capucina. *Hyb.*	—	4	—
13	Carna.	—	—	40
14	Caſſinia.	m.	—	20
15	caſtanea.	m. f.	9	—
16	caſtrenſis.	m. f.	—	30
17	Celſia.	—	2	—
18	Chaonia.	m. f.	—	30
19	Coenobita.	—	3	—
20	communi macula.	—	—	30
21	Crataegi.	m. f.		36

			fl.	kr
22	Cribrum.	m. f.	8	—
23	*Crotalariae.* *	—	—	24
24	Cucula.	m. f.	4	30
25	Curvatula. *B.*	m.	1	—
26	deplana.	—	—	12
27	depreſſa.	—	—	24
28	Dictaea.	m. f.	1	30
29	Dominula.	m. f.	—	24
30	Dromedarius.	—	—	20
31	Dumeti.	m. f.	1	40
32	Eborina. *W. V.*	p.	—	30
33	Everia.	m. f.	—	45
34	fascelina.	m. f.	—	20
35	Flina.	—	—	20
36	grammica.	m.	—	10
37	Hebe.	m. f.	—	40
38	hecta. *L.*	m. f.	1	30
39	helvola. *Hyb.*	p.	—	48
40	Hospita.	m. f.	1	20
41	Illicifolia.	m. f.	—	40
42	*Io.*	m. f.	4	30
43	irrorea.	—	—	10
44	lobulina.	m. f.	1	—
45	lubricipeda.	m. f.	—	24
46	luctifera.	m. f.	—	45
47	lunigera.	m. f.	1	20
48	luteola.	—	—	10
49	maculoſa.	m. f.	1	—
50	Matronula.	—	2	30
51	mendica.	m. f.	—	30
52	Mentaſtri.	m. f.	—	24
53	Morio.	m. f.	—	20
54	mundana.	—	—	15
55	Muscerda.	—	—	30
56	Neglecta. *Z.*	—	6	40
57	nivoſa.	—	—	45
58	nubeculoſa.	m. f.	1	20
59	Oleagina.	m. f.	—	48
60	pantherina. *Hyb.*	—	1	30
61	Paraſita.	m. f.	7	—
62	Pavonia hybrida. *Z.*	m. f.	12	—
63	—— Pyri.	m. f.	1	—
64	—— Spini.	m. f.	—	48
65	Pinni.	m. f.	—	36
66	Plantaginis.	m. f.	—	45
67	plumifera. *Z.*	m.	—	20
68	plumigera.	m. f.	—	48
69	Populi.	—	—	20
70	populifolia.	m. f.	2	20
71	potatoria.	m. f.	—	24

			fl.	kr
72	Pruni.	m. f.	1	40
73	pudibunda.	f.	—	24
74	purpurea.	m. f.	—	18
75	recluſa.	m. f.	—	24
76	Rimicola.	m. f.	1	—
77	roscida.	m. f.	—	24
78	rubicunda. *W. V.*	—	—	30
79	rubricollis.	—	—	24
80	Ruſſula.	m. f.	—	20
81	ſelenitica.	m. f.	4	30
82	ſericina. *Hyb.*	m. f.	1	30
83	Taraxaci.	m. f.	2	30
84	Tau.	m. f.	—	40
85	— *Var.*	f.	—	40
86	terrifica. *W. V.*	m. f.	4	—
87	Tremula.	—	—	40
88	trepida.	—	—	24
89	Trifolii.	m. f.	—	30
90	Tritophus.	—	1	—
91	Ulmi. *W. V.*	m. f.	—	40
92	unita.	—	—	10
93	velitaris.	m. f.	2	—
94	verſicolora.	m. f.	—	48
95	villica.	m. f.	—	40
96	Ziczac.	—	—	20

Geometra.

97	Aceraria. *Hyb.*	m.	—	36
98	achatinata.	—	—	36
99	Advenaria.	—	—	15
100	Aescularia.	m. f.	—	15
101	albulata.	—	—	12
102	alchemilata.	—	—	10
103	alpinaria.	m. f.	4	30
104	alpinata.	—	—	15
105	arenacearia.	—	—	15
106	aurantiaria.	—	—	20
107	aureolaria.	—	—	7
108	auroraria.	—	—	20
109	averſaria.	—	—	12
110	badiata.	—	—	10
111	bajaria.	m. f.	—	30
112	bajularia.	—	—	24
113	berberata.	—	—	10
114	betularia.	m. f.	—	20
115	blandiata.	—	—	10
116	candidaria.	—	—	7
117	Capreolaria.	m. f.	—	36
118	carbonaria. *W. V.*	m. f.	1	20
119	Carpinaria.	—	—	20
120	Cebraria.	—	—	20

			fl.	kr
121	centaureata.	—	—	7
122	cinctaria.	—	—	7
123	cineraria.	—	—	10
124	citraria.	—	—	30
125	coarctata.	—	—	12
126	concordaria.	—	1	—
127	conſignata.	—	—	10
128	conſobrinaria.	—	—	12
129	conſperſaria.	—	—	36
130	conſpicuaria. *Hyb.*	—	—	30
131	cordiaria.	—	—	30
132	crepuscularia.	—	—	10
133	decolorata.	—	—	24
134	decuſſaria.	—	—	30
135	defoliaria.	m. f.	—	20
136	dentaria.	—	—	30
137	dentata.	—	—	20
138	derivata.	—	—	20
139	dilectaria.	—	—	20
140	dilucidaria. *W. V.*	—	—	30
141	dilutata.	—	—	20
142	diſparata.	—	—	20
143	diverſaria.	—	—	20
144	dolabraria.	—	—	20
145	elinguaria.	—	—	10
146	elutata.	—	—	24
147	emarginaria.	—	—	10
148	evonymaria.	—	—	10
149	exterſaria. *Hyb.*	m. f.	1	20
150	fasciaria.	—	—	15
151	filicata.	—	—	20
152	flavicaria.	—	—	36
153	furvaria. *Hyb.*	—	—	15
154	gilvaria. *W. V.*	—	—	10
155	griſearia.	—	—	10
156	haſtata.	—	—	30
157	heparaária.	—	—	7
158	hexapterata.	—	—	10
159	hiſpidaria.	m. f.	—	40
160	honoraria.	—	—	40
161	illunaria.	—	—	15
162	illuſtraria.	—	—	15
163	imitaria.	—	—	30
164	impluviata.	—	—	10
165	imutaria.	—	—	10
166	juniperata.	—	—	20
167	leucophearia.	—	—	24
168	lichenaria.	m. f.	—	36
169	liguſtrata.	—	—	15
170	linariata.	—	—	20
171	luctuata.	—	—	36

			fl.	
172	lunaria.	—	—	15
173	lutearia.	—	—	10
174	margaritaria.	m. f.	—	45
175	marmorata. *Hyb.*	m. f.	2	—
176	melanaria.	—	—	30
177	moniliaria.	—	—	15
178	murinaria.	—	—	10
179	nivearia. *W. V.*	—	—	20
180	notataria. *L.*	m. f.	—	50
181	obeliscata.	—	—	20
182	obfuscaria.	—	—	30
183	obliquata.	—	—	20
184	obſcuraria.	—	—	20
185	ocellaria.	—	—	15
186	olivata.	—	—	10
187	pantaria.	—	—	45
188	papilionaria.	—	—	15
189	pennaria.	—	—	10
190	petrificata.	f.	1	—
191	petraria.	—	—	30
192	piloſaria.	m. f.	—	24
193	pinniaria. *L.*	m. f.	1	—
194	plumaria. *W. V.*	m. f.	—	34
195	polycommata.	—	—	20
196	polygramata.	—	—	24
197	pomonaria.	m. f.	1	—
198	populata.	—	—	10
199	procellata.	—	—	10
200	prodromaria.	m. f.	—	20
201	progemmaria.	—	—	15
202	propugnata.	—	—	12
203	prunaria.	—	—	10
204	prunata.	—	—	15
205	puſillaria.	—	—	10
206	puttataria.	—	—	12
207	pygmaeata.	—	—	10
208	4. fasciata.	—	—	18
209	repandaria.	—	—	15
210	reſperſaria.	—	—	13
211	rhamnata. *W. V.*	—	—	15
212	rhomboidaria. *W. V.*	—	—	10
213	rivulata.	—	—	10
214	roboraria.	m. f.	—	30
215	rubidata.	—	—	10
216	rufaria.	—	—	15
217	rupeſtrata.	—	—	24
218	rupicapraria.	—	—	34
219	ruptata.	—	—	30
220	ruſtata.	—	—	15
221	ruſticata.	—	—	10

			fl.	kr
222	ſacraria.	—	—	20
223	ſambucaria. *L.*	m. f.	1	—
224	ſcripturaria. *W. V.*	p.	2	—
225	ſcutellaria.	—	—	15
226	ſelenaria.	f.	—	45
227	ſinuata.	—	—	20
228	ſmaragdaria.	—	—	24
229	ſtrigilaria.	—	—	12
230	ſyringaria. *L.*	—	—	15
231	taminaria.	—	—	30
232	terſata.	—	—	15
233	triſtata.	—	—	15
234	ulmaria. *Hyb.*	p.	1	—
235	undularia.	—	—	40
236	variata.	—	—	24
237	vernaria.	—	—	30
238	venoſata.	—	—	20
239	vespertata.	—	—	18
240	vetulata. *W. V.*	m. f.	—	30
241	viduaria.	m. f.	—	48
242	vittalbata.	—	—	24
243	zonaria.	m. f.	—	40
	Noctua.			
244	Abrotani.	m. f.	1	—
245	Abſynthii.	m. f.	—	24
246	Acetoſellae.	p.	—	40
247	Advena.	—	—	20
248	affinis.	—	—	10
249	Alchymiſta.	m. f.	2	—
250	Algae.	m. f.	2	30
251	aprilina.	—	—	24
252	argilacea. *Z.*	m. f.	3	—
253	Artemiſiae.	—	—	50
254	atratula.	—	—	15
255	Augur. *Hyb.*	—	1	—
256	auricoma.	p.	1	20
257	baſilinea.	—	—	20
258	Batis.	m. f.	—	40
259	c. maculoſa.	m. f.	—	45
260	bractea.	m. f.	3	—
261	caecimacula.	—	—	24
262	Caeſia. *W. V.*	m. f.	1	20
263	candidula.	—	—	20
264	Capſincola. *W. V.*	m. f.	—	30
265	Cardui.	—	—	45
266	Cerago.	p.	—	20
267	Cespitis.	—	—	40
268	Chryſozona. *B.*	—	—	30
269	cincta.	—	2	—
270	cinerea.	—	—	20

			fl	kr
271	Circumflexa.	—	—	20
272	Citrago.	—	—	30
273	Comma.	p.	—	48
274	communi macula. *W.* p.	p.	1	—
275	compta.	—	—	30
276	conformis.	—	—	20
277	conſona.	—	4	—
278	conſperſa.	—	—	30
279	convergens.	—	—	20
280	Croceago.	p.	—	30
281	deceptricula. *Hyb.*	—	—	24
282	Delphinii. *	—	—	24
283	deraſa.	—	—	36
284	Dido. *ex Auſtr.*	—	1	30
285	diffinis.	m. f	—	40
286	dilecta.	—	3	—
287	diluta.	—	—	40
288	electa.	—	—	20
289	Euphorbiae.	m. f	—	40
290	exoleta.	m. f	—	20
291	Fimbria.	—	—	20
292	Flamatra.	—	—	20
293	Flavago.	m. f.	1	20
294	flavescens.	—	—	20
295	flavicincta.	—	1	—
296	Fraudatricula.	—	—	20
297	Fraxini.	—	—	30
298	Fulvago.	—	—	20
299	fumoſa.	—	—	30
300	Gilvago.	p.	—	30
301	glabra.	—	—	40
302	Gothica.	—	—	12
303	Graminis. *L.*	m. f.	—	30
304	herbida.	—	—	45
305	Hymenea.	—	1	30
306	Jantina.	—	—	20
307	illuſtris. *Hyb.*	p.	1	—
308	Interrogationis.	—	1	20
309	Jota. *ex Styria.*	—	2	—
310	leporina. *L.*	—	1	—
311	Leucomelas.	—	—	30
312	Lichenis.	—	—	30
313	Liguſtri.	—	—	24
314	Linea. *Hyb.*	p.	—	20
315	linogriſea.	—	—	40
316	Lithoxylea.	p.	1	20
317	Littura.	p.	—	40
318	livida.	—	1	20
319	Lolii.	—	—	20
320	lucifuga.	—	—	30

			fl.	kr
321	lucipara.	—	—	30
322	lucipeta.	--	1	30
323	lunaris.	—	—	40
324	Maura.	—	—	36
325	Meniantidis.	m. f.	2	30
326	meticuloſa.	p.	—	45
327	Moneta.	—	7	—
328	Molochina. *Hyb.*	—	1	—
329	Myrtilli.	—	1	—
330	nigricans.	p.	—	30
331	Nun atrum.	p.	—	40
332	Nymphagoga. *E.*	—	1	—
333	Nymphea.	—	3	—
334	occulta.	—	—	40
335	ochroleuca.	—	—	30
336	olivea. *Hyb.*	—	—	12
337	Ononis.	—	—	20
338	Oo.	—	—	12
339	opalina. *E.*	—	2	—
340	orichalcea. *Hyb.*	—	7	—
341	oxalina. *Hyb.*	—	1	20
342	Oxyacanthae.	m. f.	—	20
343	Paranympha.	p.	1	40
344	peltigera.	—	1	—
345	perſpicillaris.	—	—	30
346	Petroritza.	—	—	24
347	Phragmitidis. *Z.*	—	1	30
348	Piſi.	m. f.	—	40
349	piſtacina.	p.	—	30
350	polygona.	—	—	24
351	Polyodon.	—	—	20
352	porphyrea. *W. V.*	p.	2	30
353	Praeceps.	—	1	—
354	promiſſa.	—	—	20
355	prunea.	—	—	40
356	Puella.	—	—	10
357	Pulla. *Hyb.*	—	1	20
358	pulmonaris.	—	—	40
359	pulverulenta.	—	—	20
360	punnica. *B.*	—	—	20
361	purpurina.	—	1	30
362	putris.	—	—	30
363	Pyralina.	—	—	45
364	Pyrophila.	—	—	30
365	Receptricula. *Hyb.*	—	—	24
366	rectangula.	—	1	—
367	rectilinea.	—	1	—
368	rubiginea.	—	—	30
369	Runica.	—	—	12
370	Rutilago.	p.	—	40
371	Saponariae.	—	—	15

			fl.	kr
372	Satura.	—	—	45
373	ſcutoſa.	m. f.	1	20
374	ſecalina.	—	—	12
375	Serena.	—	—	20
376	ſignifera.	—	—	45
377	Spoliatricula. *Hyb.*	—	—	30
378	Sponſa.	—	—	24
379	ſubſequa.	—	—	15
380	ſubtuſa.	—	—	24
381	ſuffuſa.	p.	—	24
382	Tanaceti.	—	—	30
383	teſtacea.	—	—	40
384	Tetra.	—	—	20
385	trapetzina. 6. *Vari.*	—	1	—
386	triangularis. *Hyb.*	—	2	—
387	Tricuspis. *Hyb.*	—	1	30
388	Trilinea. *W. V.*	p.	—	40
389	Triquetra.	—	—	30
390	Tritici. *Hyb.*	—	—	45
391	Typhae.	—	1	—
392	valligera. *Hyb.*	—	—	40
393	V. punctatum. *B.*	—	—	45
394	virens.	m. f.	1	—
	Papilio.			
395	Aceris.	—	1	—
396	Admethus.	—	—	40
397	Alcyone.	m. f.	—	40
398	Alveolus. *Hyb.*	—	—	24
399	Alveus. *Hyb.*	—	—	20
400	Apollo.	m. f.	—	30
401	*Archippus.*	—	—	40
402	Arethuſa.	m. f.	—	30
403	Artemis.	m. f.	—	40
404	Battus.	—	—	10
405	Belemia.	—	2	30
406	Boeticus.	—	1	—
407	Brontes. *W. V.*	m. f.	—	30
408	*Carinenta.*	—	4	—
409	Celtis.	—	4	—
410	Ceraſi.	—	—	15
411	Chloris.	—	—	12
412	Chryſeis. *W. V.*	m. f.	—	30
413	Chorythalia. *Hyb.*	—	—	30
414	Chryſotheme.	—	1	8
415	Clytia.	m.	—	20
416	Daphne.	—	—	20
417	Dejanira.	—	—	10
418	Diana.	—	—	45
419	Dorilis.	—	1	20
420	Erebus.	—	1	—

			fl.	kr
421	*Eucharis. C.*	—	1	30
422	Eudora.	m. f.	—	20
423	Eupheno.	—	1	30
424	Europomene. *E.*	m. f.	3	—
425	Fauna.	—	—	36
426	Fidia.	—	3	—
427	Geticus.	—	1	30
428	Hecate.	—	—	12
429	Helle. *Hyb.*	—	—	30
430	Hermione.	m. f.	—	20
431	Herſe.	m. f.	2	—
432	Hilda.	—	3	—
433	Hypothoe.	—	—	10
434	Iaſius.	—	4	30
435	Ida.	m. f.	2	—
436	Illicis.	m. f.	—	24
437	Ino.	m. f.	1	15
438	Iris. Ilia.	m. f.	—	30
439	— junonia.	—	—	20
440	— lutea.	m. f.	—	30
441	L. album.	—	1	—
442	Lampetiae. *Hyb.*	—	—	20
443	Laodice.	m.	1	15
444	Lapona.	—	1	15
445	Lavaterae. *E.*	m.	—	30
446	Leucomelas.	—	1	20
447	Lucilla. *W. V.*	p.	2	30
448	Manto.	m.	1	—
449	——	f.	1	30
450	Melas.	m.	4	—
451	—— *	f.	3	—
452	Melampus.	—	1	—
453	Mnemoſine.	m. f.	1	20
454	montanus. *Z.*	—	—	24
455	Myrmidone.	m. f.	—	48
456	Napi. *Var. Hyb.*	—	—	40
457	Norna. *	—	—	45
458	Pandora.	—	—	34
459	Paſiphe.	—	1	30
460	Phoebe.	—	—	24
461	Phaedra.	—	—	15
462	Phicomone. *E.*	m, f.	3	—
463	Plautila. *Hyb.*	—	1	—
464	Polyxena. *W. V.*	m. f.	1	—
465	Populi.	m.	—	30
466	——	f.	1	—
467	Polyſperchon.	—	—	20
468	Porima.	—	—	40
469	Proſerpina.	m.	—	10
470	Pygmaeus.	m .	1	20
471	—— *	f.	—	40

			fl.	kr
472	Pyrrha.	m.	—	40
473	——	f.	1	20
474	Quercus.	m. f.	—	30
475	—— Var. *mac.* 2 *flav.*	f.	1	—
476	Sao.	—	—	15
477	Semele.	m. f	—	30
478	Sibilla.	—	—	20
479	Spini.	m. f.	—	24
480	Steropes.	—	—	20
481	Telicani.	—	1	8
482	Terſamon. *E.*	—	—	20
483	Trivia.	—	—	18
484	V. album.	—	1	—
485	W. latinum.	—	—	30
486	Xantomelas.	—	1	30
	Sphinx.			
487	Aeacus.	—	2	—
488	appendiculata.	m. f.	1	40
489	Aſiliformis.	—	—	30
490	Atropos.	—	—	30
491	Bibioniformis. *Hyb*	—	—	30
492	Bombyliformis.	—	—	15
493	Britzae.	—	—	45
494	Celerio. *	—	10	—
495	Chryſidiformis.	—	1	—
496	Conopiformis.	—	—	30
497	Coronillae.	—	—	10
498	Cynarae.	—	1	15
499	Elpenor.	—	—	15
500	Empiformis.	—	—	12
501	exulans.	—	1	30
502	Fauſta.	—	—	40
503	feneſtrina.	—	—	12
504	Fuciformis.	—	—	12
505	Koechlinii.	—	8	—
506	Loti. *B.*	—	—	30
507	Nerii.	p.	14	—
508	Oenotherae.	—	—	30
509	Oeſtriformis.	—	—	30
510	Phegea.	—	—	10
511	—— Var.	—	—	51
512	Pinnaſtri.	m. f.	—	36
513	*Polymena.*	—	1	45
514	Populi.	—	—	12
515	Rhadamantus.	—	3	—
516	Quercus.	—	9	—
517	Sarpedon.	—	2	—
518	Scabioſae.	p.	—	24
519	transalpina.	—	1	—

			fl.	kr
520	Trifolii. *E.*	—	—	30
521	Veronicae.	—	1	20
522	Veſpiformis.	—	—	40
523	Viciae.	—	—	24
	Tinea.			
524	Anthracinella.	—	—	10
525	aſperella.	—	—	10
526	Bella.	—	—	24
527	Boletella.	—	1	—
528	Collonella.	—	—	20
529	Cribrella.	—	—	10
530	Cultrella.	—	—	24
531	cuſpidella.	—	—	20
532	diſparella. *Z.*	m. f.	1	20
533	Echiella.	—	—	7
534	Fagella.	—	—	7
535	Friganella.	—	—	12
536	majorella.	—	—	10
537	mediella.	—	—	12
538	Sociella.	—	—	20
539	Tentaculella.	—	—	20
	Pyralis.			
540	achatalis.	—	—	20
541	albidalis.	—	—	20
542	alpeſtralis.	—	—	12
543	alpinalis. *W. V.*	p.	—	50
544	anguinalis. *Hyb.*	p.	—	40
545	Bombycalis.	—	—	10
546	calvarialis.	—	—	36
547	cineralis.	—	—	10
548	elutalis.	—	—	15
549	emortualis.	—	—	20
550	fascialis. *Hyb.*	p.	—	40
551	flamealis.	—	—	12
552	glabralis.	—	—	20
553	hyalinalis.	—	—	20
554	leucophealis.	—	—	10
555	lucernalis.	—	1	30
556	marginalis.	—	—	15
557	nemoralis.	—	—	15
558	nitidalis.	—	—	20
559	normalis.	—	—	20
560	nubitalis.	—	—	15
561	palealis.	—	—	20
562	pallidalis.	—	—	15
563	Potamogalis.	—	—	15
564	repandalis.	—	—	15
565	ſtratiatalis.	—	—	10
566	Tarſiplumalis.	—	—	30

			fl.	kr
567	Tentaculalis.	—	—	15
568	unionalis.	—	1	20
	NEUROPTERA.			
	Aſcalaphus.			
1	Barbarus.	m. f.	1	—
2	Italicus.	—	—	40
	Ephemera.			
3	horaria.	—	—	24
	Hemerobius.			
4	maculatus.	p.	—	24
	Myrmeleon.			
5	Formicarium.	m. f.	1	—
6	Libelluloides.	—	1	20
	Phryganea.			
7	reticulata.	—	—	20
	HYMENOPTERA.			
	Andrena.			
1	aenea.	p.	—	15
2	armata. *P.*	—	—	24
3	aterrima. *P.*	—	—	15
4	Auſtriaca. *P.*	p.	—	20
5	bicolor.	p.	—	14
6	coerulescens.	p.	—	17
7	cyanipennis. *G.*	—	1	30
8	florea.	p.	—	34
9	lobata. *P.*	m. f.	—	24
10	marginalis. *M.*	p.	—	20
11	minuta. *M.*	—	—	12
12	plumipes. *P.*	—	—	24
13	4. fasciata. *M.*	—	—	20
14	3. cincta. *M.*	—	—	15
15	3. fasciata. *M.*	—	—	15
	Apis.			
16	Agrorum.	p.	—	15
17	autumnalis.	—	—	10
18	2. maculata. *P.*	—	—	17
19	centuncularis.	p.	—	12

			fl.	kr
20	ciliata. *F.*	—	—	15
21	cineraria.	—	—	12
22	conica.	p.	—	20
23	equeſtris.	—	—	15
24	fulviventris, *P.*	p.	—	20
25	Italica.	—	—	30
26	Lapponica.	m. f.	—	34
27	punctata.	—	—	20
28	4. dentata.	p.	—	20
29	rotundata.	p.	—	24
30	rufa.	p.	—	17
31	Taurus.	—	—	12
	Banchus.			
32	Fornicator.	—	—	15
33	Variator.	p.	—	20
34	Variegator.	—	—	17
35	Viridator. *F.*	—	—	24
	Bembex.			
36	roſtrata.	m. f.	—	51
	Chryſis.			
37	aurata.	p.	—	12
38	bicolor. *M.*	—	—	24
39	2. dentata.	p.	—	24
40	cyanea.	p.	—	10
41	cyanocephala. *M.*	—	—	24
42	fulgida.	—	—	12
43	lucidula.	—	—	12
44	puſilla.	p.	—	24
45	regia.	p.	—	12
	Crabro.			
46	albilabris.	—	—	12
47	pictus.	—	—	40
48	ſcutatus.	—	—	12
49	6. cinctus.	—	—	12
50	ſignatus.	—	—	12
51	ſubterraneus.	—	—	10
52	3. maculatus. *G.*	p.	—	30
53	Vagabundus. *P.*	—	—	10
54	vexillatus. *P.*	p.	—	17
	Cynips.			
55	adſcendens.	m. f.	1	—
	Eucera.			
56	linguaria.	—	—	17
57	longicornis.	—	—	10

			fl.	kr
	Foenus.			
58	Affectator.	m.	—	[illegible]
59	Iaculator.	f.	—	[illegible]
	Formica.			
60	dorſata.	—	—	[illegible]
61	Herculeana.	—	—	[illegible]
62	rufitarſis. *F.*	—	—	[illegible]
63	nigra.	p.	—	[illegible]
	Hylaeus.			
64	Arbuſtorum. *P.*	—	—	[illegible]
65	floriſomnis.	p.	—	10
66	maxilloſus.	p.	—	7
67	6. cinctus.	p.	—	17
	Ichneumon.			
68	Arundinis. *F.*	p.	—	20
69	auratus. *P.*	—	—	20
70	Auriculator. *F.*	—	—	20
71	Coeruleator.	—	—	24
72	Deprimator.	—	—	7
73	Dubitator. *P.*	—	—	17
74	Edictor.	p.	—	12
75	Extenſor.	—	—	12
76	Fabricator.	—	—	12
77	Foſſorius.	—	—	7
78	Fuſorius.	—	—	15
79	Incubitor.	p.	—	7
80	Initiator.	—	—	7
81	Inſtigator.	m. f.	—	12
82	Interruptorius. *F.*	p.	—	30
83	Laetatorius.	—	—	10
84	Luctatorius.	p.	—	7
85	Manducator. *P.*	—	—	15
86	Mercatorius.	—	—	7
87	Moſchator.	—	—	17
88	Motatorius.	p.	—	7
89	Narrator. *F.*	—	—	15
90	Nuntiator.	—	—	12
91	Nutritor. *F.*	—	—	20
92	Oculator.	m. f.	—	17
93	Profligator.	—	—	12
94	Regenerator.	p.	—	24
95	ſemiauratus.	—	—	17
96	veſpiformis. *P.*	—	—	24
	Leucoſpis.			
97	dorſigera.	—	—	24

			fl.	kr
	Mellinus.			
98	2. punctatus.	p.	—	30
99	campeſtris.	—	—	17
100	frontalis. *F.*	—	—	30
101	labiatus.	p.	—	15
	Mutilla.			
102	*Bengalenſis. M, atra, thor. rufo. Abdo. punct.* 7. *alb.* 2. 2. 2. 1.	—	—	45
103	Maura.	—	—	17
104	ſellata. *P.*	—	—	20
105	3. cincta. *M.*	—	—	40
	Nomada.			
106	flava.	p.	—	20
107	fulvicornis.	p.	—	12
108	furva. *P.*	p.	—	12
109	gibba.	p.	—	10
110	ruficornis.	p.	—	10
111	ſcutellaris.	—	—	36
112	ſuccincta.	—	—	17
113	Zonata. *P.*	p.	—	20
	Ophion.			
114	albitarſis. *F.*	—	—	30
115	Cultellator.	—	—	17
116	Cunctator.	p.	—	17
117	Flagellator.	p.	—	20
118	glaucopterus.	—	—	7
119	Iocator.	—	—	10
120	obſcurus. *F.*	p.	—	20
121	ramidulus.	—	—	10
	Oryſsus.			
122	Veſpertilio.	—	—	12
	Philanthus.			
123	arenarius.	—	—	7
124	Hortorum. *F. Crab.*	—	—	10
125	ornatus.	—	—	10
126	4. fasciatus. *P.*	p.	—	15
	rufipes.	—	1	—
127	**Pompilus.**			
128	bicolor. *G.*	—	2	—
129	2. punctatus.	—	—	7
130	exaltatus.	p.	—	10
131	femoratus. *G.*	—	—	45

			fl.	kr
132	frontalis. *P.*	p.	—	12
133	fuscus.	p.	—	7
134	gibbus.	p.	—	7
135	variegatus.	—	—	30
	Scolia.			
136	Boehmiana. *M.*	—	—	30
137	flavifrons.	—	—	24
138	Priſma.	—	—	12
139	4. punctata.	m. f.	—	48
140	5. ——	m. f.	—	40
141	ſignata. *P.*	m. f.	—	30
	Sirex.			
142	Dromedarius.	f.	—	20
143	Gigas.	f.	—	10
144	Pſyllius.	f.	—	20
145	Spectrum.	m. f.	—	24
146	tabidus.	—	—	24
	Sphex.			
147	*lobata.*	—	1	8
148	ſpirifex.	p.	—	30
	Tenthredo.			
149	albicornis.	—	—	20
150	Amerinae.	p.	—	15
151	annulata.	m. f.	—	7
152	atra.	—	—	7
153	2. cincta.	p.	—	10
154	blanda.	p.	—	7
155	carbonaria.	p.	—	10
156	Cephalotes.	—	—	10
157	cincta.	p.	—	10
158	coerulescens.	m. f.	—	10
159	craſſa.	p.	—	10
160	Ephippium.	p.	—	10
161	erythrocephala.	—	—	12
162	fasciata.	—	—	10
163	ferra.	—	—	7
164	flavicornis.	—	—	7
165	Germanica.	p.	—	7
166	Haematopus. *F.*	m. f.	—	40
167	laeta.	—	—	10
168	lutea.	m. f.	—	40
169	marginata.	p.	—	24
170	naſſata.	p.	—	10
171	Nemorum.	m. f.	—	10
172	nigra.	m. f.	—	7
173	ovata.	p.	—	10
174	plagiocephala. *F.*	—	—	15

			fl.	kr
175	Punctum.	p.	—	7
176	Ribis. *Sr.*	m. f.	—	10
177	rufiventris.	m. f.	—	20
178	ſemicincta. *P.*	—	—	7
179	ſericea.	—	—	24
180	Spinarum.	—	—	6
181	Stigma.	m. f.	—	10
182	ſylvatica.	m. f.	—	7
	Tiphia.			
183	abdominalis. *P.*	—	—	20
184	depreſſa.	—	—	36
185	Ephippium. *F. Mutil.*	—	—	20
186	femorata.	p.	—	17
187	glabrata.	p.	—	34
188	ſcutellaris. *M.*	—	—	30
	Veſpa.			
189	fasciata.	—	—	7
190	Gallica.	p.	—	10
191	Germanica.	p.	—	10
192	labiata.	—	—	30
193	Parietum.	—	—	7
194	pectoralis. *M.*	p.	—	30
195	ſpinipes.	m. f.	—	10
196	uniglumis.	—	—	7

DYPTERA.

			fl.	kr
	Anthrax.			
1	Belzebul.	p.	—	10
2	cuprina. *G.*	p.	1	20
3	Maura.	p.	—	7
4	Morio.	p.	—	7
5	roſata. *G.*	p.	1	20
6	Sabaeus.	—	—	24
7	variegata. *M.*	—	—	20
	Aſilus.			
8	cingulatus.	p.	—	54
9	Diadema.	—	—	7
10	Ephippium.	f.	—	7
11	flavus.	m. f.	—	10
12	frontalis.	p.	—	7
13	fuliginoſus.	p.	—	12
14	gibboſus.	m.	—	7
15	linearis.	p.	—	7

			fl.	kr
16	minutus.	p.	—	7
17	Pedemontanus.	m. f	—	12
18	Sabaudus.	—	—	40
19	ſcutellaris. *G.*	—	1	—
20	Spectrum. *G.*	—	—	45
	Bombylius.			
21	ater.	p.	—	7
22	pictus. *P.*	m. f.	—	40
23	ſulphureus. *Mi.*	—	—	10
24	virescens. *F.*	p.	—	12
	Ceria.			
25	clavicornis.	m. f.	—	48
26	conopſea. *L. Musca.*	p.	—	30
	Conops.			
27	flavipes.	p.	—	15
28	rufipes.	—	—	10
29	veſicularis.	—	—	12
30	vittatus.	—	—	12
	Diopſis.			
31	Ichneumonea. *H. Arch.*	—	4	—
	Empis.			
32	ciliata.	m. f.	—	7
33	clavipes.	—	—	10
34	teſtacea. *F.*	—	—	12
	Mulio.			
35	2. cinctus.	m. f.	—	10
36	2. color.	m. f.	—	12
37	intermedius. *M.*	m. f.	—	10
38	veſpiformis.	m. f.	—	24
39	virens. *M.*	m. f.	—	12
	Muſca.			
40	arcuata.	p.	—	12
41	Argus. *M.*	p.	—	12
42	Bryoniae. *M.*	—	—	12
43	Centaureae.	p.	—	12
44	compreſſa.	—	—	6
45	filiformis.	p.	—	20
46	formoſa. *P.*	p.	—	7
47	funebris.	—	—	12
48	groſſa.	—	—	15
49	Lanio. *P.*	—	—	7
50	lateralis.	p.	—	7

			fl.	kr
51	Leptogaſter. *P.*	p.	—	24
52	lineata.	p.	—	7
53	lobata. *F.*	—	—	15
54	ludifica.	p.	—	7
55	lurida.	—	—	7
56	maculata.	p.	—	7
57	marginata.	—	—	7
58	reticulata.	p.	—	12
59	rivularis. *F.*	—	—	17
60	ſtellata.	—	—	7
61	teſſellata.	p.	—	7
62	vibrans.	p.	—	6
	Myopa.			
63	annulata.	p.	—	15
64	buccata.	p.	—	10
65	cinerea.	p.	—	20
66	dorſalis.	p.	—	20
67	femorata. *F.*	p.	—	45
68	ferruginea.	p.	—	12
69	irrorata. *F.*	—	—	12
	Nemotellus.			
70	ater. *P.*	p.	—	20
71	auratus. *M.*	—	—	12
72	marginatus.	p.	—	17
73	uliginoſus.	p.	—	20
	Oeſtrus.			
74	Tarandi.	—	—	30
	Rhagio.			
75	oculatus. *F.*	—	—	50
	Rhingia.			
76	roſtrata.	p.	—	10
	Sargus.			
77	genniculatus. *F.* *	—	—	20
	Sicus.			
78	errans.	—	—	24
79	ferruginea.	—	—	24
	Stratiomys.			
80	Hypoleon.	m. f.	—	10
81	mutica.	p.	—	10
82	ſplendens.	—	—	7
83	ſtrigata.	m. f.	—	10
84	3. lineata.	p.	—	15

			fl.	kr
	Syrphus.			
85	apicalis. *M.*	—	—	24
86	2. fasciatus.	m. f.	—	7
87	bombylans.	p.	—	10
88	coarctatus. *P.*	—	—	20
89	elongatus.	p.	—	12
90	falax.	p.	—	30
91	femoratus. *P.*	p.	—	17
92	inanis.	p.	—	14
93	inflatus.	—	—	10
94	micans.	—	—	10
95	myſtaceus.	p.	—	14
96	podagricus.	p.	—	10
97	ruficornis.	m. f.	—	15
98	rupeſtris. *P.*	m. f.	—	40
99	ſepulchralis.	p.	—	10
100	ſpecioſus. *R.*	p.	—	5
101	ſpinipes.	m. f.	—	17
102	Sylvarum.	p.	—	12
103	3. color.	—	—	15
104	triſtis.	—	—	7
105	variabilis.	p.	—	7
106	varius.	—	—	12
107	Volvulus.	p.	—	20
	Tabanus.			
108	Auſtriacus. *F.*	—	—	24
109	Bromius.	—	—	7
110	Graecus.	m. f.	—	20
111	flavus.	—	—	17
112	Italicus.	m. f.	—	30
113	pellucens.	—	—	24
114	Vituli. *P.*	—	—	24
	Thereva.			
115	analis. *P. Musca.*	p.	—	17
116	continua. *P. Musca.*	—	—	7
117	craſſipennis.	—	—	7
118	obeſa. *F.*	—	—	10
119	taeniata. *P. Musca.*	—	—	7

APTERA.

			fl.	kr
	Acarus.			
1	ſanguiſugus.	—	—	7
	Oniſcus.			
2	Carniolicus. *M.*	p.	—	20

Collectio papilionum bene conſervatorum, qui in Belgio et in trac[illegible] a Rheno ad Sileſiam usque et Hungariam congregati fuere; continens in[illegible] dividua circiter 1700, ſpecies vero et Varietates ultra 700, quarum mu[illegible] tae novae aut inſignes, plurimae vero jam determinatae ſunt. Noctur[illegible] congruentibus capſis ſecundum ordinem continentur: omnes autem Diurni[illegible] Sphinges, Zigaenae et Seſiae vitratis utrinque Scatulis clauduntur, ita u[illegible] ſingulae ſpecies, crebro etiam ſingula individua ſepoſita ſint. — fl. 90[illegible]

Desiderata Eleuteratorum

JOANNIS CAROLI MEGERL' E[illegible]

Musei Caesaraei Historiae naturalis Inspectoris.

Acyrtes. testaceus. Fr. N. F. 28. Akis. collaris. lineata. leucograph[illegible] punctata. Anisotoma. armata. *Ill.* dubia. *Ill.* Anobium. minutum. moll[illegible] planum. Anthicus. calycinus. *P.* castaneus. *P.* flavipes. *P.* limbatus minutus. populneus. Rhinoceros. Anthrenus. pubescens. Anthribus pubescens. Apalus. 2. maculatus. Apate. 2. maculata. hamata. Volvu[illegible] lus. Aphodius. equeſtris. *P.* Foriorum. *P.* Ateuchus. morbillosus. Attelabus. coeruleus. cuprirostris. fusci.ostris. rufirostris sellatus. tristis Blaps. tenebrosa. Bruchus. 2. punctatus. imbricornis. *P.* Buprestis acuminata. aenea. *H.* 2. fasciata. *H.* 2. punctata. *H.* cariosa. congener. *H.* 10. punctata. discoidea. *H.* emarginata. Fabricii. *R.* fastidiosa *H.* Florentina. *H.* foveolata. *H.* fulgens. *H.* fulminatrix. *H.* maculata marginata. *H.* multipunctata. *H.* nitens. 18. guttata. *H.* orichalcea. *H* pavida. Pisana. *R.* praetiosa. *H.* punctata. *H.* 4. fasciata. *H.* 4. stigma *H.* reticulata. Sibirica. ſinuata. *H.* splendida. *Pay.* tenebricosa. Umbellatarum. *H.* variolaris. Byrrhus. albopunctatus. Dianae. semistriatus undulatus. *Ill.* Callidium. fugax. Hafniense. melancholicum. mixtum punctatum. pygmaeum. ruficolle. Russicum sericeum. triste. Calosoma Investigator. *Ill. Carab.* Cantharis. abdominalis. analis. cardiacae haemorrhoidalis. laeta. nigra. nigripes. nitidula. ruficollis. tristis. Carabus. agilis. Agrorum. *Oll.* analis. areolatus. *Cr.* articulatus. *P.* Bructeri. *P.* concolor. cruciger. Cursor. cyathiger. *R.* disjunctus. *Cr. ex Neap.* Doris. *Ill. Elaphr.* dorsalis. elatus. elevatus. erythrocephalus. Eyrinotus. *P.* fenestratus. ferrugineus. frigidus. Hispanus. implicatus. inaequalis. *P.* interruptus. jucundus. laevigatus. lateralis. latus. Leistus. *Fr. Leist. pice N. F.* lividus. marginalis. marginellus. mendax. *R.* Micros. *H.* minutus. ovatus. Paykulii. *R.* piceus. praeustus. 4. sulcatus. remotus. *Cr. ex Lusit.* rufibarbis. ruficollis. *Ill. Elaphr.* torridus. *Ill.* 3. color. *n°.* 81. 3. color. n°. 135. tristis. truncatus. vivalis. *Ill.* zonatus. *P.* Cassida. nigra. Russica. vittata. Cebrio. Gigas. Cerambyx. costatus. Cetonia. Florentina. *H.* polita. *Cr.* purpurata. *Cr.* Chrysomela. aegrota. Aethiops. areata. bifrons. calcarata. erythrocephala. lamina. morbillosa. obscurata. punctulata. Rumicis. Russica. semiaenea. speciosa. 3. fasciata. violacea. Cistella. angustata. humeralis. linearis. *P.* nigripennis. pallipes. Clerus. 4. maculatus. Clythra. Athraphaxidis. 8. punctata. paracenthesis. Clytus. gibbosus. unifasciatus. Coccinella. 2. verrucata. bis 2. pustulata. *Ill.* 6. β. bis 5. pustulata. dispar. *Ill.* 33. α. ζ. η. ϑ. κ. λ. ν. ξ. ο. et π. 12. punctata. *Ill.* 36. β. γ. δ. et ε. erythrocephala. frontalis. *Ill.* 8. α. et δ. globosa. *Ill.* 39. δ. ζ. κ. λ. et μ. impustulata. *Ill.* β. γ. δ. ε. ζ. η. ι. κ. et λ. limbata M. nigrum. *Ill.* 17. α. β. δ. ε. et ζ. minuta. *Ill.* 4. α. β. et γ. mutabilis. *Ill.* 15. ζ. η. λ. ν. et ο. oblongo guttata. 8. punctata. 4. maculata. 4. notata. 14. pustulata. 5. maculata. 5. punctata. *Ill.* 28. β. et γ. 15. guttata. rivularis. rufipes. 6. lineata. 6. punctata. 13. punctata *Ill.* 14. β. γ. ε. η. et ζ. 3. punctata. 11. punctata. variabilis. *Ill.* 32. α. β. γ. δ. ζ. η. ϑ. ι. μ. ξ. ο. π. τ. υ. αα. et δδ. Colydium. filiforme. rufum. sulcatum. Copris. hirta. *Sc.* Crioceris. Anglica. Brassicae. dorsalis. Cryptocephalus. 2. maculatus. Bothnicus. flavescens. flavicollis. gracilis. imperialis. nitidulus. puſillus. pygmaeus. 4. pustulatus. 3. lineatus. Cucujus. muticus. sulcatus. Curculio. albolineatus. 2. sulcatus. calcaratus. cervinus. cinerascens. collaris. curvicornis. depressirostris. emarginatus. Fritillum. fulvicornis. fulvus. gressorius. Iris. maxillosus. melancholicus. Meles. moerens. morbillosus. Morio. murinus. Nigrita. pallidus. Porculus. Pyri. ruficollis. ruficornis. ſellatus. Seminulum. splendidulus. tristis. Cyphon. marginatus. pallidus. Dermestes. 2. dentatus. 2. maculatus. *P.* 2. punctatus. 2. pustulatus. brachypterus.; carnivorus. ſimetarius. frontalis. fuscus. lunatus. minutus. semicoleoptratus. P. tigrinus. 3. fasciatus. Urticae. Dircaea. ruficollis. Donacia. collaris. *P.* Equiseti. Lemnae. tersata. *P.* Zosterae. Dytiscus. 2. pustulatus. carbonarius, Crux. 12. pustulatus. erythrocephalus. flavipes. fulvus. haemorrhoidalis. margine punctatus. *P.* nitidus. obliquus. 8. pustulatus. ovatus. paludosus. palustris. parvulus. pictus. punctulatus. pygmaeus. scaber. *Ill.* unistriatus. *Ill.* zonatus. Elater. Alni. bicolor. *P.* 2. guttatus. 2. notatus. crucifer. *R.* haemorrhoidalis. impressus. pyrrhopterus. riparius. 3. maculatus. Elophorus. nubilus. Enois. lunata. Eumolpus. aerugineus. Asiaticus. Galerita. olens. Galleruca. Absinthii. sanguinea. Geotrupes. bilobus. Gyrinus. bicolor. minutus. Halomenus. purpu-

rascens. *P.* testacaeus. *P.* HELODES. campestris. HELOPS. cyaneus. Hottentotta. laevis. Pimelia, quisquilius. ruficollis. HETEROCERUS. laevigatus. HISTER. brunneus. HYDROPHILUS. Globulus. *Pay.* obscurus. picipes. scrobiculatus. *P.* HYLESINUS. abietinus. ater. ligniperda. Oleae. Oleiperda. piniperda. HYPOPHLOEUS. 2. cornis. linearis. Pini. *P.* IPS. 2. fasciata. 2. punctata. 4. notata. 6. pustulata. LAMIA. cineraria. Glycyrhizae. Molitor. LAMPYRIS. hemiptera. LEPTURA. dubia. 12. maculata. marginella. 4. pustulata. reticulata. sericea. sinuata. 3. fasciata. LIXUS. anguinus. angustus. *H.* caliginosus. crassipes. cylindricus. LYCTUS. dermestoides. *P.* nitidus. pubescens. *P.* LYTTA. collaris. festiva. MACHLA. rugosa. *H.* MALACHIUS. albifrons. cyaneus. elegans. praeustus. ruficollis. rufus. MELANDRYA. barbata. MELOLONTHA. abdominalis. arbicola. arvicola. atra. castanea. holosericea. humeralis. oblonga. praticola. MORDELLA. lateralis. ventralis. MYCETOPHAGUS. brunneus. *P.* 10. punctatus. lunaris. metallicus. MYLABRIS. geminata. 4. punctata. 6. maculata. NECYDALIS. coerulea. glaucescens. humeralis. melanocephala. Quercus. sanguinicollis. seladonia. NITIDULA. bicolor. Dulcamarae. *Ill.* flexuosa. punctatissima. *P.* pusilla. *Ill.* 6. pustulata. 3. punctata. *Ill.* truncata. NOTOXUS. serricornis. *P.* ODACANTHA. 3. pustulata. ONITIS. furcifer. *R.* irroratus. *R.* OPATRUM. fuscum. minutum. planum. OXYPORUS. abdominalis. brunneus. cellaris. dimidiatus. flavipes. marginellus. melanocephalus. pygmaeus. testaceus. thoracicus. 3. maculatus. PAEDERUS. 3. color. PARNUS. acuminatus. obscurus. PIMELIA. carinata. tuberculata. PLATYNOTUS. morbillosus. PYTHO. coeruleus. RHAGIUM. minutum. RIPIPHORUS. Carynthiacus. *P.* paradoxus. populneus. subdipterus. RHYNCHAENUS. Armeniacae. aterrimus. atrirostris. Beccabungae. 2. lineatus. brunnirostris. Camelus. Capreae. esuriens. Fagi. Hortorum. Jota. Lemnae. melanocephalus. pilosus. planus. Polux. 4. maculatus. rufirostris. Scirpi. Sisymbrii. Tortrix. Tremulae. unifasciatus. Verruca. villosus. SAPERDA. fasciata. Filum. *R.* haemorrhoidalis. hirta. SCARITES. Cursor. subterraneus. SCAURUS. sulcatus. SILPHA. brunnea. *H.* hemiptera. *P.* livida. melanocephala. *P.* Pedemontana. tristis. *Ill.* undata. SPHAERIDIUM. flavipes. Globus. inquinatum. *Ill.* limbatum. lugubre. minutum. ruficolle. stercoreum. Vaccarium. *Ill.* STAPHYLINUS. alpinus. analis. angustatus. crassicornis. crenatus. dilatatus. emarginatus. gracilis. marginatus. melanocephalus. plagiatus. striatulus. STRONGYLUS. ater. *H.* chrysomeloides. *H.* 5. punctatus. *H.* TENEBRIO. diaperinus. *Ill.* villosus. TETRATOMA. Anchora. TILLUS. ambulans. serraticornis. Weberi. TRICHIUS. succinctus. TRICHODES. 2. fasciatus. TRITOMA. minutum. Morio. sericeum. TROGOSITA. bidens. mandibularis. sulcata. thoracica. TROX. Lusitanicus. *Hb.* ZONITIS. praeusta.

APPENDIX

AD

CATALOGUM INSECTORUM, QUAE MENSE NOVEMBRIS MDCCCII. VIENNAE AUSTRIAE AUCTIONIS LEGE

VENDITA FUERE.

Monenda.

I. Die 2. et sequentibus Aprilis 1803. alia Insectorum auctio erit, in qua non solum illa, hisce pagellis enumerata, sed — deletis absentibus speciebus Catalogi primarii, nempe *Coleopt.* 15. 18. 51. 76. 84. 89. 96. 103. 106. 111. 124. 127. 134. 140. 146. 147. 251. 312. 313. 323. 329. 335. 349. 350. 351. 352. 355. 423. 435. 454. 532. 536. 540. 541. 542. 549. 593. 610. 650. 651. 652. 661. 673. 677. 681. 704. 710. 711. 716. 735. 739. 769. 785. 803. 807. 812. 813. 834. 885. 890. *Hemipt.* 5. 7. 20. 29. 34. 37. 38. 43. 46. 47. 68. *Lepidopt.* 2. 4. 13. 19. 22. 23. 24. 25. 31. 41. 45. 56. 58. 63. 75. 84. 87. 90. 103. 124. 162. 183. 188. 190. 210. 214. 220. 222. 226. 235. 251. 289. 311. 312. 327. 339. 361. 366. 372. 405. 418. 420. 434. 436. 443. 470. 475. 511. 517. 519. 520. 530. 557. 565. 568. *Hymenopt.* 25. 38. 39. 41. 75. 97. 100. 102. 105. 127. 132. 136. 149. 152. 155. 166. 184. 186. 192. — etiam omnia reliqua, ibi allegata, emtioni publicae exponentur.

II. In Catalogo primario praetia numerorum 60. 61. 62. 63. e loco mota ideoque in linea sequenti semper posita sunt. Idem valet de numeris sequentibus, 209. qui ad *Carab.* puncticollem; 216. qui ad *Carab.* Scopolii; 217. qui ad *Carab.* Scheidleri; et 230. qui ad viduum spectat.

III. Nomina authorum ibi non allegatorum, hoc modo hic abbreviata sunt. *Bl.* Block. *D.* Duftschmid. *Gr.* Gravenhorst. *Kn.* Knoch. *Sch.* Schott. *Schr.* Schreibers — qui Monogr. Bupr. ellabor. *St.* Sturm. *Vil.* de Viller.

IV. Exponitur hac vice magna Papillionum Europeorum collectio emtioni, cujus ulteriorem explicationem facere amatoribus eam desiderantibus Dominus Megerle non deerit. Denique

V. Monita ea, quae in Catalogo principali fronte exstant etiam hic adhuc valent, et Megerleus in hac auctione, perinde ac in praecedentibus, commissiones amicorum in commercio litterario cum eo versantium in se suscipiendi munus magno sibi ducturus erit oblectamento. Sed monere hic necessarium esse credit, quod, quum Insecta exotica cum Europaeis in nimis disproportionata sint ratione, hac vice in eorum emtionem ex auctione, erga specimina Europaea commutationis modo trahenda, eo minus descendere possit, quo nimis multas alias facere ipsi necesse esset expensas. 2do a cunctis DDnis Committentibus enixe petit, ut pecunias pro emtis exemplaribus citius, quam hucusque fecerint, ipsi mittere velint, ne iter propositum, quod eodem adhuc mense adeundum erit, longius justo protrahetur.

Nro.		Exemplaria.	Pretium Subhastationis fl.	kr.
	COLEOPTERA.			
	Adorium.			
1	*concolor.*	—	—	36
	Akis.			
2	filiformis.	—	—	40
	Allecula.			
3	braevis. *P. Cist.*	—	—	12
	Altica.			
4	bicolor. *M. ex Beng. Aff. haemis. atr. Elyt. testa.*	m.f	—	50
5	coerulea. *Pay.*	p.	—	8
6	Verbasci. *P.*	p.	—	16
	Anobium.			
7	festivum.	p.	—	8
8	nitidum.	p.	—	8
	Anthia.			
9	10. *guttata.*	—	1	8
10	*Var. punct. 8.*	—	1	12
11	*Var. punct. 6.*	—	1	20
12	*maxillosa.*	m.f	6	—
13	4. *guttata.*	—	1	—
	Anthicus.			
14	ater. *P.*	p.	—	20
15	floralis.	—	—	12
16	fulvicollis.	—	—	15
17	hirtellus.	p.	—	20
18	populneus.	—	—	17
	Anthribus.			
19	*denticornis. M. ex Beng. Stat. longic. ciner. Elyt. nigr. punct. Ant. arti. antepen. unid. et ult. curv.* * *m. Ant. Clav. 1. dee.*	m.f	4	30
20	undulatus.	p.	—	24

Nro.		Exemplaria.	Pretium Subhastationis fl.	kr.
	Apate.			
21	*bidens.*	—	1	8
22	*Francisca.*	—	2	—
23	*marginata.*	—	1	12
	Aphodius.			
24	*cinctus.*	—	1	8
25	foetens.	p.	—	12
26	globosus.	p.	—	40
27	obsoletus.	—	—	10
28	pusillus. *H.*	p.	—	8
29	4. pustulatus.	p.	—	15
30	sordidus.	p.	—	8
31	sticticus. *P.*	p.	—	6
	Apion.			
32	*Brentiforme. M. ex Beng. Insect. singul. nig. Ant. arti. ult. uti in Maegat. elong. Thor. quasi 2. partit. unae tibi. rubr.*	—	3	—
33	frumentarium.	p.	—	15
34	Pomonae.	—	—	12
35	vernale.	p.	—	15
	Ateuchus.			
36	*capistratus.*	—	2	—
37	*gibbosus.*	—	4	—
38	*miliaris.*	—	1	8
39	*minutus.*	—	1	8
40	Schaefferi.	p.	—	20
41	*signatus M. ex Beng. Stat. Koenig. coerul. virid. mac. later. et lunul. apic. alb.*	—	2	—
42	*sinuatus.*	—	—	45
43	*striatus. M. ex Cap. b. Sp. Aff. semip. sed Elyt. stria. coerul. mic.*	—	2	16
44	*virens. M. ex Corom. Koenig. 2. pl. maj. nig. virid. mic. Thor.*	—	2	—

Nro.		Exemplaria.	fl.	kr
	et Elyt. punct. elev. nig.			
	Attelabus.			
45	aequatus.	p.	—	8
46	Betulae.	p.	—	8
47	2. pustulatus.	—	—	40
48	nanus. *Pay.*	p	—	8
49	*ovatus.* *	—	—	30
50	pubescens.	p.	—	15
	Blaps.			
51	Gigas.	m.f	2	16
52	glabra.	p.	—	16
	Boletophagus.			
53	*cornutus.*	m.f	6	—
	Bostrichus.			
54	polygraphus.	—	—	7
	Brachinus.			
55	*hilaris.*	—	1	8
56	2. *maculatus Var. c. Ol.*	—	—	48
	Brachycerus.			
57	*globosus.*	—	1	—
	Brentus.			
58	2. *sulcatus.*	m.	1	45
59	*Septentrionis. H.*	m.f	1	30
60	*truncatus. M. ex Georg. Min. Sept. brunn. gutt. flav. Elyt. trunc.*	—	4	—
	Bruchus.			
61	*Gleditschiae. Hyb. Pisi. 2. pl. maj. ferrug. Charact. nig.*	—	2	—
62	granarius.	p.	—	7
63	*scutellaris.*	—	1	—
64	villosus.	—	—	20
	Buprestis.			
65	Achilleae. *Schr.*	—	—	30
66	aenea.	—	1	—
67	attenuata.	—	3	—
68	Carnioli. subrug. *Pay.*	m.f	—	40
69	*Chrysis.*	—	1	30
70	coerulea. *H.*	—	—	17
71	*decora.*	—	1	36

Nro.		Exemplaria.	fl.	kr
72	decostigma.	p.	—	15
73	elata. sinuat. *P.*	p.	—	15
74	*fulminans.*	—	3	—
75	*gigantea.*	—	2	—
76	*hastata. Schr. ex Bengal. maj. spinos. mac. mag. aur.*	—	2	—
77	micans.	—	1	20
78	moesta.	—	3	—
79	olivacea. *Schr. Min. virid.*	—	—	12
80	*ornata.* *	—	1	—
81	*pilosa. H.*	—	1	20
82	*ruficollis.*	—	1	8
83	*spinosa.*	—	1	12
84	*sternicornis.*	—	2	—
85	*variabilis. Schr. ex nov. Holland. Maj. Marian. virid. aur. Thor. marg. et Elyt. testa. his. mac. 2. virid. aur.*	—	4	30
86	viridis.	p.	—	12
	Byrrhus.			
87	murinus.	—	—	17
88	setiger. *Ill.*	p.	1	—
	Calandra.			
89	abbreviata.	p.	—	15
90	*Oryzae.*	p.	—	24
91	*Palmarum.*	—	1	20
92	*Herculeana. M. ex Corom. Magn. Colossi H. sed. ped. br. et Rostr. crassior.*	—	4	—
	Callidium.			
93	femoratum.	—	—	40
94	Hafniense.	p.	—	12
95	striatum.	p.	—	12
96	testaceum.	—	—	17
97	triste.	—	—	12
98	*variolosum.*	—	1	30
	Calopus.			
99	serraticornis.	—	—	36
	Cantharis.			
100	apicalis. *M. Maj. pallip. Thor. flav. margi.*	p.	—	20

No.			fl.	kr
101	atra.			
102	cincta *M. Simil. apic.*	p.	—	7
	sed Elyt. apic. nigr.	p.	—	24
103	*clypeata, Ill.*			
104	fulvicollis.	p.	—	10
105	fucescens *D.*	p.	—	10
106	*melanocephala.*	—	—	7
107	nigricans.	—	—	40
108	*nigricornis M. ex*	p.	—	20
	Beng. Testa. Ant.	—	1	8
	incrass. apic. tarsis			
	et mac. magn. ante			
	apic. Elyt. nig.			
109	pallipes.			
110	pulicaria. *Ol.*	p.	—	7
111	testacea.	—	—	7
	—	p.	—	7
	Carabus.			
112	badius. *Z. Abbrevi.*	—	—	20
	2. pl. maj.			
113	*caliginosus. * 1. Ant.*	—	—	
114	*chlorocephalus. Bl.*	—	—	48
115	*impressus.*	—	—	45
116	leucophthalmus.	—	1	30
117	*limbatus. M. ex Beng.*	p.	—	16
	Min. interrupt. ruf.	—	—	51
	Elyt. disc. nig.			
118	pavidus. *Z.*			
119	4. *color.*	—	—	7
120	*sulcicollis. M. ex*	—	1	—
	Beng. Maj. discoid.	—	—	5
	nig. Ant. et ped. nig.			
121	tardus. *Z.*			
122	tempestivus. *Z.*	p.	—	7
		p.	—	17
	Cassida.			
123	*circumdata.*			
124	*clavata.*	—	1	8
125	*lateralis.*	—	1	12
	—	—	1	—
	Cerambyx.			
126	*depressus.*			
127	*festivus.*	—	—	50
128	*longipes.*	—	2	30
	—	—	1	30
	Cetonia.			
129	angustata. *M. ex Dal-*	—	—	
	mat. aff. metall.			48
130	*Capensis.*			
131	*Carnifex.*	—	—	45
132	*elegans.*	—	1	12
133	*Ephippium.*	—	4	—
134	*fascicularis.*	—	1	36
		—	1	12

No.			fl.	kr
135	*Lineola.*			
136	*lugubris.*	—	1	30
137	*marginata.*	—	—	40
138	*sepulchralis.*	—	1	30
139	*smaragdula.*	—	1	12
140	*variegata.*	—	2	—
		—	—	51
	Chrysomela.			
141	Americana			
142	*coerulipes. M. ex*	—	—	34
	Beng. Min. Banks.	—	—	40
	virid. aene. punct.			
	subt. coerul.			
143	*interrupta.*			
144	Lapponica.	—	2	—
145	Menthae. *Sch.*	p.	1	—
146	3. *maculata.*	p.	—	20
		—	1	30
	Cicindela.			
147	*bicolor.*	—	—	45
148	*biramosa.*	—	—	40
149	*Capensis.*	—	—	40
150	*Carolina.*		5	—
151	*micans ?*	m.f	1	—
152	4. *lineata.*	—	—	40
153	*repanda. M. ex Beng.*	—	—	51
	Aff. longiped.			
154	20. *guttata. M. ex*	—	1	—
	Beng. Maj. 6. punct.			
	Clerus.			
155	*abdominalis. M. ex*	—	2	—
	Beng. Formic. maj.			
	pilos. nig. fasci.			
	med. punct. apic.			
	commu. et Abdo. flav.			
	Clythra.			
156	*plicata.*	—	1	30
157	*tarsalis. M. ex Georg.*	—	1	—
	ab obsit. F. Ant. ba-			
	si. anoq. testa. et			
	tars. nig. dist.			
	Clytus.			
158	arcuatus.	p.	—	20
159	*bidens.*	—	1	30
160	*flexuosus.*	—	1	—
161	hieroglyphicus. *M.*	—	—	17
	Maj. Gazel.			
162	imperialis. *M. Aff.*	—	—	34
	Ariet.			
163	*scabricollis. M. ex*	m.f	3	—
	Georg. Maj. uni-			
	fasc. castan. Thor.			
	scabr. Elyt. fasc. 4.			
	prim. flav. reliq.			
	ciner.			

No.			fl.	kr
164	3. *color. M. ex Georg.*	—	2	—
	Stat. Gazel. brunn.			
	Ocul. Thor. lin. med.			
	scabr. Elyt. dimid.			
	et femor. nig. Cap.			
	lin. 2. Thor. marg.			
	Scutel. Elytr. fasc.			
	3 flav.			
165	*villosus M. ex Georg.*	—	3	—
	Stat. Ariet. nig. vill.			
	Ant. basi, Elyt.			
	hume. et ped. brunn.			
	Thor. marg. Elyt.			
	lin. transv. fasc. 2.			
	et lunul. posti. flav.			
	Coccinella.			
166	borealis.	—	1	30
167	hyperborea. *Sc.*	—	—	36
168	*marginella.*	—	—	40
169	4. lunulata. *Ill.*	—	—	7
170	3. *cincta.*	—	—	40
171	3. fasciata.	—	—	48
172	28. *punctata.*	—	—	24
173	24. *maculata.*	—	—	20
174	*Var. punct. plurib.*	—	—	24
	Colaspis.			
175	*brunnea.*	—	—	51
	Copris.			
176	*aenea.*	m.f	1	20
177	*analis. M. ex Beng.*	—	1	—
	Aff. Cerv sed Thor.			
	retus. tuberc. et			
	Anus flav.			
178	2. *fasciatus.*	m.f	2	16
179	*Bonasus.*	—	—	34
180	*brunnicollis. M. ex*	—	1	—
	Georg. Aff. 2. fasc.			
	sed Thor. laev.			
	brunn.			
181	*Bucephalus.*	m.f	4	30
182	*capucina.*	m.f	2	—
183	*Carnifex.*	m.f	2	—
184	*Carolina.*	m.f	2	—
185	*Catta.*	—	—	54
186	*Cervus.*	—	1	—

No.			fl.	kr
187	Coenobita.	p.	—	12
188	*festivus.*	—	4	20
189	*flavicornis. M. ex*	—	1	8
	Beng. Maj. Vacc.			
	nig. Thor. product.			
190	fracticornis.	m.f	—	15
191	*Gazella.*	—	—	45
192	*gracilicornis. M. ex*	m.	1	30
	Beng. Aff. spinif.			
	sed. Thor. 2. tuberc.			
193	*Jachus.*	—	1	40
194	*micans. M. ex Beng.*	—	1	20
	Maj. oval. Cap. et			
	Thor. virid. mic.			
	Elyt. testa. fasc.			
	nig.			
195	*Mopsus.*	—	—	40
196	*notata. M. ex Beng.*	—	1	30
	Maj. mic. aene. nig.			
	Elyt. bas. et Apic.			
	rubr. notat.			
197	*Oedipus.*	m.	1	12
198	*pallens.*	p.	1	—
199	*Rhadamistus.*	f.	2	—
200	*Sabaeus.*	m.f	1	30
201	*Sagittaria.*	m.f	1	30
202	*Seniculus.*	m.f	2	24
203	*suturata. M. ex Beng.*	—	1	30
	Aff. discoid. Ol. sed			
	Thor. 4. corn.			
204	*Tragus.*	—	1	—
205	3. *cornis. M. ex Beng.*	m.f	1	30
	Aff. Bonas. sed.			
	min. nig. Ant. flav.			
206	*Tritton. M. ex Beng.*	m.f	2	—
	Min. 3. corn. Clyp.			
	sub. 3. dent. Thor.			
	retus. fossul.			
207	*Ursus.*	m.f	2	30
208	*viridis. M. ex Beng.*	—	1	8
	Maj. Vacc. virid.			
	aene.			
	Corynetes.			
209	*rufipes.*	p.	—	36
	Cossonus.			
210	parallelepipedus, *H.*	p.	—	15
	Cossyphus.			
211	Hoffmannseggii.	—	—	48

			fl.	kr
	Crioceris.			
212	Cerasi.	—	—	10
213	subspinosa.	—	—	10
214	*vittata.*	—	—	51
	Cryptocephalus.			
215	amoenus. *Cr.*	—	—	7
216	*Herbstii. M. ex Beng. Min. 2. punct. ruf. Elyt. punct. 3. nig. 2. 1.*	—	1	20
217	hieroglyphicus.	p.	—	7
218	*ornatus.*	—	2	—
219	*plagiatus. M. ex Beng. Min. 2. line. ruf. Elyt. plag. obliq. nig.*	—	1	20
220	*Schreibersii. M. ex Georg. Min. 10. punct. ruf. fasc. undat. pallid.*	—	1	20
	Cupes.			
221	*capitata.*	—	6	—
	Curculio.			
222	angustirostris. *M. Aff. piciped. sed min.*	—	—	17
223	antiodontalgicus. *H.*	p.	—	30
224	Arborator. *H.*	p.	—	30
225	argentatus.	p.	—	7
226	*Argyreus.*	—	1	30
227	2. sulcatus.	—	—	24
228	*Brachyceroides. M. ex Beng. Stat. Brachyc. muric. sed. maj. fusc. Thor. lin. 2. Elyt. punct. alb. interm. subfasci.*	—	2	—
229	campestris. *Kn.*	p.	—	10
230	costatus. *F. Sp.* 138.	—	—	24
231	fuscipes. *M. Aff. tenebricos. H.*	p.	—	45
232	*globifer.*	—	2	—
233	hispidulus.	p.	—	7
234	inflatus. *M. Aff. multipunct.*	—	—	24
235	Iris?	p.	—	12
236	lanuginosus. *Cr.*	p.	—	20
237	*lateralis.*	—	—	48
238	limbatus.	—	—	7
239	Morio.	p.	—	40

			fl.	kr
240	muricatus.	p.	—	7
241	*nodulosus.*	—	2	30
242	Oxalis. *H.*	—	—	24
243	pilosus.	p.	—	7
244	*pillularius.*	—	2	30
245	Pyri.	p.	—	8
246	raucus.	p.	—	7
247	repandus.	—	—	48
248	rotundatus.	p.	—	12
249	rusticus.	—	1	8
250	Septentrionis. *H.*	p.	—	48
251	smaragdinus. *M. Aff. argent. ast. 3. pl. maj.*	—	—	20
252	sphaeroides. *Cr.*	p.	—	30
253	squamulatus.	p.	—	20
254	subrotundus. *M.*	—	—	30
255	*sumptuosus.*	—	4	—
256	tenebricosus. *H.*	p.	—	40
257	*Tribulus?*	—	3	—
258	*unicolor.*	—	1	30
259	velutinus. *M. Aff. ovat.*	p.	—	30
260	Viennensis. *H.*	—	—	40
	Dasytes.			
261	aeneus.	p.	—	12
262	aurarius. *Hl. Melyr.*	p.	—	30
263	coeruleus.	p.	—	12
264	flavipes.	p.	—	8
265	linearis.	p.	—	20
266	nigricornis.	—	—	10
	Dermestes.			
267	ater. *P.*	p.	—	12
268	Maegatoma.	—	—	7
	Diaperis.			
269	Boleti.	p.	—	10
270	*viridipennis.*	m.f	4	—
271	*eadem.*	f.	1	30
	Donacia.			
272	clavipes.	p.	—	20
273	Festucae.	—	—	7
274	gracilis. *Cr. simpl. P.*	p.	—	15
275	micans. *P.*	—	—	10
276	simplex.	p.	—	20
277	vittata. *P.*	m.f	—	20
	Drypta.			
278	*angusticollis. M. ex Beng. Simill. emarg.*	—	—	30

			fl.	kr
	sed Thor. angust. cylindr.			
279	*longicollis. Ol. Cicind.*	m.f	2	30
	Dyticus.			
280	arcuatus.	p.	—	20
281	*Bengalensis. Bl. Min. marginal.*	m.f	2	—
282	crassicornis.	p.	—	12
283	*griseus.*	p.	1	—
284	latissimus.	m.f	—	36
285	lineatus.	p.	—	24
286	*variegatus. M. ex Beng. Magn. ciner. nig. fasc. dentat. flav.*	—	—	45
	Elaphrus.			
287	rupestris.	p.	—	7
	Elater.			
288	Advena.	—	—	12
289	brunneus.	—	—	20
290	depressus. *M. Ruf. paul. min. nig. depress.*	—	—	48
291	discicollis. *M. Aff. Thoraci.*	p.	—	36
292	*fuscipes.*	—	1	—
293	melancholicus.	—	—	15
294	*Myops.*	—	4	—
295	nigricornis.	p.	—	17
296	*noctilucus.*	—	2	—
297	obscurus.	p.	—	6
298	*oculatus. * Ant. paul.*	—	3	—
299	parvulus. *P.*	p.	—	20
300	*porcatus.*	—	3	—
301	4. pustulatus.	p.	—	12
302	rufus.	—	—	50
303	sinuatus. *M. Aff. ruficol.*	p.	—	48
	Elophorus.			
304	minimus.	p.	—	20
	Endomychus.			
305	coccineus.	p.	—	12
306	4. *guttatus. M. ex Sumat. Max. nig. gutt. 4. flav.*	—	1	30
307	4. *maculatus. M. ex Beng. Min. 4. gutt.*	—	1	8

			fl.	kr
	nig. mac. 4. dentat. fulv.			
	Engis.			
308	*fasciata.* *	—	1	—
	Eumolpus.			
309	*cyaneus.*	p.	1	—
310	*cupreus. M. ex Beng. Maj. arenar. cupr. aene.*	—	—	45
311	*fastuosus. M. ex Beng. Maj. Chrys. fastuo. virid. aur. sutu. et Vitta. Elyt. cyan.*	—	—	40
312	*metallicus.*	—	1	—
	Eurychora.			
313	*ciliata.*	—	1	30
	Galerita.			
314	*Americana.*	—	2	—
	Galleruca.			
315	*Bacharidis.*	—	1	30
316	*Caroliniana.*	—	1	8
317	*glabrata.*	—	1	20
318	*impressa. M. ex Beng. Maj. Calmar. testa. Thor. impr. Elyt. nig.*	—	—	51
	Geotrupes.			
319	*Aloeus.*	m.f	5	—
320	*Antaeus.*	m.	3	30
321	*Atlas.*	m.	18	—
322	*Chorinaeus * Abd. fact.*	—	10	—
323	*didymus.*	m.	3	—
324	*Gideon.*	m.	5	30
325	*Hercules.*	m.	10	—
326	*Phorbanta. Ol.*	m.	4	30
327	*piceus.*	—	—	45
328	*Syrichtus.*	—	1	8
	Gnodulon.			
329	*discoideum. M. ex Sumat. 2. pl. min. specios. virid. aur. Elyt. disc. purp. aur. an Chrys. mic. F.?*	—	1	30
330	*speciosum. M. ex*	—	1	45

No.			fl.	kr
	Beng. Maj. Gist. Nigr. virid. aur. Vitt. 4. rubr. aur. subt. nig.			
	Gyrinus.			
331	*Americanus.*	—	—	34
	Hallomenus.			
332	flexuosus. *P.*	p.	—	34
	Helops.			
333	*obliquatus.* *	—	1	—
	Hispa.			
334	*cyanea. M. ex Beng. Stat. testa. inerm.*	—	1	8
335	*sanguinea. M. ex Beng. Sangu. inerm. magn. Ant. Ocul. et Elyt. posti. cyan.*	—	3	—
336	*fulcicollis. M. ex Beng. Magnit. testa. nig. aene. Thor. sulc. transv.*	—	1	—
337	testacea.	—	—	40
338	*vittata.*	p.	2	—
	Hister.			
339	2. *guttatus. M. ex Corom. Med. ater, nitid. mac. dent. alb.*	—	1	8
340	4. notatus. *Ill.*	p.	—	10
	Hydrachna.			
341	gibba.	—	—	12
	Ips.			
342	*acuminata. M. ex Sumat. Magn. nig. Elyt. acumi. mac. dentat. baseos, et punct. apic. parv. fulv.*	—	1	30
	Lamia.			
343	*Aethiops.*	—	1	40
344	*calcarata. M. ex Georg. Min. Sutor, fusc. Thor. spino. flav. line. Elyt. alb. vari. tibi. interm. subspino.*	—	3	—
345	*cancriformis.*	—	1	—
346	*Capensis.*	—	1	20
347	funesta.	—	1	48
348	*Oculator.*	—	2	30
349	*Scabrator.*	—	1	30
350	varia.	p.	—	20
	Lampyris.			
351	Italica.	—	—	51
	Latridius.			
352	longicornis. *H.*	p.	—	10
353	porcatus. *P. Derm.*	p.	—	17
	Lema.			
354	*cyanipennis.*	—	—	40
355	*Tranquebarica.*	—	—	48
	Leptura.			
356	attenuata.	p.	—	10
357	*dispar. M. ex Georg. Stat. 4. mac. paul. min. atr. front. et Thor. lateri. flav. villos. Foemin. Elyt. testa. apic. atr.*	m.f	5	—
358	Exclamationis.	—	—	15
359	hastata.	m.f	1	8
360	Interrogationis.	—	1	—
361	laevis.	p.	—	6
362	Morio.	—	—	24
363	8. maculata.	p.	—	7
364	Pastinacae. *P.*	p.	—	6
365	*purpurina. M. ex Georg. Aff. emargin. sed Ant. alb. mac. et Abd. rubr.*	—	2	16
366	*scutellaris. M. ex Georg. Aff. villic. sed Scutel. et Ant. et Pect. rubr.*	—	2	—
	Lixus.			
367	Ascanii.	—	—	7
	Lycus.			
368	2. *fasciatus. M. ex Georg. Magn. ater. Thor. limbo, Elyt. basi, et fasc. post. medi. auranti.*	—	2	—
369	*humeralis.* *	—	—	36
370	*marginatus.* *	—	—	20
371	*palliatus.*	—	1	8
372	*proboscideus.*	—	1	20
	Lyctus.			
373	cylindricus. *P.*	—	—	15
	Lymexylon.			
374	proboscideum.	—	—	20
	Lytta.			
375	*ruficollis.* *	—	—	40
376	*vittata.*	—	—	51
	Malachius.			
377	angulatus.	—	—	7
378	*laetus.*	—	1	30
379	ruficollis.	p.	—	10
	Manticora.			
380	*maxillosa.*	—	7	—
	Meloe.			
381	limbata.	—	—	10
382	majalis.	—	—	12
383	Nigrita. *M.*	p.	—	24
	Melolontha.			
384	*immaculata? Ol.*	—	—	36
385	*irrizans. M. ex Georg. Stat. brunn. purpur. undiqu. pulcher. irriz.*	—	4	—
386	papposa. *Hl.*	m.	1	—
387	*plagiata. M. ex Georg. Maj. chrysomel. nig. hirt. plag. ruf.*	—	2	—
388	*plebeja. Ol.*	—	—	45
389	*pygmaea.*	—	1	30
390	*rubripes. M. ex Botany Bay. Maj. glaucae. Ol.*	—	2	30
391	*tarsata. M. ex Botany Bay. Min. rubrip. minusq. aur. tars. cyan.*	—	2	16
392	transversa.	—	1	12
	Melyris.			
393	aenea. *Ol.*	—	—	34
	Molorchus.			
394	Umbellatarum.	—	—	30
	Mordella.			
395	abdominalis.	—	—	15
396	dorsalis.	—	—	17
	Mylabris.			
397	Australis. *K.*	—	—	40
398	*axillaris. M. Nig. Elyt. flav. fasc. 3. dent. et humerib. nig*	—	1	—
399	2. *punctata. M. Maj. Punct. Elyt. flav. punct. 2. dein fasc. 2. et puncto commun. apic. nig.*	—	—	48
400	*Hermanniae.*	—	—	48
401	*lunata.*	—	—	45
402	*oculata. Ol.*	—	1	—
403	*Punctum.*	m.f	1	—
404	*pustulata. Ol.*	—	—	48
	Necydalis.			
405	flavipes.	p.	—	10
406	*notoxoides.* *	—	—	40
	Onitis.			
407	*Apelles.*	—	1	30
408	*Aygulus.*	—	1	—
409	*Inuus.*	m.f	1	40
410	Sphinx.	p.	1	20
411	*sulcosus. M. ex Beng. Ateu. flavip. 2. pl. min. fusc. Thor. et Elyt. fulcos.*	—	1	30
	Opatrum.			
412	Lusitanicum.	—	—	34
413	*Orientale.*	—	1	30
	Orchestes.			
414	viminalis. *F. Rhynchae.*	p.	—	7
	Oxyporus.			
415	marginatus.	p.	—	7
416	punctulatus. *D.*	—	—	20
	Paederus.			
417	angustatus. *P.*	—	—	12
418	brunnipes.	—	—	12

No.			fl.	kr
419	dimidiatus. *P.*	p.	—	20
420	elongatus.	—	—	10
421	melanocephalus.	p.	—	24
	Passalus.			
422	*interruptus.*	—	1	20
	Phalacrus.			
423	corticalis..	p.	—	10
	Pimelia.			
424	*aranipes. Ol.*	—	2	—
425	*scabra.*	—	1	20
	Platynotus.			
426	morbillosus.	—	—	40
	Prionus.			
427	*castaneus. M. ex Cayenne an Ol. f. 23 ?*	—	2	30
428	*cervicornis.*	—	9	—
429	*cinamomeus.*	m.	3	—
430	*idem.*	f.	2	16
431	*imbricornis. Ol.*	f.	2	45
432	*longimanus.*	f.	4	30
433	*piceus. M. ex Georg. Maj. depsar. brunn. Thor. multtd. et lin. 2. lateral. elev.*	—	2	30
434	*serricollis. M. ex Georg. Maj. maxill. nig. Thor. multiserrat. Elyt. pice.*	—	3	—
	Ptinus.			
435	testaceus. *Ol.*	—	—	7
	Pyrochroa.			
436	rubens.	—	—	12
	Rhagium.			
437	clathratum.	—	1	—
	Rhipiphorus.			
438	flabellatus.	—	—	51
	Rhynchaenus.			
439	Absynthii. *P.*	p.	—	12
440	Alauda.	—	—	7
441	*alboguttatus. M. ex Beng. Maj. Echii, nig. gutt. alb. Thor. lat. alb. nig. punct.*	m.f	3	—

No.			fl.	kr
442	arcuatus.	p.	—	15
443	2. punctatus.	—	—	10
444	*2. spinosus. Sex. alt. Spin. car.*	m.f	6	—
445	canus. *H.*	—	—	10
446	Cardui. *St.*	p.	—	10
447	Colon.	—	—	6
448	*Famulus.*	—	—	48
449	flavipes.	p.	—	15
450	*Gagates.*	—	1	—
451	Guttula.	—	—	7
452	Hebes.	p.	1	8
453	Ilicis.	—	—	15
454	Linariae. *P.*	p.	—	12
455	Litura.	p.	—	7
456	Nucum.	p.	—	12
457	parallelus.	—	—	10
458	pectoralis.	p.	—	17
459	picirostris.	p.	—	24
460	Punctulum. *H.*	—	—	7
461	rugulosus. *H.*	p.	—	17
462	Scolopax. Fr.	—	—	20
463	*scutellaris. M. ex Beng. Aff. Curc. punct. sed. maj. Thor. lin. punctq. 4. transv. scutelq. alb.*	—	1	30
464	spiniger. *H.*	—	—	7
465	sulcicollis. *M.*	p.	—	24
466	taeniatus.	p.	—	12
467	tomentosus. *H.*	—	—	12
468	3. maculatus.	p.	—	7
469	Troglodites.	—	—	20
470	variabilis.	—	—	7
471	vorax.	m.f	—	10
	Rhynchites.			
472	gracilis. *Cr.*	—	—	15
	Saperda.			
473	*alboguttata. M. ex Beng. Stat. populn. ferr. Thor. et Elyt. alb. gutt.*	m.f	2	30
474	*2. dentata.*	—	2	30
475	coerulescens. *Sr.*	—	—	10
476	*lateralis.* * ½ *Ant. dee.*	—	3	—
477	*pallens. M. ex Georg. 2. pl. maj. ferrug. fasc. 2. pallid. anteri. interr. poster. latiss.*	—	1	30

No.			fl.	kr
478	*tricolor.*	—	1	40
	Scarabeus.			
479	*latipes. M. ex Georg. Maj. testa. mutic. aene. tibiis latiss.*	—	3	—
	Scarites.			
480	*depressus.*	—	2	30
481	*emarginatus. M. ex Sumat. Maj. subter. Thor. angul. posti. emargi.*	—	1	8
482	*Indicus. M. ex Sumat. Aff. quadrat. sed min.*	—	1	—
483	*subterraneus.*	—	—	45
	Scolytus.			
484	*labiatus.*	—	3	—
	Sepidium.			
485	*elongatum.*	—	1	30
486	*reticulatum.*	—	1	30
	Silpha.			
487	*Americana.*	—	2	—
488	opaca.	p.	—	16
489	*Surinamensis.* *	—	1	30
	Staphylinus.			
490	atricapillus.	p.	—	17
491	attenuatus. *Gr.*	—	—	10
492	brunneus.	p.	—	30
493	canaliculatus.	p.	—	10
494	caraboides.	p.	—	24
495	castanopterus. *Gr.*	p.	—	15
496	chalcocephalus.	p.	—	17
497	crassicollis. *D.*	p.	—	24
498	foetens. *D.*	p.	—	12
499	fulgidus.	—	—	12
500	fuscipes.	p.	—	6
501	hirtus.	p.	—	15
502	laminatus. *P.*	—	—	20
503	maxillosus.	—	—	7
504	murinus.	p.	—	7
505	pubescens.	p.	—	10
506	piceus.	p.	—	7
507	picipennis.	p.	—	20
508	rivularis.	p.	—	12
509	rugosus.	p.	—	12

No.			fl.	kr
510	strumosus.	—	—	24
511	tectus. *Pay.*	—	—	6
512	varians.	p.	—	6
	Stenocorus.			
513	*festivus.*	—	1	30
514	*Garganicus.*	—	2	30
515	*pubescens.*	m.f	3	—
	Stenosis.			
516	atra. *H. sed sequ ?*	f.	—	45
517	unicolor. *H. sed prior ?*	m.	—	45
	Tenebrio.			
518	*Pensylvanicus. Kn.*	—	2	—
	Tetratoma.			
519	cinamomea. *P.*	—	—	24
	Tillus.			
520	*pectinicornis. M. ex Beng. Stat. elong. nig. Cap. Thor. Elyt. basi, et Abd. rubr. Ant. vald. pectin.*	—	5	—
	Trachys.			
521	*tessellata.*	—	1	12
	Trichius.			
522	*Delta.*	—	2	—
523	*piger.*	—	1	—
	Tritoma.			
524	*striata M. ex Beng. Aff. atrat. sed maj. Elyt. strii. punct.*	—	—	45
	Trogosita.			
525	corticalis. *Pay.*	—	—	51
	Trox.			
526	*horridus.*	—	—	40
	Upis.			
527	ceramboides.	—	—	40
528	*excavata. H.*	—	1	8
	Zonitis.			
529	*vittata.*	—	3	—
530	*eadem.* *	—	1	—

HEMIPTERA.

No.			fl.	kr
	Acheta.			
1	*monstrosa.*	—	4	30
	Blatta.			
2	*Petiveriana.*	—	—	48
	Cercopis.			
3	*cruentata.*	—	1	—
	Cicada.			
4	*ferruginea.*	—	1	30
5	Lanio.	p.	—	7
6	viridis.	p.	—	10
	Cimex.			
7	2. *maculatus. M. ex Beng. Dan. maj. ferr. mac. 2. nig. scutella.*	—	3	—
8	Custos.	p.	—	8
9	*Danus.*	—	—	45
10	12. *pustulatus. M. ex Beng. Stat. Vahl. nig. Thor. punct. 4. 4. Elyt. bas. 4. et ped. et Abd. nigro. punct. marg. ruf.*	—	1	12
11	festivus.	p.	—	12
12	*nigripes.*	—	1	8
13	nigrolineatus.	p.	—	14
14	*nobilis.*	—	—	51
15	*nubilus.*	—	—	40
16	*obscurus.*	—	—	40
17	*papillosus.*	—	—	30
18	*quadratus. M. ex Beng. Stat. glob. flavo gris. umbr. virid. pect. et ventr. fusc.*	—	1	—
19	7. *punctatus. M. ex Sier. Le. Aff. nobil. Cap. lin. Thor. punct. 3. 3 scut. 2. 2. 2. 1. et lin. med. nig.*	—	2	—
20	*Stockerus.*	—	—	50
21	*Vahlii.*	—	1	—
	Coreus.			
22	*Acridioides.* *	—	—	20
23	*dentipes. M. ex Georg. Maj. emarg. fusc. Ant. art. 2. ult. flav. fem. dent. post. clav. et tibi. post. curv. unid.*	—	1	30

No.			fl.	kr
24	*tibialis. ex Georg. Stat. margi. ferrug. fem. dent. post. incrass. tibi. pallid.*	—	1	—
	Flatta.			
25	*Phalaenoides.*	—	1	8
	Fulgora.			
26	*candellaria.*	—	1	20
27	*hyalinata.*	—	2	—
	Gryllus.			
28	*brevipennis. M. ex Georg. Min. pict. gris. Thor. carin. Elyt. brev. nig. rubroq. vari. alis sangui. nig. margi.*	—	4	—
29	*pictus.*	—	3	30
30	*variolosus.*	—	1	40
	Locusta.			
31	Regina.	m.	—	40
	Lygaeus.			
32	*abdominalis. M. ex Sier. Le. Min. Valg. thor. mutic. fusc. ant. ult. artic. flav. Abd. subt. gibb. fem. post. incrass dent.*	—	1	30
33	*analis. M. ex Sier. Leo. Stat. eques. sangui. Ant. lin. transv. ant. Scutel. Alis, pecto. ano et ped. nig.*	—	1	—
34	*bicolor. M. ex Georg. Stat. capil. sangui. Ant. Scut. post. Elyt. Abdo. tibi. et tars. nig.*	—	—	48
35	*Capensis. M. Magn. thor. spin. fem. post. incrass. scabr. serratq. tibi. post. dent. pallid.*	—	1	30

No.			fl.	kr
36	crassicornis.	p.	—	6
37	flavomaculatus.	p.	—	7
38	*Jacquinii. M. ex Georg. Aff. aulic. Equest. maj. rubr. Ant. Thor. disc. Scutel. Elyt. fasc. med. et Apicib, pect. Abd. fasc. 2. laterib. ano, et ped. nig.*	—	1	30
39	*Koenigii.*	—	—	45
40	*nigricornis. M. ex Georg. Aff. apt. sangu. Ant. Alis, tibi. et tars. nig.*	—	—	45
41	nugax.	p.	—	10
42	*Pedelus. St.*	—	1	8
43	*Phyllopus.* **	—	—	15
44	*pictus. M. ex Beng. Maj capitat. sangu. Elyt. mac. ocelar. Abd. simpl. nig.*	—	1	40
45	*tarsatus. M. ex Georg. Stat. membran. fusc. Ant. ult. Art. et tars. flav. tibi. post. vald. compr.*	—	2	30
	Mantis.			
46	*Gongylodes.*	—	4	—
47	*siccifolia.*	—	2	—
48	*Simulacrum.*	m. f	5	—
	Membracis.			
49	*Ensigera. M. ex Beng. Stat. cornu. fusc. Thor. 2. cor. posti. prod. adscend. Abdo. longi.*	—	1	8
50	*picicornis. M. ex Beng. Min. Ensig. Thor. 2. cor. Cornu. pice. posti. prod. Abd. longit.*	—	1	—
51	*tecta. St. f. 78. B.*	—	1	40
52	*truncaticornis. M. Min. aurit. Thor. 2. cor. cornu. latis, quasi trunc. posti. flexuos. prod.*	—	2	—

No.			fl.	kr
	Nepa.			
53	*grandis.*	—	2	16
	Notonecta.			
54	*nivea.*	—	—	50
	Reduvius.			
55	*flavipes. M. ex Beng. Maj. guttu. atr. Ant. ped. et mac. Elyt. fere com. flav.*	—	1	20
56	*Gigas.*	—	1	8
	Tettigonia.			
57	*atrata.*	—	1	30
58	*stridula.*	—	2	—

LEPIDOPTERA.

No.			fl.	kr
	Bombyx.			
1	*bella.*	—	2	16
2	*Cynthia C.*	—	4	—
3	falcula. *W. V.*	p.	—	50
4	flexula. *W. V.*	—	—	30
5	Humuli.	m. f	1	8
6	Joduta. *	m.	—	40
7	*Luna. C.* t. 2. f. A.	m.	4	—
8	Monacha.	f.	—	20
9	*Phyllira, Sm.*	—	2	16
10	*polyphemus.*	f.	2	16
11	*Promethea.*	m. f	3	—
12	*pulchella.*	—	1	—
13	querna.	m.	1	20
14	*Virgo.*	—	2	—
	Geometra.			
15	*cibraria. C.*	—	1	30
16	lituraria.	p.	—	50
17	vernaria.	p.	—	50
18	Wavaria.	p.	—	40
	Noctua.			
19	Ain.	—	3	—
20	albimacula. *B.*	—	—	45
21	Asclepiades.	—	—	30
22	Aurago. *W. V.*	p.	—	50
23	Calcites.	—	2	—
24	conspicillaris. *Var.*	—	—	15
25	corticea.	—	—	40
26	cubicularis.	—	—	15

No.	Name		fl.	kr
27	culta.	—	—	40
28	Ditrapezium. *Hyb.*	—	1	8
29	divergens.	—	2	—
30	Domiduca.	—	4	30
31	erythrocephala.	—	—	40
32	Ferrago.	p.	—	48
33	Festucae.	—	—	30
34	flammea. *E.* *	—	2	30
35	- - - *W. V.*	p.	—	20
36	flavicornis.	p.	—	15
37	fraterna.	—	1	40
38	*Gaurae. Sm.*	—	2	30
39	hepatica.	p.	3	—
40	Hyperici.	—	—	30
41	Jacobaea.	—	—	20
42	*Ilia. C.*	—	2	—
43	instabilis. *W. V.*	p.	—	40
44	leucophea.	p.	—	20
45	lunaris. *W. V.*	—	—	51
46	miniosa.	p.	—	30
47	nervosa.	—	—	48
48	Nupta.	p.	—	30
49	Obelisca.	p.	—	28
50	plecta.	—	—	20
51	Pronuba.	p.	—	20
52	Psi.	p.	—	15
53	pudorina.	—	—	48
54	radicea.	—	—	10
55	rhizolitha.	—	—	20
56	sordida.	—	—	20
57	Sparganii.	—	—	36
58	Spectrum. *	—	1	30
59	tridens.	p.	—	40
60	trimacula.	—	1	—
61	Ulmi.	m.f	—	20

Papilio.

No.	Name		fl.	kr
62	Acis.	p.	—	15
63	*Aconthea. C.*	m.f	5	—
64	*Ajax.*	—	1	30
65	*Alcippus.*	—	2	16
66	*Alcithoae. C.*	—	3	—
67	Alionia.	—	1	—
68	*Arete. C.*	—	1	12
69	Argiolus.	—	—	15
70	Arion.	—	—	15
71	*Asteriae.*	m.f	1	30
72	Athalia.	—	—	15
73	Atis. *Hyb.*	—	1	30
74	*Belia.*	m.f	3	—
75	*Bolina.*	—	2	16
76	Briseis.	—	—	10
77	Camilla.	—	—	20

No.	Name		fl.	kr
78	*Cardamines.*	m.	—	20
79	*Chalcas.*	—	1	45
80	Cleo. *Hyb.*	—	1	8
81	Cleopatra.	m.	2	30
82	Cleudoxa. *Hyb.*	p.	1	—
83	Clotho. *Hyb.*	—	2	30
84	*Core. C.*	—	—	51
85	Cynthia.	—	—	30
86	*Cypraea.*	m.	—	45
87	Damon.	m.f	—	20
88	*Delia. C.*	—	1	30
89	*Doris.*	—	1	30
90	*Druryi. M.* t. 13. f. 4. 5.	—	1	30
91	*eborea. C.*	—	1	20
92	*Epius.*	—	1	8
93	*Eresimus.*	—	1	—
94	*Erippus.*	—	1	30
95	Euphrosine.	p.	—	30
96	*Genutia. C.*	—	—	48
97	*Gilippus.*	—	2	16
98	*Gnoma.*	—	1	30
99	*Hecabe.*	—	—	36
100	*Hector.*	—	3	—
101	Hermione. *Var.*	m.f	—	40
102	*Horta.*	—	1	—
103	Hyale.	m.	—	15
104	Lachesis. *Hyb.* *	—	1	30
105	*Lalage. H.*	—	1	20
106	*Laomedia.*	—	1	8
107	*Leilus.*	—	1	45
108	*Lemonias.*	—	1	20
109	ligea.	—	—	15
110	*Marcelina.* *	f.	1	20
111	Medea *W. V.*	—	—	15
112	*Melicerta.*	—	1	20
113	*Melpomene.*	m.f	—	45
114	*Merione.*	m.f	3	—
115	*Nicippe.*	—	1	—
116	Oeme *Hyb.*	—	1	8
117	*Orythia.*	m.f	1	30
118	Pales. *W. V.*	—	1	20
119	*Pammon.*	—	1	8
120	*Passiflorae.*	—	3	—
121	*Pelops.* * *Ant. des.*	—	—	34
122	*Phalantha.*	—	—	45
123	Pharte. *Hyb.*	—	1	30
124	Philea. *Hyb.*	—	1	30
125	*Phryne.*	—	—	45
126	*Piera.*	—	2	16
127	*Polydorus.*	—	1	30
128	*Proteus.*	—	—	45
129	Pruni.	—	—	15
130	Psyche. *Hyb.* *	—	1	30

No.	Name		fl.	kr
131	*Pyre. C.*	—	1	—
132	rumina.	f.	2	30
133	*Sesia.*	—	1	—
134	*similis.*	—	—	48
135	*Troilus.*	—	1	45
136	*undularis.*	—	2	30
137	*Violae.*	—	—	45

Sesia.

No.	Name		fl.	kr
138	8. *maculata.*	—	4	30
139	*Picus: C.*	—	1	20

Sphinx.

No.	Name		fl.	kr
140	*Carolina.*	—	2	30
141	*Juglandis. Sm.*	—	4	—
142	*Myron. C.*	—	2	16

Zygaena.

No.	Name		fl.	kr
143	*cyssea. C. Sphi.*	—	1	8
144	*Marginata, M Atr. collari sangu. Alar. antic. marg. flav. posti. disc. hyal.*	—	—	—

NEUROPTERA.

Agrion.

No.	Name		fl.	kr
1	*Americana.*	—	1	—

Ascalaphus.

No.	Name		fl.	kr
2	*pallidus. M. ex Beng. Stat. Ital. pallid. testa. Abd. later. nig. Sex. alt. thor. anti. 2. cor.*	m.f	3	—

Libellula.

No.	Name		fl.	kr
3	*bifasciata.*	m.	1	8
4	*divisimacula. M. ex Georg. Med. nig. flav. vari. Ali, aqu. post. mac. fusc. per. lin. flav. divis. et flav. nervos.*	—	1	—
5	*equestris.*	—	1	—
6	*Indica.*	—	1	8
7	*lineata.*	—	—	40
8	*Murcia.*	—	2	—
9	*4. notata. M. ex Cap. b. Sp. Parv. flav. punct. 4. fusc.*	—	1	—
10	*vibrans.*	—	—	48

HYMENOPTERA.

Andrena.

No.	Name		fl.	kr
1	helvola.	p.	—	12
2	hirtipes.	p.	—	36
3	succincta.	p.	—	12
4	vulpina. *M.*	—	—	10

Apis.

No.	Name		fl.	kr
5	adunca.	—	—	36
6	aegrota.	p.	—	30
7	*aestuans.*	—	—	40
8	aprica.	—	—	20
9	aterrima.	—	—	20
10	bicornis.	p.	—	17
11	*Brasilianorum.*	—	1	30
12	*Caffra.*	—	—	50
13	Calendarum. *P.*	—	—	10
14	farfarisequa. *Sco.*	p.	—	15
15	haemorrhoa.	m.f	—	12
16	lagopoda.	p.	—	15
17	leporina.	—	—	20
18	maculata.	p.	—	10
19	manicata.	p.	—	20
20	*Morio.*	—	1	20
21	pacifica. *P.*	p.	—	40
22	pilipes.	—	—	20
23	pygmaea.	—	—	7
24	Sylvarum.	—	—	10
25	tuberculata.	—	—	24

Banchus.

No.	Name		fl.	kr
26	pictus.	p.	—	20
27	Venator.	p.	—	17

Bembex.

No.	Name		fl.	kr
28	*Americana.*	—	3	—
29	*glauca.*	—	1	36

Chalcis.

No.	Name		fl.	kr
30	minuta.	p.	—	12

Chrysis.

No.	Name		fl.	kr
31	analis. *M.*	—	—	24
32	coerulipes.	—	—	24
33	*splendida.*	—	1	20

Crabro.

No.	Name		fl.	kr
34	alatus. *P.*	p.	—	24
35	clypeatus.	m.	—	12
36	cribrarius.	m.f	—	12
37	mucronatus.	—	—	12

			fl.	kr
38	palmatus. *P.*	m.f	—	12
39	peltatus.	m.f	—	12
40	pterotus. *P.*	m.f	1	8
41	spinosus.	—	—	12
42	3. maculatus. *R.*	—	—	10
43	uniglumis.	p.	—	10
44	vagus.	p.	—	12

Cynips.

			fl.	kr
45	aptera.	p.	—	10
46	compressa.	p.	—	24
47	Quercus folii.	p.	—	20

Evania.

			fl.	kr
48	maculata.	p.	—	30

Hylaeus.

			fl.	kr
49	agilis.	—	—	20
50	albipes.	p.	—	10
51	annulatus.	p.	—	10
52	Arbustorum. *P.*	p.	—	30
53	cylindricus.	—	—	6
54	Truncorum.	p	—	12

Ichneumon.

			fl.	kr
55	*Banchiformis. M. ex Georg. Stat. Banch. Atr. flav. vari. ant. annul. Thor. 2. spinos.*	m.f	2	6
56	Clavator.	p.	—	12
57	Comitator.	—	—	10
58	Debellator.	—	—	2
59	Denigrator.	p.	—	17
60	Elongator.	p.	—	17
61	Extensor.	p.	—	17
62	*Georgicus. M. Stat. et magn. persuas. ruf. Ant. lut. Thor. flav. lin. Abd. segm. 1. 2. et fem. annulo nig.*	—	1	30
63	Intractor.	p.	—	30
64	Ornatorius. *P.*	p.	—	17
65	Pisorius.	—	—	2
66	Purgator.	—	—	10
67	Sarcitorius.	p.	—	10
68	Sponsor.	p.	—	17
69	Sputator.	—	—	10

Leucospis.

			fl.	kr
70	dorsigera.	m.	—	20
71	- - -	f.	1	20

Mellinus.

			fl.	kr
72	frontalis.	—	—	17
73	5 cinctus.	p.	—	20
74	ruficornis.	—	—	10
75	sabulosus.	—	—	17

Mutilla.

			fl.	kr
76	*bis 3. guttata. M. ex Beng. Aff. 6. gutt. sed alia, min. et thor. toto. ruf.*	—	1	—
77	*fasciata. M. ex Georg. Magn. alat. atr. Abd. segm. 2. ruf.*	—	1	30
78	*interrupta. M. ex Beng. Aff. bis 3. gutt. min. Abd. gutt. 2. et fasc. 2. interr.*	—	—	50
79	*7. guttata. M ex Beng. Apt. nig Cap. et Thor. ruf. Abd. gutt. 1. 3. 1. 1. 1. alb.*	—	—	45
80	*6. guttata. M. ex Beng. Stat. Europ. Apt. nig. Thor. disc. ruf. Abd. gutt. 2. 2. 2. alb.*	—	1	—
81	*vulpina. M. ex Georg. Magn. alat. atr. hirt. Occip. Thor. Abd. cing. 2. anoq. ruf. villos.*	—	2	—

Myrmosa.

			fl.	kr
82	atra. *P.*	—	—	24

Nomada.

			fl.	kr
83	*Histrio.*	—	1	30
84	Jacobeae. *P.*	p.	—	51
85	Roberjeotiana. *P.*	—	—	51
86	Solidaginis.	—	—	24

Philanthus.

			fl.	kr
87	labiatus. *P.*	—	—	12
88	pictus. *P.*	p.	—	20
89	4 cinctus.	p.	—	20
90	5. - -	—	—	10
91	Triangulum.	—	—	17

Pompilus.

			fl.	kr
92	*aurifluus. M. ex Beng. Maj. Spheg. annulat. Abd. nig.*	—	1	8
93	*2. guttatus.*	—	—	48
94	guttatus.	—	—	20
95	maculatus.	—	—	17
96	niger.	—	—	15
97	6. guttatus.	m.f	—	30
98	3. color.	—	—	34
99	viaticus.	p.	—	10

Scolia.

			fl.	kr
100	*ruficornis.*	—	1	20

Sirex.

			fl.	kr
101	Fantoma.	p.	—	30
102	pygmaeus.	p.	—	17

Sphex.

			fl.	kr
103	atra.	p.	—	20
104	*compressa.*	—	1	20
105	Figulus.	p.	—	12
106	*lunata.*	m.f	1	48
107	*Pensylvanica.*	—	1	8
108	*rufipes. M. ex Georg. Med. atr. ped. ruf.*	—	1	—
109	*violacea.*	—	—	40

Stigmus.

			fl.	kr
110	Pendulus. *P.*	—	—	7

Tenthredo.

			fl.	kr
111	Abietis.	—	—	10
112	albicornis.	p.	—	20
113	ātra.	p.	—	10
114	bifasciata. *Vil.*	p.	—	20
115	Carpini. *P.*	—	—	12
116	12. punctata.	—	—	6
117	Enodis.	p.	—	7
118	Gonagra.	p.	—	12
119	furcata.	—	—	30
120	haematopus.	m.f	—	30
121	livida.	—	—	6
122	luteicornis.	—	—	10
123	Maura.	—	—	10
124	punctata.	—	—	10
125	Rapae.	p.	—	10
126	Rosae.	p.	—	7
127	rustica et carbonaria.	m.f	—	17
128	ustulata.	m.f	—	17
129	viridis.	p.	—	10

Tiphia.

			fl.	kr
130	femorata.	p.	—	10

Vespa.

			fl.	kr
131	*affinis.*	—	1	8
132	*annularis.*	—	1	30
133	*brunnea.*	—	1	48
134	*conica.*	—	—	48
135	*hebraea.*	—	2	30
136	*marginalis.*	—	2	—
137	pomiformis.	p.	—	20
138	*pulchra. M. ex Georg. Stat. Gallic. ruf. flav. vari.*	—	1	12
139	quadrata. *P.*	p.	—	8
140	*versicolora. M. ex Georg. Stat. labiat. atr. alis cyan. Thor. lobo, Scutel. et Abd. segm. prim. flav.*	—	1	30

DYPTERA.

Anthrax.

			fl.	kr
1	*Lar.*	—	1	20

Asilus.

			fl.	kr
2	*micans. M. ex Georg. Stat. gilv. coerul. atr. Cap. et thor. violac. mic.*	—	1	—

Hippobosca.

			fl.	kr
3	*variegata. M. ex Beng. Aff. equin. sed maj. magisq. varieg.*	—	—	45

Mulio.

			fl.	kr
4	arcuatus.	p.	—	12
5	Ichneumoneus.	—	—	24

Musca.

			fl.	kr
6	rotundata.	p.	—	7
7	Seminationis.	p.	—	7

Myopa.

			fl.	kr
8	*undata. M. ex Georg. Maj. Europe. brunn. Alis ad margi. tenuior. undat. hyal.*	—	1	12

Oestrus.

			fl.	kr
9	Ovis.	—	—	45

			fl.	kr
	Stratiomys.			
10	Ephippium.	—	—	10
11	viridula.	m. f	—	20
	Syrphus.			
12	flavicans.	—	—	15
13	flavipes.	—	—	10
14	Lapponum.	—	—	27
15	scriptus.	m. f	—	7
16	transfugus.	p.	—	7
	Tabanus.			
17	*affinis. M. ex Georg. Aff. coecut. sed Cap. flav.*	—	—	48
18	*cinctus. M. ex Georg. Stat. Brom. atr. Abd. depr. fulv. lin. med. et marg. nig.*	—	2	—
19	*guttatus. M. ex Georg. Stat. rusti. ciner. thor. fusc. line. Abd. segm. 3. 4. 5. mac. trigo. alb.*	—	1	30
20	*interruptus. M. ex Georg. Aff. coecut. sed Adb. flav. segm. 1. 2. punct. 2. reliq. 4. nig. his saepi. in fasci. interr. conflu.*	—	1	—

APTERA.

			fl.	k
	Julus.			
1	*Indus.*	—	2	—
	Oniscus.			
2	Armadillo.	p.	—	12
	Pediculus.			
3	Urogalli. *St.*	p.	—	7
	Scolopendra.			
4	*morsitans.*	—	1	30
	Scorpio.			
5	*Capensis.*	—	2	—
6	*longicaudus. M. Stat. Hottentot. sed maj. Caud. Corp. 2. pl. longi. segm. elong.*	—	3	—

CATALOGUS INSECTORUM,

QUAE

IENNAE AUSTRIAE DIE 28. NOVEMBRIS 1803.

AUCTIONIS LEGE DISTRAHUNTUR.

Monenda.

. Specimen, cujus nomen *litteris cursivis* expressum, exoticum est.

I. Asteriscus * post nomen positus denotat, quod specimen aliquo modo sit laesum; si vero laesio, praesertim apud Lepidopt. major esset, tunc duo **, et si alae solummodo paululum deplumatae fuerint, tunc per † indicatur.

II. Quoad explicationem laesionis Antennae per *Ant.*; mutillatum per *m*; Pedes per *P*; seu vel sive per *s*; et Tarsi per *T*, subintelliguntur.

V. Nomina Authorum sic abbreviata sunt: *A.* Andersch; *B.* Borkhausen; *Bl.* Blok; *C.* Cramer; *Cr.* Creutzer; *D.* Duftschmid; *Dr.* Drury; *E.* Esper; *F.* Fabricius inedit; *Fr.* Fröhlich; *Gr.* Gravenhorst; *Gyld.* Gyldenhall; *H.* Herbst; *Hl.* Hellwig; *Hof.* Hofmannsegg; *Hop.* Hoppe; *Hyb.* Hybner; *Kn.* Knoch; *K.* Koy; *L.* Linné; *M.* Megerle; *Mik.* Mikan; *Ol.* Olivier; *P.* Panzer; *Pall.* Pallas; *Pay.* Paykull; *Pr.* Preysler; *R.* Roſsi; *Sc.* Schneider; *Sch.* Schott; *Schr.* Schreibers. *Sr.* Schrank. *Sm.* Smith. *St.* Sturm. *Sto.* Stoll. *Vil.* de Viller; *W.* Weber; *W. V.* Wiener Verzeichniſs; *Z.* Zenker; *Zi.* Ziegler.

. Linea recta horizontalis in Columna prima denotat unum Exemplar, *p.* significat duo specimina; et signa *m.* et *f.* marem et feminam conjunctim pro eodem praetio annotant.

I. Dominus Megerle etiam in hac auctione commissiones amicorum, in commercio litterario cum eo versantium, in se suscipiendi munus magno sibi ducturus erit oblectamento; sed monere hic necessarium esse credit, quod cuncti DDni Committentes pecunias pro emtis exemplaribus citius, quam hucusque fecerunt, ipsi mittere velint.

N		Exemplaria.	Pretium Subhastationis fl.	kr.	Nro.		Exemplaria.	Pretium Subhastationis fl.	kr.
	COLEOPTERA.					Aesalus.			
	Adorium.				3	scarabaeoides.	m.f	1	—
1	2.*punctatum* * *Ant.m.*	—	—	34		Agathidium.			
2	*concolor Ant.* * *m.*	—	—	24	4	minutum. *Cr.*	p.	—	20

A

No.	Name		fl.	kr
5	nigrinum *M. maj. seq. nigr.*	—	—	20
6	nigripenne.*F.Sphaerid.*	—	—	20
	Akis.			
7	orbiculata.	p.	1	20
8	eadem. *lati.Elyt.substria.*	p.	1	20
9	spinosa.	—	—	51
	Aleochara.			
10	limbata. *Gr.*	—	—	10
	Altica.			
11	*bicolor. M.*	m.f	—	50
12	Verbasci.	p.	—	16
	Anisotoma.			
13	ferruginea. *Ill.*	—	—	10
	Anobium.			
14	*hispidum. M. ex Georg.fusc.fasci. ciner.etpunct.hispid.*	—	1	30
15	politum *M.*	—	—	20
16	reticulatum	p.	—	12
17	tessellatum	p.	—	7
	Anthia.			
18	10. *guttata.*	—	1	—
19	4. *guttata.*	—	1	—
20	6. *guttata.*	—	1	20
21	*tabida.*	—	1	—
	Anthicus.			
22	axillaris. *Fr.*	—	—	17
23	bicolor. *Ol.*	p.	—	30
24	cornutus.	p.	—	15
25	floralis.	p.	—	15
26	hirtellus.	p.	—	17
27	humeralis. *Fr.*	p.	—	24
28	pedestris.	p.	—	20
	Anthrenus.			
29	elongatulus.	—	—	40
30	glabratus.	p.	—	12
31	hirtus.	p.	—	12
	Anthribus.			
32	albinus.	m.f	—	20

No.	Name		fl.	kr
33	latirostris.	p.	—	20
34	planirostris.	p.	—	12
35	roboris.	—	—	15
36	scabrosus.	p.	—	17
37	undulatus.	—	—	30
38	varius.	p.	—	15
	Apate.			
39	fronticornis. *Fr.*	m.f	—	40
40	limbata.	p.	—	24
41	*marginata.*	—	1	—
42	signata.	p.	—	24
43	sinuata.	—	—	30
	Aphodius.			
44	bicolor *M.*	—	—	24
45	2. maculatus.	p.	—	10
46	2. punctatus.	—	—	24
47	borealis. *A.*	—	—	40
48	caesus.	p.	—	12
49	centrolineatus. *P.*	—	—	12
50	*cinetus.*	—	1	—
51	conflagratus.	p.	—	10
52	consputus.	p.	—	24
53	contaminatus. *H.*	p.	—	15
54	elevatus.	—	—	30
55	fasciatus	—	—	24
56	foetens.	p.	—	12
57	foetidus.	—	—	10
58	globosus.	p.	—	40
59	lugens. *Cr.*	p.	—	10
60	lutarius.	—	—	24
61	maculatus. *St.*	—	—	17
62	obscurus.	—	—	30
63	obsoletus.	p.	—	17
64	pictus. *Cr.*	—	—	12
65	Porcus.	—	—	15
66	pusillus. *H.*	p.	—	8
67	Prodromus.	p.	—	7
68	4. pustulatus.	p.	—	10
69	rufus.	—	—	20
70	rugicollis. *M.*	—	—	24
71	Scrutator.	m.f	—	12
72	Scybalarius.	—	—	10
73	serotinus. *Cr.*	—	—	15
74	sordidus.	p.	—	7
75	sticticus. *P.*	p.	—	6
76	tessullatus. *St.*	p.	—	20
77	testudinarius.	p.	—	20
78	vaccinarius. *H.*	p.	—	10

No.	Name		fl.	kr
	Apion.			
79	aeneum	p.	—	10
80	*brentiforme. M.*	—	3	—
81	difficile. *H.*	p.	—	12
82	flavipes.	p.	—	10
83	flavofemoratum. *H.*	—	—	7
84	frumentarium.	p.	—	12
85	Pisi. *F.* Attel.	p.	—	30
86	vernale.	p.	—	12
87	virens. *H.*	—	—	12
	Ateuchus.			
88	*aeneicollis. M. min. volvent. virid. Cap. et Thor. virid aur. fem. 4. post. rubr.*	—	2	30
89	*Bachus.*	—	2	30
90	*capistratus.*	—	2	16
91	*Esculapius. Ol.*	—	1	30
92	flagellatus.	—	—	50
93	*gibbosus*	—	4	—
94	*granulatus.*	—	2	16
95	laticollis.	—	—	40
96	*miliaris.*	—	1	—
97	*minutus.*	—	1	—
98	pillularius.	p.	1	8
99	sacer.	—	—	20
100	Schaefferi.	p.	—	20
101	semipunctatus.	—	—	20
102	6 *punctatus.*	—	2	—
103	*sinuatus.*	—	—	40
104	*smaragdulus.*	—	2	16
105	variolosus.	—	—	30
106	*virens. M.*	—	2	30
	Atopa.			
107	cervina.	p.	—	6
108	cinerea.	p.	—	6
	Attelabus.			
109	aequatus.	p.	—	7
110	Betulae.	p.	—	7
111	2. *pustulatus.*	—	1	8
112	coeruleocephalus.	p.	—	12
113	cupreus.	p.	—	14
114	*filiformis. M. ex Georg. aff. Rhynchit. angustat. H. sed. rostr. et ped. nig.*	—	2	16
115	*gemmatus.*	—	—	34
116	Hungaricus.	p.	—	24

No.	Name		fl.	kr
117	nanus.	p.	—	7
118	pubescens.	p.	—	12
	Blaps.			
119	clypeata. *Hl.*	—	1	—
120	*crenata.*	—	1	30
121	fatidica. *Cr.*	—	—	12
122	femoralis.	p.	—	7
123	Gigas.	m.f	1	30
124	glabra.	p.	—	10
125	polita. *M. aff. femor.*	—	—	30
126	spinipes.	m.f	—	20
	Boletophagus.			
127	armatus.	m.f	—	30
128	crenatus.	p.	—	12
	Bostrichus.			
129	bidens.	p.	—	24
130	cylindricus.	p.	—	7
131	Dactyliperda.	p.	—	34
132	Polygraphus.	—	—	7
133	Stenographus. *Cr.*	p.	—	10
134	thoracicus. *P.*	—	—	24
	Brachinus.			
135	2. *maculatus.*	—	—	34
136	*idem. vid. Ol. fig. 16. a. *.*	—	—	30
137	*idem. vid. Ol. fig. 16. c.*	—	—	40
138	mutilatus.	p.	—	34
139	6.*maculatus. M.min. 2. mac. flav. Elyt. nig. mac. hum. alter. sub med. lunul. post et marg. flav.*	—	2	30
	Brachycerus.			
140	*apterus.* Exempl.elegantiss sed.ped. 2. des.*	—	4	30
141	*idem vix maculat.*	—	3	20
142	*globosus.*	—	1	—
143	*muricatus.*	—	—	51
144	*obesus.*	—	1	—
145	*scalaris.*	—	1	—
	Brentus.			
146	*Anchorago.*	—	2	30

No.			fl.	kr
147	2. *sulcatus.*	—	1	45
148	*clavicornis. M. aff. peregr. H. ruf. Sutur nig.*	—	3	—
149	*truncatus M.*	m.f	4	30
	Bruchus.			
150	*Bactris.*	—	1	30
151	*Gleditschiae. Hyb.*	—	1	30
152	granarius.	p.	—	7
153	marginellns.	—	—	30
154	*scutellaris.*	—	1	—
155	suturalis.	p.	—	15
	Buprestis.			
156	Achileae. *Schr.*	—	—	30
157	adspersula. *Hl.*	—	—	45
158	*aenea.*	—	—	50
159	*eadem. * Ant.*	—	—	34
160	*Americana. * ½ Ant.*	—	1	30
161	*eadem. * Ant. m.*	—	1	—
162	antiqua. *Hl.*	—	2	—
163	eadem. * *Ant. et* 2. T.	—	1	20
164	appendiculata. s. Morio.	—	—	48
165	*apiformis. Schr. aff. ornat.*	—	1	20
166	aurulenta.	—	1	20
167	Austriaca. quercus *H.*	—	—	34
168	*attenuata.* * 1. *Ant. Os*, *et* 3. T.	—	2	16
169	*Baltimorensis. H.*	—	2	16
170	Berolinensis.	p.	—	15
171	bicolor.	p.	—	15
172	calcarata.	—	—	20
173	candens.	—	3	—
174	Carniolica. s. subrugosa. *Pay.*	p.	—	20
175	*Chrysis. * Ant. m.*	—	2	—
176	chrysostigma.	p.	—	34
177	coerulea. *H.*	—	—	17
178	Coryli. *A.*	—	—	45
179	*culta. W.*	—	1	8
180	cyanicornis.	p.	1	—
181	elata. s. sinuata *Cr.*	p.	—	15
182	*fascicularis.*	—	—	50
183	*felina. Schr. aff. americ.*	—	1	40
184	Filum. *M.*	p.	—	34
185	flavomaculata.	m.f	1	34
186	*funesta.*	—	1	30

No.			fl.	kr
187	*gigantea.*	—	2	16
188	haemorrhoidalis.	m.f	—	7
189	*hirta.*	—	—	50
190	*eadem. absque fasc.*	—	—	50
191	*hybernata.*	—	2	30
192	*eadem. * ½ Ant.*	—	2	—
193	*imperialis.*	—	2	30
194	*ignava. * Ant. m.*	—	1	20
195	*Indigofera. Schr. * ½ Ant.*	—	1	—
196	insculpta. *H.*	—	1	30
197	*lineata.* n. 37. * ½ — ½ *Ant. et* 3. T.	—	2	30
198	*lurida.*	—	1	30
199	manca.	—	—	20
200	mariana.	m.f	—	12
201	*eadem ex Amer. distinct.*	—	—	48
202	Moesta.	—	3	—
203	8. guttata.	—	—	30
204	*ocellata. * Ant. et* T. *ceter. pulcher.*	—	3	—
205	olivacea. *Schr.*	—	—	10
206	*pilosa. H.*	—	1	8
207	plebeja.	—	—	30
208	*puncticollis. M.* Ant. et T. Stat. castan. dimid. min. Cap. et Thor. nig. punct. excav. Elyt. laevib. castan.*	—	2	30
209	4. lineata. *H.*	—	3	30
210	*querciola.*	—	—	48
211	quercus. *Schr.* med. int. Austr. et marginat. *Ol.*	—	—	40
212	*rufipes. * ¼ Ant.*	—	2	30
213	*eadem.* * 1. *Ant.* 1. T.	—	2	—
214	rutilans.	p.	—	7
215	Saliceti. *Hl.* a Salici, omn. dist.	—	—	40
216	6. guttata. M.	—	—	15
217	sinuata. *Ol.*	—	—	15
218	*spinosa.*	—	1	12
219	*sternicornis.* * 2. et 3. *Ant. artic.*	—	2	16
220	*eadem.* * *Ant. et* 2. T.	—	1	50
221	*strigata. Schr.* * ½ *Elyt. Stat. virid. Strig. aur.*	—	—	34
222	taeniata.	p.	—	12

No.			fl.	kr
223	Tenebrionis.	p.	—	20
224	3. *fasciata. * Ant.*	—	1	8
225	3. *sulcata. Schr.* * *Ant. et* 2. T.	—	1	8
226	Trochilus.	p.	1	20
227	*Tubulus.*	—	1	8
228	undata.	—	4	30
229	*vittata.* * T.	—	1	30
230	*eadem.* * Ant. et T.	m.f	2	—
	Byrrhus.			
231	aeneus.	p.	—	15
232	cinctus.	—	—	20
233	— Var. nig.	—	—	20
234	Dianae.	—	—	24
235	Gigas.	—	—	50
236	Lapponicus. *A.*	—	—	40
237	murinus.	—	—	15
238	ornatus. *P.*	p.	—	24
239	varius.	p.	—	7
	Calandra.			
240	abbreviata.	p.	—	10
241	*Gages. H. Rhynchoph.*	—	—	51
242	*Indus.*	—	6	40
243	*ferruginea.*	—	1	—
244	*marginata. M. ex Georg. Stat. cribrar. atra, Elyt. margin. et thor. sangu. et punct. 5 nig.*	—	4	—
245	*Palmarum.*	—	1	20
246	picea. *H. Rhynchoph.*	p.	—	30
247	4. *punctata.*	—	6	—
248	13. *punctata. H.* * 1. *P.*	—	2	16
	Callidium.			
249	Alni.	—	—	24
250	aulicum.	p.	—	20
251	clavipes.	p.	—	10
252	curiale. *P.*	p.	—	24
253	cyaneum.	m.f	1	12
254	femoratum.	—	—	40
255	fulcratum.	p.	—	15
256	luridum.	—	—	7
257	pusillum.	p.	—	34
258	rusticum.	m.f	—	15
259	striatum.	p.	—	10

No.			fl.	kr
260	testaceum.	—	—	12
261	undatum.	—	—	24
262	variabile.	—	—	12
263	*variolosum.*	—	1	30
264	violaceum.	p.	—	6
	Calopus.			
265	serraticornis. * *Ant. m.*	—	—	20
266	testaceus. *Hop.*	m.f	—	40
	Calosoma.			
267	reticulatum.	m.f	1	20
268	*Scrutator.*	—	3	30
269	Sycophanta.	m-f	—	15
270	Sericeum.	m.f	2	30
	Cantharis.			
271	atra.	p.	—	7
272	2. *maculata. Var.*	—	1	8
273	2. punctata.	m.f	—	17
274	dispar.	p.	—	10
275	fulvicollis.	p.	—	7
276	*melanocephala.*	—	—	34
277	nigricans.	p.	—	17
278	*nigricornis M.*	—	1	—
279	pallipes.	p.	—	7
280	pellucida.	—	—	6
	Carabus.			
281	abbreviatus.	p.	—	15
282	Aethiops.	m.f	—	48
283	agrestis. *Cr.*	m.f	—	12
284	alpinus.	—	—	20
285	angusticollis. *Hl.*	m.f	—	7
286	armiger. *Z.*	m.f	—	54
287	atricapillus. var. δ. *Ill.*	—	—	15
288	aurato-nitens.	m.f	—	40
289	auratus.	m.f	—	34
290	austriacus.	—	—	10
291	badius. *Z.*	p.	—	34
292	borealis.	—	—	30
293	caelatus.	m.f	3	—
294	Calydonius.	m.	1	20
295	cancellatus. *Ill.*	p.	—	12
296	cassidius.	m.f	—	30
297	catenulatus.	p.	—	50
298	*chlorocephalus.* Bl.	—	—	45
299	celer	—	—	10
300	clathratus.	—	1	45

No.	Name		fl.	kr
302	consitus. *Hof.*	—	1	20
303	convexus.	m.f	—	24
304	cossyphoides. *M.*	—	1	20
305	Creutzeri. *M.*	—	—	30
306	cupreoides. *A.*	m.f	5	—
307	cupripennis. *M.*	—	—	20
308	cylindricus	m.f	1	8
309	decorus. *P.*	m.f	1	20
310	dimidiatus. *P.* * 1. *Ant.*	p.	—	7
311	Doris. *P.*	—	—	10
312	dorsalis.	—	—	12
313	elatus.	p.	—	12
314	Fabricii. *M.*	—	—	30
315	fasciato-punctatus.	m.f	3	30
316	femoralis. *Cr.*	m.f	—	10
317	festivus.	—	—	10
318	flammulatus. *Cr.*	m.f	—	10
319	flavicornis.	p.	—	17
320	fossulatus. *Pr.*	m.f	—	30
321	Gagates.	m.f	1	30
322	gemmatus.	p.	—	7
323	gibbus.	m.f	—	30
324	gibbulus. *Hl.*	m.f	—	12
325	glabratus.	—	—	24
326	Guttula.	m.f	—	48
327	haemorrhoidalis.	—	—	7
328	Hellwigii. *M.*	p.	—	20
329	hortensis.	m.f	1	—
330	humeralis,	m.f	—	20
331	Illigeri. *M.*	p.	—	7
332	*impressus.*	m.f	1	—
333	irregularis.	—	1	20
334	Kugellanii. *P.*	m.f	1	20
335	lentus. *Cr.*	—	—	34
336	leucophthalmus.	—	—	17
337	*limbatus.* *M.*	p.	—	12
338	linearis. *Ol.*	—	—	45
339	Lusitanicus.	—	—	15
340	Melas. *Cr.*	—	1	30
341	metallicus.	m.f	—	12
342	miliaris.	p.	—	6
343	modestus. vel Cur-	—	—	20
	sor.	p.	—	20
344	monilis.	—	1	20
345	niger.	—	—	7
346	Nigrita.	p.	—	17
347	nitens.	—	—	24
348	nobilis. *Cr.*	—	—	24
349	nodulosus.	m.f	2	30
350	oblongo-punctatus.	p.	—	15

No.	Name		fl.	kr
351	oblongus.	—	—	10
352	Panzeri. *M.*	m.f	—	54
353	peltoides. *Ill.*	—	—	45
354	picimanus. *Cr.*	—	—	17
355	planus.	—	—	20
356	Preysleri.	m.f	2	30
357	pumicatus.	—	—	10
358	punctato-striatus. *M.*	—	—	24
359	puncticollis. *Pay.*	p.	—	10
360	punctulatus.	p.	—	10
361	quadrillum. *Cr.*	—	—	12
362	4. maculatus.	—	—	15
363	4. signatus. *Cr.*	—	—	15
364	rubripes. *Cr.*	—	—	12
365	rufipes.	—	—	7
366	Sabulicola. *P.*	p.	—	14
367	scabrosus.	m.f	5	—
368	Scopolii. *M.*	m.f	—	51
369	Scheidleri. *P.*	m.f	—	40
370	Scrobiculator.	—	—	30
371	silphoides.	—	—	30
372	spinilabris.	—	—	15
373	strenuus. *P.*	—	—	10
374	striolatus.	m.f	—	40
375	subglobosus. *Pay.*	—	—	10
376	*sulcicollis.* *M.*	—	—	45
377	sylvestris.	m.f	—	40
378	— — Var. nig.	m.f	1	—
379	tempestivus. *Z.*	p.	—	12
380	3. color. n. 81.	m.f	1	—
381	unctulatus. *Cr.*	—	—	17
382	unifasciatus. *P.*	—	—	34
383	Vafer. *Cr.*	—	—	30
384	vernalis.	p.	—	7
385	viduus.	p.	—	10
386	*vittatus.*	—	1	—
387	Ziegleri.	p.	1	—

Cassida.

No.	Name		fl.	kr
388	atrata.	p.	—	17
389	austriaca.	p.	—	24
390	azurea.	p.	—	36
391	*2. maculata.*	—	1	30
392	*circumdata.*	—	1	—
393	*clavata.*	—	1	—
394	*flavicornis.* *M.* *ex Georg. Stat. limb. atr. coerul. nitid. Elyt. valde punct. et Ant. flav.*	—	1	30
395	*grossa.*	—	1	30
396	*inaequalis.*	—	1	12
397	*Jamaicensis.*	—	—	34
398	Lineola. *Cr.*	p.	—	30
399	margaritacea.	p.	—	12
400	*marginata.*	—	—	40
401	*miliaris.*	—	—	34
402	nobilis.	p.	—	10
403	*pardalina.* *Hl.*	—	1	30
404	prasina.	—	—	10
405	pulchella. *P.*	—	—	10
406	4. *punctata.*	—	—	40
407	sanguinolenta.	—	—	12

Cateretes.

No.	Name		fl.	kr
408	gravidus. *Ill.*	p.	—	12

Catops.

No.	Name		fl.	kr
409	cistelloides. *N.F.* 28.	p.	—	30
410	fornicatus. *Ill.* *Ptomoph.*	—	—	30
411	Morio.	—	—	10
412	rufescens.	—	—	15
413	sericeus.	p.	—	20
414	striatus. *A.*	—	—	40

Cerambyx.

No.	Name		fl.	kr
415	alpinus.	m.f	—	15
416	Budensis.	m.f	—	34
417	crinitus. *P.*	p.	—	30
418	fasciculatus.	—	—	20
419	hispidus.	p.	—	12
420	Kaehleri.	—	—	17
421	*longipes.*	—	1	20
422	pilosus.	m.f	—	24
423	*succinctus.*	m.	1	30

Cerocoma.

No.	Name		fl.	kr
424	Schaefferi.	m.f	—	10
425	Schreberi.* sequ.	m.	—	15
426	Vahlii. prior.	f.	—	15

Cetonia.

No.	Name		fl.	kr
427	affinis. *Hop.*	—	—	7
428	angustata. *M.*	—	—	48
429	*Capensis.*	—	—	30
430	*Chinensis.* * *Clavae Ant. et* 1. T.	—	1	30
431	*Chrysis.*	—	1	30
432	*fascicularis.*	—	1	8
433	fastuosa.	p.	—	15
434	*Gagates.* * 1. *P.*	—	1	8
435	*Histrio.*	—	1	30
436	*Lineola.*	—	1	30
437	*lurida.*	—	—	45
438	*maculata. Var. Elyt. mag. acumin. qu. in ipsa acumin.*	—	1	20
439	metallica.	p.	—	10
440	Morio.	—	—	24
441	*nitida.*	p.	1	8
442	— Var. strig. flav.	—	—	45
443	obscura. *Hop.*	—	—	20
444	4. punctata.	—	—	40
445	*rufipes.* * *P.*	—	1	—
446	variegata.	—	—	45
447	*versicolor.*	—	—	40
448	viridis.	p.	—	15

Chlamis.

No.	Name		fl.	kr
449	*tuberosa.* *Kn. I.* p 128.	—	2	—

Chrysomela.

No.	Name		fl.	kr
450	aenea.	p.	—	7
451	americana.	p.	—	50
452	Banksii.	p.	1	8
453	Bulgharensis.	—	—	17
454	cerealis.	p.	—	7
455	coerulea. *M.*	p.	—	34
456	*coerulipes.* *M.*	—	—	40
457	collaris.	—	—	20
458	— Var. cupr. aene.	—	—	30
459	cuprea.	p.	—	7
460	10. punctata.	p.	—	7
461	decostigma. *A.*	—	—	40
462	*discoidea.*	—	1	8
463	dispar. *Pay.* Var. *Z.*	p.	—	40
464	dorsalis. *Sc.*	p.	—	7
465	flavicans.	p.	—	36
466	fucata.	—	—	20
467	fulgida.	—	—	24
468	gemminata. *Pay.*	—	—	12
469	globosa. *M.*	p.	—	48
470	— Var. violasc.	p.	—	50
471	— Var. rufa.	p.	—	50
472	gloriosa.	p.	—	7
473	grossa.	—	—	51
474	haemoptera.	p.	—	7
475	haemorrhoidalis.	m.f	—	24
476	Hannoverana.	p.	—	7
477	Islandica.	—	—	34

No.			fl.	kr
478	Lapponica.	—	—	20
479	Littura.	—	—	10
480	lurida.	p.	—	24
481	Lusitanica.	—	—	45
482	— — Var. nig.	—	—	48
483	Megerlaei.	p.	—	7
484	pallida.	p.	—	7
485	— — Var. nig. punct.	p.	—	10
486	*Philadelphica.*	—	1	8
487	pratensis. *M.*	m.f	1	30
488	14. *punctata.*	—	2	16
489	*Sternicornis.* Bl. *magn. virid. aur.*	—	1	30
490	*Surinamensis.*	—	—	45
491	varians.	p.	—	7
492	violacea.	p.	—	17
493	vulgatissima.	p.	—	10

Cicindela.

No.			fl.	kr
494	*bicolor.*	—	—	40
495	2. *ramosa.*	—	—	34
496	*Capensis.*	—	—	34
497	littoralis.	—	—	20
498	*micans?*	m.f	1	—
499	*repanda M.*	—	—	51
500	6. *punctata.*	—	—	51
501	sinuata.	p.	—	10
502	sylvatica.	—	—	10
503	20. *guttata. M.*	—	1	—

Cistella.

No.			fl.	kr
504	brevis. *P.*	—	—	12
505	ceramboides.	m.f	—	30
506	flavipes.	p.	—	12
507	— — Var. testac.	p.	—	12
508	fulvipes.	p.	—	12
509	laeta. *P.*	p.	—	10
510	Maura.	—	—	10
511	Nigrita.	p.	—	7
512	ruficollis.	—	—	24
513	thoracica.	p.	—	10
514	testacea.	p.	—	20

Claviger.

No.			fl.	kr
515	testaceus. *Pr.*	—	—	50

Clerus.

No.			fl.	kr
516	*abdominalis.* M.	—	2	—
517	formicarius.	p.	—	7
518	mutillarius.	p.	—	7
519	transversalis. *Hl.*	—	1	—
520	unifasciatus.	—	—	20

Clypeaster M.

No.			fl.	kr
521	glaber. *A.* Ins. singul. Stat. Scymn. sed Thor. uti in Lampyr.	—	—	40

Clythra.

No.			fl.	kr
522	affinis *P.*	p.	—	7
523	aurita.	p.	—	7
524	bucephala.	—	—	30
525	*pallens.*	—	—	48
526	4. maculata.	m.f	—	7
527	6. maculata.	m.	—	30
528	3. punctata.	—	—	22

Clytus.

No.			fl.	kr
529	arcuatus.	p.	—	15
530	detritus.	p.	—	7
531	*flexuosus.*	—	—	40
532	— — *an f. prior. an nov. sp. Anten. brev.*	—	1	—
533	Gazella.	p.	—	7
534	*Georgicus. M. Aff. mystic. sed, dimid. min. et Elyt. basi nig. et inter fasc. 2. et 3. ruf.*	—	2	16
535	hieroglyphicus *M.*	—	—	17
536	*piceus M. ex Georg. Ariet. maj. pice. Elyt. margin. et Sutur. punctq. 6. ciner. pilos.*	—	2	30
537	*scabricollis. M.*	m.f	2	30
538	semipunctatus.	p.	—	48
539	*tricolor. M.*	—	1	45
540	3. fasciatus * 1. *Ant.* 1. P.	—	—	24
541	*tuberculatus M. ex Georg. stat. ariet. ruf. Thor. transv. tubercul. Elyt. fasc. 4. flav.*	—	2	16

Coccinnella.

No.			fl.	kr
542	Abietis.	p.	—	20
543	analis.	—	—	6
544	arctica.	—	1	30
545	bicolor. *M.*	—	—	40
546	2. fasciata. *M.*	—	—	12
547	2. notata *M.*	—	—	10
548	bis 2. pustulata. *Ill.* 6. γ.	p.	—	12
549	bis 6. guttata.	p.	—	10
550	*borealis.*	—	1	8
551	*Cacti.*	—	—	34
552	chrysomelina.	—	—	20
553	*dentipes.*	—	1	8
554	12. punctata.	p.	—	7
555	flavipes.	p.	—	12
556	*glacialis.*	—	—	30
557	hieroglyphica.	—	—	40
558	hyperborea.	p.	—	40
559	*imperialis.*	—	1	8
560	impunctata *L.*	p.	—	17
561	lateralis. *Ill.*	—	—	12
562	Morio. *Ill.* 8. β.	—	—	10
563	9. punctata.	—	—	15
564	— — *Ol.*	—	—	12
565	oblongo guttata.	p.	—	12
566	ocellata.	p.	—	7
567	parvula.	—	—	7
568	Pini. *M.*	f.	—	24
569	4. lunulata. *Ill.*	p.	—	14
570	15. *punctata. M. ex Georg Stat. ocell. nig. Cap. et Thor. flav. mac. Elyt. flav. punct. 1. 3. 3. et comun. nig.*	—	—	48
571	5. *fasciata. M. Maj. 13. punct. Thor. margin. et Elyt. fasc. 5. interrup. sanguin.*	—	—	48
572	5. punctata.	p.	—	10
573	renipustulata. *Ill.*	—	—	15
574	repensis *H.*	p.	—	20
575	16. guttata.	p.	—	10
576	tigrina.	p.	—	30
577	*tomentosa. Hl. ex Beng. aff. 11. punct. sed punct. 14.*	—	—	34
578	3. *cincta.*	—	—	34
579	3. fasciata.	—	—	40
580	11. punctata.	—	—	12
581	variabilis.	—	—	7
582	28. *punctata.*	—	—	20

Collyris.

No.			fl.	kr
583	*longicollis.*	—	1	12

Colydium.

No.			fl.	kr
584	bicolor.	—	—	40
585	sulcatum.	—	—	30

Copris.

No.			fl.	kr
586	*Achates. Ol.*	m.f	2	20
587	affinis. *St.*	m.f	1	—
588	Alces.	m.f	—	15
589	Austriaca.	m.f	—	15
590	*Bengalensis. M.* Maj. *Bonas. testa. Cap. unac. Corn. max. Thor. cum Corn. 2. magn. errect. et Sutur. et ped. virid. aur.*	—	4	—
591	*Bonasus.*	—	—	20
592	*Bucephalus.*	—	2	—
593	Capra.	m.f	—	17
594	*Capucina.*	m.f	1	30
595	*Carnifex.*	m.f	1	30
596	— *Var. cum. Corn. breviss.*	m.f	1	40
597	*Carolina.*	m.f	2	—
598	Coenobita.	p.	—	10
599	*femorata. Hl.*	—	1	30
600	*flavicornis. M.*	—	—	54
601	fracticornis.	m.f	—	10
602	furcata.	m.f	—	15
603	*Gazella.*	—	—	36
604	*gracilicornis. M.*	m.f	2	16
605	Hispana.	—	—	48
606	Hybneri.	p.	—	12
607	*Jachus.*	m.	1	30
608	*Lancifer.*	m.	9	—
609	Lemur.	m.f	—	7
610	lucida.	m.f	2	—
611	Maki *Ill.*	f.	—	40
612	media.	m.f	—	20
613	*metallica.*	m.f	3	—
614	*Molossus.*	m.f	2	30
615	*Mopsus.*	—	1	—
616	*notata M.*	—	1	20
617	*pallens.*	p.	—	48
618	*pallipes. Habitat et in Lusit. Ill.*	—	—	24
619	Paniscus.	m.	1	—

No.			fl.	kr
620	*4. notata. M. Stat. Lemur pice. Cap. et Thor. aene. ultim. 3. tubercul. Elyt. testac. fasc. dentat. et punct. 4. nig.*	—	2	—
621	*Sabaeus.*	m.	—	45
622	*Sagittaria.*	m.f	1	17
623	semicornis.	m.f	—	48
624	*Seniculus.*	m.f	2	—
625	*suturata. M.*	—	1	12
626	*3. cornis M.*	m.f	1	20
627	*— — Var. Cornub. brevior.*	m.f	1	20
628	*Ursus.*	m.f	2	—
629	*viridicollis. M. aff. 4. gutat. Ol. sed Cap. lin. 2. et Thor. tuberc. 2.*	—	1	30
630	volvens. *omissus apud Ateuch.*	—	—	48
	Corynetes.			
631	*bicolor. M. ex Georg. Maj. sanguinicol. nig. Thor. ruf.*	—	1	30
632	cyanellus. *A.*	p.	—	36
633	*rufipes.*	p.	—	36
	Cossonus.			
634	linearis.	p.	—	14
635	parallelepipedus. *H.*	p.	—	14
	Cossyphus.			
636	*depressus.*	—	—	48
637	Hofmanseggii.	—	—	40
	Crioceris.			
638	*abdominalis.*	—	—	15
639	adusta.	p.	—	20
640	atra.	—	—	15
641	2. maculata.	p.	—	24
642	Cerasi.	—	—	10
643	glabrata.	—	—	15
644	*interrupta. M. Stat. adust. flav. Elyt. nig. margin. flav. ad sutur interrupt.*	—	—	45
645	nigricornis.	m.f	—	20
646	*palliata. F. Galler.*	—	—	30

No.			fl.	kr
647	Pinicolla. *A.*	p.	—	20
648	subspinosa.	p.	—	15
649	*unicolor. Hl.* 1. Ant.*	—	—	18
	Cryptocephalus.			
650	amoenus. *Cr.*	p.	—	14
651	2. lineatus.	p.	—	7
652	bis 3. punctatus. *Cr.*	—	—	17
653	coloratus.	p.	—	20
654	*congestus.*	—	1	—
655	*discoideus. M. ex Georg. Stat. congest. nig. Ant. et ped. fulv. Elytr. flav. punct. 3. 2. 1. marginal. 2. et mac. com. magn. sub med. nigr.*	—	1	30
656	12. punctatus.	—	—	15
657	frenatus.	—	—	15
658	Lineola.	—	—	10
659	marginatus.	m.f	—	22
660	*ornatus.*	m.f	2	—
661	*— Var. Vitt. fulv.*	—	1	8
662	6. notatus.	—	—	30
663	*Herbstii. M.*	—	1	8
664	hieroglyphicus.	p.	—	7
665	*plagiatus. M.*	—	1	8
666	*Schreibersii. M.*	—	1	8
667	vittatus.	p.	—	7
	Cucujus.			
668	depressus.	—	2	30
669	ferrugineus. *Cr.*	p.	—	15
670	monilis.	m.f	—	7
671	testaceus. *F. Brontes.*	p.	—	15
	Curculio.			
672	Alneti.	p.	—	7
673	augustirostris. *M.*	—	—	17
674	antiodontalgicus. *H.*	p.	—	24
675	Arborator. H.	p.	—	24
676	argentatus.	p.	—	7
677	*argyreus.*	—	1	20
678	articulatus.	—	—	24
679	atomarius. *Cr.*	p.	—	15
680	Betulae.	p.	—	7
681	2. notatus.	p.	—	7
682	*Brachyceroides. M.*	—	2	—

No.			fl.	kr
683	*brevicornis. M. ex Georg. Maj. palliat. Elyt. lin. 8. ex fulv. et nig. artic.*	—	2	—
684	campestris. *Kn.*	p.	—	7
685	*Capensis.*	—	1	8
686	caudatus. *R.*	—	—	20
687	chlorophanus. *M.*	p.	—	10
688	costatus. *F.* n. 138.	—	—	20
689	cupreo-aeneus. *Kn.*	p.	—	17
690	distinctus.	p.	—	7
691	Erinaceus.	p.	—	20
692	Erythroceros. *H.*	p.	—	7
693	fasciculatus. *H.*	p.	—	12
694	flabellipes. *M.*	m.f	1	—
695	Friulicus. *H.*	p.	—	14
696	fuscipes. *M.*	p.	—	36
697	fuscomaculatus	p.	—	7
698	gemmatus.	p.	—	7
699	geniculatus. *M.*	p.	—	20
700	glabratus.	—	—	10
701	*Globifer.*	—	2	8
702	Goerzensis.	—	—	40
703	*granulatus. M. Maj. variol. fusc. Thor. et Elyt. valde granulat.*	—	1	30
704	holosericeus.	p.	—	20
705	*imperialis.*	—	2	30
706	Iris.	p.	—	7
707	laevigatus.	m.f	—	7
708	lanuginosus. *Cr.*	p.	—	15
709	*lateralis.*	—	—	40
710	lepidopterus.	p.	—	14
711	limbatus.	—	—	7
712	longicollis. *M.*	m.f	—	40
713	Lusitanicus.	m.f	1	20
714	Mali.	p.	—	7
715	Mastix. *Hl.*	m.f	—	10
716	Mercurialis.	—	—	12
717	Morio.	p.	—	34
718	multipunctatus.	p.	—	30
719	muricatus.	p.	—	7
720	niger.	m.f	—	20
721	*nodulosus.*	—	2	16
722	obscurus.	—	—	10
723	*obtusus. Hl. Stat. pollinos. virid. aure.*	—	1	8
724	orbicularis.	p.	—	12
725	Oxalis. *H.*	—	—	20

No.			fl.	kr
726	Perdix. *Cr.*	p.	—	15
727	picipes.	p.	—	15
728	Picus.	p.	—	12
729	pilosus.	p.	—	7
730	Pinnastri.	p.	—	24
731	planatus.	m.f	—	30
732	pollinosus.	p.	—	7
733	prodigus.	—	1	—
734	punctatus.	p.	—	10
735	*Punctum.*	—	—	48
736	Pyri.	p.	—	7
737	repandus.	—	—	34
738	Robiniae.	—	1	—
739	roridus.	p.	—	15
740	rotundatus.	p.	—	7
741	*rusticus.*	—	—	51
742	septentrionis. *H.*	p.	—	36
743	Silesiacus. *M.*	m.f	—	40
744	Simo. *H.*	p.	—	20
745	*spectabilis.*	—	2	—
746	*splendidus.*	—	3	—
747	squameus. *Cr.*	p.	—	14
748	squamiger.	p.	—	40
749	squamulatus.	p.	—	15
750	sulphurifer.	m.f	—	10
751	tenebricosus. *H.*	p.	—	30
752	*tessullatus M. Maj. palliat. Elyt.-mac. 12 ciner.*	—	1	30
753	*Tribulus.*	—	2	30
754	undatus.	m.f	—	20
755	*unicolor.*	—	1	12
756	idem. *H.*	m.f	—	20
757	viridicollis.	p.	—	20
758	*viridulus. M. Diff. a flavescenti, quod supr. et subt. virid.*	—	1	30
759	Zebra.	p.	—	12
	Cychrus.			
760	attenuatus.	p.	—	30
761	rostratus.	p.	—	30
	Cyphon.			
762	grisens.	p.	—	12
763	haemisphericus.	p.	—	14
764	pubescens.	p.	—	12
	Dasytes.			
765	Abietinus. *Gyld.*	—	—	40
766	aeneus.	p.	—	7

			fl.	kr
767	aurarius. *Hl. Melyr.*	p.	—	30
768	2.pustulatus. *F. Hisp.*	—	—	30
769	coeruleus.	p.	—	7
770	flavipes.	p.	—	7
771	linearis.	p.	—	15
772	nobilis. *Ill.*	p.	—	20
773	pallipes. *Pay.*	—	—	20
	Dermestes.			
774	Adstrictor.	p.	—	7
775	carnivorus.	—	—	30
776	Serra.	m.f	—	20
777	6. dentatus.	p.	—	15
778	subterraneus.	—	—	34
779	3. fasciatus.	p.	1	—
780	variabilis.	p.	—	7
	Diaperis.			
781	aenea.	—	—	20
782	violacea.	—	1	—
783	*viridipennis.*	f.	1	30
	Dircaea.			
784	barbata.	m.f	1	8
785	discolor.	—	—	45
786	dubia.	—	—	24
787	ruficollis.	—	4	30
	Donacia.			
788	dentipes.	p.	—	7
789	discolor. *P.*	m.f	—	7
790	gracilis. *Cr.* simplex. *P.*	p.	—	7
791	Hydrochaeridis.	p.	—	7
792	linearis. *Hop.*	—	—	7
793	micans. *P.*	—	—	7
794	nigra.	p.	—	7
795	Sagittariae.	m.f	—	7
796	simplex.	p.	—	12
797	Veneta.	—	1	—
798	vittata. *P.*	m.f	—	15
	Dorcatoma.			
799	Dresdense.	p.	—	20
	Drypta.			
800	emarginata.	p.	—	20
801	*Lineola. M.*	—	—	50
802	*longicollis. Ol. Cincind.*	m.f	2	—

			fl.	kr
	Dyticus.			
803	abbreviatus.	p.	—	7
804	adspersus.	p.	—	7
805	aeneus. *P.*	p.	—	20
806	alpinus.	m.f	1	—
807	arcticus. *Pay.*	p.	—	20
808	areolatus. *Ill.*	p.	—	30
809	ater.	—	—	7
810	*Bengalensis. Bl.*	m.f	1	30
811	2. punctatus.	—	—	10
812	2. pustulatus.	p.	—	7
813	chalconatus. *Ill.*	—	—	15
814	congener. *Pay.*	—	—	30
815	crassicornis.	p.	—	10
816	dispar. *A.*	m.f	1	—
817	dolabratus. *Pay.*	m.f	1	30
818	fenestratus.	p.	—	12
819	*griseus.*	p.	—	50
820	Hallensis.	p.	—	12
821	impressus.	p.	—	17
822	inaequalis.	p.	—	10
823	interruptus.	p.	—	7
824	lacustris.	p.	—	7
825	latissimus.	m.f	—	30
826	lepidus.	—	—	15
827	*limbatus.* *	—	—	50
828	maculatus.	—	—	7
829	marginalis.	m.f	—	12
830	margine-punctatus. *P.*	p.	—	15
831	pictus.	p.	—	12
832	Roeselii.	m.f	—	30
833	serricornis.	m.f	1	—
834	6. pustulatus.	—	—	7
835	tessullatus. *A.*	—	—	20
836	Thunbergii. *A.*	m.f	4	30
837	transversalis.	p.	—	10
838	uliginosus.	—	—	15
839	*variegatus. M.*	—	—	40
840	Volkmari. *P.*	—	—	24
	Elaphrus.			
841	borealis. *A.*	—	—	50
842	rupestris. *Ill.*	p.	—	7
	Elater.			
843	Advena.	—	—	12
844	aeruginosus.	m.f	—	20
845	albipes. *M.*	—	—	15
846	analis.	p.	—	7
847	atomarius.	p.	—	24

			fl.	kr
848	balteatus.	p.	—	14
849	2. pustulatus.	p.	—	12
850	brunneus.	—	—	14
851	castaneus.	m.	—	15
852	cruciatus.	—	—	15
853	cupreus.	m.	—	17
854	deflexicollis. *M. aff. buprestoid.*	—	—	15
855	depressus. *M.*	m.f	1	8
856	discicollis. *M.*	p.	—	36
857	elongatulus.	p.	—	24
858	equestris.	p.	—	12
859	fasciatus.	p.	—	18
860	ferrugineus.	—	—	30
861	filiformis.	p.	—	7
862	Filum.	—	—	12
863	flavicornis.	—	—	7
864	*flavipes.*	—	—	24
865	fulvipennis. *M.*	m.f	—	40
866	fulvus. *M.*	—	—	15
867	fugax.	—	—	15
868	*fuscipes.*	—	1	—
869	haematodes.	m.f	—	20
870	latus.	p.	—	7
871	lepidopterus. *P.* Chrysopastos. *Mik*	—	1	40
872	linearis.	—	—	15
873	Mesomelas.	—	—	20
874	nigricans. *Pay.*	—	—	15
875	nigricornis.	p.	—	12
876	nigripes. *Fr.*	p.	—	12
877	*noctilucus.*	—	1	45
878	obscurus.	p.	—	6
879	*oculatus. Exempl. pulcher. et max.*	—	5	—
880	pilosus.	p.	—	10
881	4. maculatus.	—	—	24
882	4. pustulatus.	p.	—	10
883	ruficollis.	p.	—	40
884	rufipes.	p.	—	7
885	rufus.	—	—	40
886	signatus. *P.*	m.	—	30
887	idem.	f.	—	20
888	sinuatus. *M.*	p.	—	40
889	sticticus *P.*	p.	—	10
890	striatus *F.* n. 103.	p.	—	7
891	*idem F.* n. 28.	—	2	16
892	3 fasciatus *H.*	—	1	12
893	varius.	p.	—	40
894	*virens. Var. magis virid.*	—	3	—

			fl.	kr
	Elophorus.			
895	grandis.	—	—	7
896	pygmaeus.	p.	—	20
	Endomychus.			
897	Bovistae.	p.	—	12
898	cruciatus.	—	—	20
899	idem. * 1. Ant.	—	—	15
900	4. pustulatus.	—	—	12
	Engis.			
901	*fasciata.*	—	1	30
902	*eadem.* *	—	1	—
903	sanguinicollis.	—	—	24
	Erodius.			
904	2. lineatus. *H.*	—	—	45
905	gibbus.	—	—	51
906	minutus. *	—	—	24
907	*testudinarius.* *	—	—	45
	Erotylus.			
908	*fasciatus.*	—	3	—
909	*gibbosus.*	—	2	16
	Eumolpus.			
910	aeneus.	p.	—	7
911	*Bengalensis. Hl.*	—	—	34
912	*cupreus. M.*	—	—	40
913	*fastuosus M.*	—	—	34
914	*metallicus.*	—	—	54
915	obscurus.	p.	—	10
916	praetiosus.	p.	—	17
917	vitis.	p.	—	7
	Eumorphus.			
918	*immarginatus ? antea Endom. 4.gutt. M.*	—	1	—
919	4. *maculatus. M. ant. Endom. M.*	—	1	—
	Eurychora.			
920	*ciliata.*	—	1	20
921	*pusilla. H.* *	—	1	—
	Forficula.			
922	2. lineata.	—	—	12
923	2. punctata.	m.f	—	20

No.	Name		fl.	kr
924	gigantea.	—	—	20
925	minor.	m.f	—	10
	Galerita.			
926	*Americana.*	—	2	—
927	*marginata. M. Maj. olent. supr. virid. aur. Elyt. marg. rubr. aur. subt. cum ant. pice.*	—	2	16
	Galleruca.			
928	*albicollis. * ½ Ant. Corresp. sed punct. lineare hic exteri. s. humer. est.*	—	—	48
929	*Bacharidis.*	—	1	30
930	*bicolor.*	—	—	30
931	2. notata. *M. Nigr. Thor. punct. 2. et Elyt. rubr.*	p.	—	30
932	Capreae.	p.	—	7
933	*Caroliniana.*	—	—	34
934	Crataegi. *Sch.*	p.	—	24
935	haematidea. *A.*	—	—	24
936	*impressa. M.*	—	—	40
937	Lineola.	p.	—	7
938	nigricornis.	—	—	12
939	sanguinea.	p.	—	7
940	*undata. M. Saltator. Stat. marginal. flav. Thor. mac. El. fasc. undat. fulv.*	—	1	8
	Geotrupes.			
941	*Acteon. * Ant. et T. art. fact.*	m.	10	—
942	*Aloeus.*	m.f	4	30
943	*Anteus.*	m.	3	—
944	*Arator.*	—	2	16
945	*Cadmus. Ol. 4. b.*	—	4	—
946	*Chorinaeus. * Ant. et T. 4.*	m.	9	—
947	*Didymus. Exe. max.*	m.	2	30
948	*Dionysius.*	—	3	—
949	*Elephas. Maj. et pulcher. Exem. Angl.*	m.	50	—
950	*Hercules. Eleg. max.*	m.	9	—
951	*Juvencus.*	m.	1	30
952	Monodon.	—	—	15
953	*Oromedon.*	m.f	1	45

No.	Name		fl.	kr
954	*Phorbanta. Ol.*	m.	3	30
955	*piceus.*	—	—	34
956	punctatus.	—	—	24
957	*Rhinoceros.*	m.f	1	8
958	Silenus.	m.	2	30
959	*Titanus.*	—	3	—
960	*Tityus.*	m.	5	—
	Gnoma.			
961	*elegans. M. ex Georg. Seq. 2 pl. min. ruf. Elyt. lunul. 4. alb. et apice nig.*	—	9	—
962	*rugicollis.*	—	9	—
	Gyrinus.			
963	*Indus.*	—	—	30
964	minutus.	—	—	20
965	spinosus. *Hab. et in Calabr.*	—	—	30
966	villosus.	—	—	40
	Halomenus.			
967	flexuosus. *P.*	—	—	17
	Helodes.			
968	Phellandrii.	—	—	7
	Helops.			
969	ater.	p.	—	7
970	coeruleus.	—	1	30
971	*cuprarius. M. ex Georg. Lanip. 3 pl. min. viri. aur. Elyt. cupr. aur. excav. punct.*	—	1	30
972	*cupratus. Hl. * 1. Ant.*	—	1	—
973	dentipes.	—	1	30
974	dubius. *M. an laevis?*	—	4	—
975	*obliquatus.* *	—	1	—
976	*speciosus. M. Cuprat. 3 pl. maj. antea Gnodulon. M.*	—	1	30
	Heterocerus.			
977	laevigatus.	p.	—	15
978	marginatus.	p.	—	10
	Hispa.			
979	*Erinaceus.*	—	1	45

No.	Name		fl.	kr
980	*flavicollis. M.*	—	2	—
981	*pectoralis. M. ex Georg. Maj. spinos. ruf. fasc. 2. purp. pector. nigr.*	—	1	30
982	*Sanguinicollis. * ⅓ Ant.*	—	1	8
983	testacea.	—	—	40
	Hister.			
984	2. *guttatus. M.*	—	—	50
985	2. pustulatus.	p.	—	7
986	bis 6 striatus.	p.	—	20
987	complanatus. s. nasatus. *P.*	—	—	17
988	conjugatus. *M.*	—	—	12
989	conjungens. *Pay.*	p.	—	20
990	10. striatus. *R.*	p.	—	24
991	12 striatus.	p.	—	7
992	frontalis. *Pay.*	—	—	20
993	glabratus.	—	1	30
994	inaequalis.	m.f	—	12
995	minutus.	p.	—	40
996	*nitidulus.*	—	—	24
997	obscurus. *Cr.*	p.	—	20
998	picipes. *A.*	—	—	20
999	planus.	p.	1	—
1000	purpurascens.	p.	—	15
1001	quadratus.	—	—	30
1002	4. notatus. *Ill.*	p.	—	7
1003	rufipes. *Pay.*	p.	—	20
1004	striatus.	p.	—	15
1005	sulcatus.	—	—	20
1006	transversalis. *Cr.*	p.	—	15
	Hydrophilus.			
1007	marginellus.	—	—	7
1008	*olivaceus.*	—	—	36
1009	orbicularis.	p.	—	7
	Hylesinus.			
1010	chloropus.	—	—	7
1011	Fraxini.	p.	—	10
1012	marginatus. *Fr.*	p.	—	34
1013	Piniperda.	p.	—	20
1014	vittatus.	p.	—	10
	Hypophloeus.			
1015	Boros.	—	—	48
1016	castaneus.	p.	—	7

No.	Name		fl.	kr
1017	depressus.	—	—	7
1018	ferrugineus. *Cr.*	—	—	15
	Ips.			
1019	ferruginea.	—	—	15
1020	haemorrhoidalis.	m.f	—	10
1021	punctata.	—	—	24
1022	4. guttata.	p.	—	7
1023	4. punctata.	—	—	12
1024	4. pustulata.	—	—	7
	Lamia.			
1025	*adspersa. M. * Ant. Maj. curculion. nig. atom. parv. albid. et Elyt. sulcat.*	—	3	—
1026	aedilis.	m.f	—	15
1027	*Aethiops.*	—	1	30
1028	*araneiformis.*	—	2	16
1029	*calcarata. M.*	—	2	30
1030	*Capensis.*	—	1	30
1031	cruciata.	—	4	—
1032	*Cylindrator.*	—	2	30
1033	decipiens. *K.*	p.	—	30
1034	Fuliginator.	—	—	17
1035	*Gladiator.*	—	2	16
1036	holosericea. *M. an carinata?*	m.f	2	—
1037	*Hottentotta.*	—	1	—
1038	*Oculator.*	—	2	30
1039	pedestris.	p.	—	50
1040	*pilicornis. M. ex Georg. curculion. min. fusc. thor. later. et Elyt. atom. flav. Ant. valde pilos. * 1. Ant.*	—	4	—
1041	Sartor.	p.	—	20
1042	*Scabrator.*	—	2	30
1043	Sutor.	p.	—	20
1044	*Tornator.*	—	—	45
1045	*transversa. M. ex Georg. Variae min. fusc. alb. vari. Elyt. hisp. et rug. transvers. elevat.*	—	2	30
1046	*Tribulus.*	—	4	—

			fl.	kr
1047	*3. linea. M. ex Georg. min. aedil. fusc. Thor. tuberc. albid. Elyt. alb. vari. basi. tuberc. 4. sutur. et lin. 2. alb. nig. hispid.*	—	3	—
1048	tristis.	p.	—	14
1049	vittigera.	p.	—	30
	Lampyris.			
1050	hemiptera.	—	—	45
1051	Italica.	m.	—	30
1052	eadem.	f.	—	40
1053	*laticornis.*	—	2	30
1054	*marginata.*	—	2	—
1055	*Pyralis.*	—	2	—
1056	*vespertina.*	—	1	30
	Latridius.			
1057	glaber. *H.*	p.	—	24
1058	longicornis. *H.*	p.	—	7
1059	porcatus. *P.* Derm.	p.	—	12
1060	quadratus. *H.*	p.	—	10
	Leistus. *Fr.*			
1061	rufescens. *F. Carab*	—	—	12
	Lema.			
1062	brunnea.	p.	—	7
1063	*cornuta ?*	—	—	40
1064	5. punctata.	p.	—	7
	Leptura.			
1065	arcuata. *Hl.*	m.f	2	—
1066	attenuata.	p.	—	7
1067	atra.	m.f	—	10
1068	auriflua. *M.*	m.f	—	17
1069	aurulenta.	m.f	—	40
1070	*2. lineata. M. ex Georg. simill. 7. punct. sed. Ant. Thor. lin. 2. et Elyt. fasc. 4. nig.*	—	1	30
1071	*2. pustulata. M. ex Georg. Stat. tomentos. nig. Ant. alb. anul. mac. sanguin. humer.*	—	2	—
1072	cincta.	m.f	—	20

			fl.	kr
1073	collaris.	p.	—	7
1074	eadem. *Elyt. virid.*	p.	—	7
1075	Exclamationis.	—	—	10
1076	femorata.	—	—	24
1077	hastata.	m.f	1	—
1078	holosericea.	m.f	—	24
1079	Interrogationis.	—	—	51
1080	laevis.	p.	—	6
1081	*lunata.*	—	1	30
1082	lurida.	p.	—	12
1083	maculicornis.	m.f	—	7
1084	melanaria. *H.*	—	—	12
1085	meridiana.	m.f	—	7
1086	Var. Elyt. nig.	m.f	—	10
1087	Var. Ped. nig.	m.f	—	10
1088	Morio.	—	—	24
1089	8. maculata.	p.	—	7
1090	praeusta.	p.	—	20
1091	4. fasciata.	m.f	—	30
1092	4. guttata.	m.f	—	20
1093	4. maculata.	m.f	—	7
1094	rufipes.	m.f	—	7
1095	scutellata.	m.f	—	20
1096	6. guttata.	m.f	—	24
1097	smaragdula.	—	—	51
1098	spadicea. *Pay.*	—	2	30
1099	strigillata.	p.	—	50
1100	thoracica. * *1. Ant. 2. P. et 2. T. Hab. in Carniolia, et non in Carolina uti F. dixit.*	—	1	—
1101	tomentosa.	m.f	—	24
1102	3. fasciata.	—	—	51
1103	villica.	—	1	—
1104	virens.	m.f	—	12
1105	virginea.	p.	—	7
1106	*vittata. M. ex Georg. Maj. Exclam. nig. nitidiss. Elyt. vitt. testac.*	—	2	16
	Lethrus.			
1107	Cephalotes.	m.f	—	45
	Lixus.			
1108	angustatus.	—	—	40
1109	Ascanii.	p.	—	12
1110	Atriplicis.	—	—	7

			fl.	kr
1111	*2. notatus. M. ex Georg. ciner. fulv. later. alb. et lineol. 2. brev. in antic. Thor. marg.*	—	1	—
1112	ferrugatus.	—	—	15
1113	gramicus. *H.*	p.	—	24
1114	paraplecticus.	—	—	7
1115	pulverulentus.	p.	—	30
1116	*3. color. M.*	—	—	48
	Lucanus.			
1117	caraboides.	m.f	—	7
1118	Var. Elyt. virid.	m.f	—	10
1119	Var. Elyt. viola. nig.	p.	—	15
1120	*Elaphus.*	—	3	—
1121	rufipes.	—	—	20
1122	tenebrioides.	m.f	—	30
1123	Var. min. *Simillim. sed mandib. ap. m. et f. mult. brevior.* an non *poti. nov. Sp.?* ex Silesia.	m.f	1	—
	Lycus.			
1124	*2. fasciatus. M.*	—	1	45
1125	*erythrocephalus. M. ex Georg. Ater, Cap. Thor. limb. et humera Elyt. laevi. ruf.*	—	2	30
1126	*humeralis.* *	—	—	36
1127	minutus.	—	—	12
1128	*palliatus.*	—	1	—
1129	*praeustus.*	—	1	20
1130	*proboscideus.* *	—	—	40
	Lyctus.			
1131	2. pustulatus.	p.	—	20
1132	contractus.	p.	—	17
1133	cylindricus. *P.*	—	—	10
1134	depressus.	p.	—	15
1135	pubescens.	p.	—	15
1136	4. pustulatus. *Fr.*	—	—	15
	Lymexylon.			
1137	dermestoides.	p.	—	7
1138	Morio.	—	—	20
1139	proboscideum.	—	—	17
	Lytta.			
1140	Algirica.	—	—	50

			fl.	kr
1141	crassicornis.	—	1	8
1142	erythrocephala.	p.	—	7
1143	*flavicollis. M. ex Georg. Atra, Cap. fulv. et Thor. flav.*	—	1	8
1144	*lineata. Ol. Canthar.*	—	1	8
1145	*marginata.*	—	1	12
1146	*ruficeps. Hl. ex Sumatr.*	—	—	51
1147	*ruficollis.* *	—	—	30
1148	Syriaca.	p.	—	17
	Malachius.			
1149	angulatus.	p.	—	12
1150	concolor.	—	—	12
1151	fasciatus.	p.	—	7
1152	flavipes.	p.	—	7
1153	*laetus.*	—	1	—
1154	pallipennis. *F.*	p.	—	17
1155	*suturalis. M. ex Georg. Ater, Ore. femor. Thor. et Elyt. marg. flav.*	—	—	45
	Manticora.			
1156	*maxillosa.*	—	10	—
	Mastigus.			
1157	palpalis. *Hl.*	—	—	45
	Melandria.			
1158	canaliculata.	—	—	30
1159	serrata.	p.	—	10
	Melasis.			
1160	flabellicornis.	p.	—	30
	Meloe.			
1161	brevicollis.	p.	—	10
1162	glabrata. *M.*	—	—	20
1163	majalis.	p.	—	17
1164	Nigrita. *M.*	p.	—	24
1165	tecta. *P.*	—	—	10
1166	Uralensis. *Pall.*	m.f	—	40
	Melolontha.			
1167	aestiva.	—	—	15
1168	aprilina. *Cr.*	m.f	—	12
1169	aurata.	—	—	34
1170	brunnea.	m.f	—	30

No.	Name		fl.	kr
1171	chrysomelina.	p.	—	20
1172	*elongata. H.*	—	1	20
1173	errans.	—	1	8
1174	farinosa.	—	1	—
1175	*femoralis. M. Aff. Juli. sed castan. virid. mic. Clype. anti. Thor. later. femor. et tibiar. annul. flav.*	—	1	30
1176	*fervida.*	—	3	—
1177	Floricola.	p.	—	7
1178	Graminicola.	—	—	30
1179	Hippocastani.	m.f	—	15
1180	— — Var. ped. et Thor. Testa.	m.f	—	17
1181	hirtula. *Ill.*	—	—	30
1182	*immaculata. Ol. ?*	—	—	30
1183	Junii. *Cr.*	—	—	50
1184	*lanata.*	—	1	30
1185	*nitidula. Ol.*	—	1	8
1186	occidentalis.	—	1	30
1187	*pallida.*	—	1	8
1188	papposa. *Hl.*	m.	1	—
1189	pilosa.	—	1	40
1190	pilosula.	—	—	24
1191	*plebeja. Ol.*	—	—	40
1192	pulverulenta.	—	—	24
1193	*punctata.*	—	1	30
1194	6. *punctata. M. Aff. punctat. sed ped. rubr. et Stern. trunc.*	—	2	16
1195	*splendida.*	—	3	—
1196	strigosa.	p.	1	8
1197	*testacea.*	—	—	30
1198	transversa.	—	1	12
1199	*Ursus.* *	—	—	20
1200	variabilis.	p.	—	12
1201	*ventralis. M. Aff. lanat. sed alia.*	—	2	30
1202	villosula. *Ill.*	—	—	30
1203	*viridis.*	—	1	45

Melyris.

No.	Name		fl.	kr
1204	*abdominalis.**3 T.	—	—	40
1205	aenea. *Ol.*	—	—	34
1206	*viridis.*	p.	—	36

Molorchus.

No.	Name		fl.	kr
1207	abbreviatus.	m.f	—	30
1208	dimidiatus.	m.f	—	12

Mordella.

No.	Name		fl.	kr
1209	abdominalis.	p.	—	17
1210	atomaria.	p.	—	17
1211	*nigra. M. ex Georg. Europ. maj.*	—	1	—
1212	8. *punctata.*	—	2	—
1213	pulicaris. *Fr.*	—	—	12

Mycetophagus.

No.	Name		fl.	kr
1214	castaneus.	p.	—	7
1215	nigricornis.	—	—	24
1216	piceus.	p.	—	7

Myllabris.

No.	Name		fl.	kr
1217	2. *punctata. M.*	—	—	40
1218	*Capensis.* *	—	—	24
1219	*Hermanniae.* *	—	—	30
1220	*lunata.*	—	—	40
1221	*eadem.* **	—	—	20
1222	*oculata. Ol.*	—	—	50
1223	*Punctum.*	m.f	—	50
1224	*pustulata. Ol.*	—	—	40
1225	4. punctata. *L.*	—	—	24
1226	eadem. Elyt. testa.	—	—	24
1227	ruficollis. *Ol.*	—	1	30

Necrophorus.

No.	Name		fl.	kr
1228	*grandis.*	—	4	—
1229	Humator.	p.	—	20
1230	Mortuorum.	—	—	10

Necydalis.

No.	Name		fl.	kr
1231	flavicollis. *P.*	—	—	7
1232	ruficollis.	—	—	7
1233	ustulata.	p.	—	7

Nitidula.

No.	Name		fl.	kr
1234	biloba. *H.*	p.	—	7
1235	2. pustulata.	—	—	7
1236	Colon.	—	—	7
1237	10. guttata.	—	—	20
1238	emarginata.	—	—	20
1239	imperialis.	p.	—	10
1240	obsoleta.	p.	—	7
1241	4. pustulata.	p.	—	7
1242	strigata.	p.	—	7

Notoxus.

No.	Name		fl.	kr
1243	*atomarius. M. ex Georg. Min. moll. nigr. hirt. Elyt. atom. ciner.*	—	3	—
1244	*Chinensis.*	—	2	16
1245	mollis.	p.	—	17

Odacantha.

No.	Name		fl.	kr
1246	melanura.	—	1	—

Omalysus.

No.	Name		fl.	kr
1247	*femoratus. M. ex Sumat. Poti. nov. Gen. ap. Hl. Gen. incogn. femorata. — Insect. singul. Habit. Opatr. orient. convenit, Ant. monil. Cap. recond. fem. anti. clav. et valde dent. * ½ Ant.*	—	4	—
1248	suturalis.	—	—	51

Onitis.

No.	Name		fl.	kr
1249	*Apelles.*	—	1	12
1250	*Aygulus.*	—	—	31
1251	Bison.	m.f	1	12
1252	Clinias.	m.f	—	50
1253	Furcifer. *R.*	—	2	—
1254	*Inuus.*	m.f	1	20
1255	*sulcosus. M.*	—	1	12
1256	Vandellii.	m.f	1	30

Opatrum.

No.	Name		fl.	kr
1257	*arenarium.*	p.	—	20
1258	gibbum.	p.	—	30
1259	Lusitanicum.	—	—	30
1260	*obscurum.** 1. *Ant.* 2 T.	—	—	50
1261	*orientale.*	—	1	12
1262	pictum.	p.	—	30
1263	*strigatum.*	p.	—	24
1264	Ulyssiponense. *Hl*	—	—	30

Oxyporus.

No.	Name		fl.	kr
1265	marginatus.	p.	—	7
1266	maxillosus.	p.	—	20
1267	rufus.	p.	—	12

Paederus.

No.	Name		fl.	kr
1268	angustatus. *Gr.*	p.	—	15
1269	elongatus.	p.	—	15
1270	orbiculatus. *Gr.*	—	—	20

Parnus.

No.	Name		fl.	kr
1271	auriculatus.	p.	—	17
1272	prolifericornis.	p.	—	7

Passalus.

No.	Name		fl.	kr
1273	*barbatus.*	—	1	30
1274	*cornutus.*	—	1	20
1275	*dentatus.* *	—	—	40
1276	*interruptus.*	—	1	20

Pausus.

No.	Name		fl.	kr
1277	*denticornis.*	—	2	30

Peltis.

No.	Name		fl.	kr
1278	ferruginea.	p.	—	15
1279	grossa.	p.	—	15
1280	limbata.	p.	—	20
1281	oblonga.	p.	—	30

Pimelia.

No.	Name		fl.	kr
1282	*aenea. M. Min. brunn. H. cupr. aene.*	—	2	30
1283	fornicata. *H.*	—	—	50
1284	*gibba.*	—	1	—
1285	glabrata.	m.f	—	20
1286	grossa.	—	—	50
1287	*maculata.*	—	1	—
1288	muricata.	—	—	51
1289	pygmaea.	p.	—	30
1290	reflexa. *Spect. ad Gen. Ackis ubi ommiss.*	—	1	—
1291	*scabra.*	—	1	12
1292	*signata. M.** 1. *P. Maculat. min. ciner. tomentos. Elyt. mac. 4. fusc.*	—	1	8
1293	*striata.*	—	—	50

Platynotus.

No.	Name		fl.	kr
1294	*excavatus.*	—	3	—

Prionus.

No.	Name		fl.	kr
1295	*castaneus. M.*	—	3	—
1296	coriarius.	m.f	—	17
1297	*cylindricus.*	—	2	—
1298	Depsarius.	—	1	—
1299	Faber.	—	—	30
1300	*imbricornis. Ol.*	m.f	7	—
1301	*longimanus.*	f.	4	30
1302	*piceus. M.*	—	3	—

			fl.	kr
1303	*praemorsus. M. Stat. Fuliginat. ater, Thor. mut. Elyt. apice praemors. dent.*	—	4	30
1304	scabricornis.	m.f	—	30
1305	*sericeus. Ol.*	—	4	30
1306	Serrarius. *P.*	—	—	40
1307	*serricollis. M.*	m.f	6	—
1308	*sulcatus. Ol.*	—	2	—
	Psellaphus.			
1309	Dresdensis.	p.	—	36
	Psoa.			
1310	Viennensis.	p.	—	30
	Ptinus.			
1311	crenatus.	—	—	10
1312	imperialis.	p.	—	7
1313	nitidus. *M.*	—	—	24
1314	Scotias.	p.	—	7
1315	serricornis.	—	—	40
	Pyrochroa.			
1316	pectinicornis.	p.	—	40
	Pytho.			
1317	castaneus.	—	1	8
1318	coeruleus.	—	1	30
	Rhagium.			
1319	2. fasciatum.	m.f	—	20
1320	cinctum.	m.f	1	36
1321	— Var. nig.	—	3	—
1322	clathratum.	m.f	1	20
1323	Cursor.	—	—	20
1324	dispar. *Stenoc. Sc.*	m.f	—	34
1325	Indigator.	m.f	—	12
1326	Noctis.	—	—	20
1327	Salicis.	p.	—	20
1328	signatum. *Leptur. P.*	—	1	8
	Rhynchaenus.			
1329	abbreviatulus.	—	—	10
1330	Abietis.	p.	—	7
1331	acridulus.	—	—	7
1332	Aethiops.	—	—	20
1333	*alboguttatus. M.*	m.f	2	30

			fl.	kr
1334	*Amicus. Hl. Simillim. bispin. sed. 2. pl. maj. pectore bispin.*	—	3	—
1335	Arcticus. *Sc.*	m.f	2	30
1336	attenuatus. *M.*	—	—	48
1337	avarus.	—	—	10
1338	2. punctatus.	—	—	7
1339	2 *spinosus.*	m.f	5	30
1340	Calcar.	—	—	10
1341	canus. *H. Curc.*	p.	—	20
1342	Cardui. *St.*	p.	—	7
1343	Colon.	—	—	6
1344	complicatus. *K.*	—	—	15
1345	Crux.	p.	—	20
1346	Cynarae.	—	—	7
1347	didymus.	p.	—	12
1348	Druparum.	p.	—	17
1349	Echii.	p.	—	7
1350	*Famulus.*	—	—	40
1351	flavipes.	p.	—	10
1352	floralis.	—	—	7
1353	Germanus.	p.	—	7
1354	*Hebes.*	p.	1	—
1355	Lamii.	—	—	7
1356	Linariae. *P.*	p.	—	10
1357	maculatus. *M.*	m.f	1	—
1358	*Nephele. H. Curc.*	—	1	8
1359	nigrirostris.	p.	—	12
1360	Nucleorum. *Cr.*	p.	—	20
1361	Nucum.	p.	—	7
1362	*ornatus. M. Stat. rorid. nig. nit. Thor. later. et Elyt. plaga dentat. alb.*	—	1	12
1363	parallelus.	—	—	7
1364	*Parochus. H. Curc.*	—	2	—
1365	picirostris.	—	—	10
1366	Pinneti.	p.	—	30
1367	Pinni.	p.	—	7
1368	Pomorum.	p.	—	10
1369	Porculus.	—	—	30
1370	Pseudacori.	p.	—	20
1371	5. punctatus.	p.	—	7
1372	Raphani.	p.	—	12
1373	Rubi.	p.	—	7
1374	rugulosus. *H.*	p.	—	10
1375	Salicis.	—	—	10
1376	Scolopax. *Fr.*	—	—	20
1377	*scutellaris. M.*	—	1	20

			fl.	kr
1378	Styriacus. *M.*	p.	1	—
1379	suspiciosus. *H.*	p.	—	17
1380	suturalis.	p.	—	24
1381	*Taurus.*	—	6	40
1382	teres. H.	p.	—	30
1383	teter.	p.	—	7
1384	timidus. *R. Curc.*	p.	—	17
1385	Troglodytes.	p.	—	30
1386	villosus.	p.	—	30
1387	viminalis.	p.	—	7
	Rhynomacer.			
1388	Attelaboides.	—	1	—
1389	*Bruchoides. M. Stat. curculion. Ant. basi et apice pedibqu. flav.*	—	2	16
1390	Curculionoides.	p.	—	7
1391	Var. flav.	p.	—	7
1392	Lepturoides.	m.f	—	40
1393	Necydaloides. *Lept. rostrat. F.*	p.	1	20
	Rhyncolus.			
1394	crassirostris. *Cr.*	—	—	12
1395	tenuirostris. *Cr.*	—	—	10
	Ripiphorus.			
1396	2. maculatus.	—	—	36
1397	*dimidiatus.*	—	2	30
1398	*fasciatus. M. ex Georg. Nig. Elyt. fasc. anoque sanguin.*	—	2	16
1399	4. *maculatus. M. Magn. ruf. Elyt. mac. 4. nigr.*	—	2	—
	Saperda.			
1400	affinis. *P.*	—	—	40
1401	albilinea. *M.*	—	—	45
1402	*annulata.*	—	3	—
1403	Argus.	—	—	40
1404	2. *dentata.*	—	2	16
1405	brunnea.	p.	—	17
1406	*candida.*	—	3	—
1407	Carcharias.	p.	—	12
1408	coerulescens. *Sr.*	—	—	15
1409	cylindrica.	p.	—	40
1410	dubia. *A.*	—	—	20
1411	Ephippium.	—	—	20

			fl.	kr
1412	erythrocephala.	p.	—	7
1413	*flavifrons. M. ex Georg. Min. Ephiph. atra. front. lin. 2. inter. Ant. hirtas, et thor. laterib. flav.*	—	3	—
1414	ferrea.	p.	—	10
1415	ferruginea.	—	—	15
1416	hirsutula.	—	—	24
1417	*lateralis.*	—	2	30
1418	linearis.	p.	—	7
1419	marginella.	p.	—	30
1420	nigripes.	p.	—	7
1421	*pallens. M.*	—	1	30
1422	punctata.	—	—	24
1423	rufimana.	p.	—	48
1424	Scalaris.	p.	—	12
1425	Scutellata.	—	—	24
1426	Seidlii.	—	—	54
1427	Var. virescens.	—	1	8
1428	testacea.	—	—	24
1429	Tremulae.	p.	—	10
1430	3. *punctata.*	—	3	—
1431	violacea.	p.	—	36
1432	virescens.	p.	—	7
	Sarrotrium.			
1433	muticum.	—	—	45
1434	sulcicolle. *A. antea Hispa.*	—	1	—
	Scaphidium.			
1435	agaricinum.	p.	—	30
1436	4. maculatum.	p.	—	7
	Scarabaeus.			
1437	dispar.	m.f	1	20
1438	Hippocryta. *Sc.*	—	—	45
1439	laevigatus.	—	—	50
1440	*latipes. M.*	—	2	30
1441	*longimanus.*	—	24	—
1442	mobilicornis.	m.f	—	17
1443	quadridens.	m.f	—	12
1444	*retusus. M. Maj. laev. fusc. aene. Cap. cornut. Thor. retus. antice, et ad later. tuberc.*	m.f	9	—
1445	sylvaticus.	p.	—	7
1446	testaceus.	m.f	1	45
1447	Typhoeus.	m.f	—	51

No.	Name		fl.	kr
	Scarites.			
1448	*depressus.*	—	2	16
1449	*emarginatus. M.*	—	1	—
1450	gibbus.	—	—	7
1451	subterraneus.	—	—	36
1452	thoracicus.	—	—	20
	Scaurus.			
1453	punctatus.	—	1	—
	Scolytus.			
1454	limbatus.	p.	—	7
	Sepidium.			
1455	elongatum.	—	1	12
1456	reticulatum.	—	1	12
	Silpha.			
1457	*Americana.*	—	1	20
1458	brunnea. *H.*	p.	—	24
1459	carinata. *H.*	p.	—	12
1460	clavipes. *M.*	—	—	7
1461	dentata.	—	1	20
1462	minuta.	p.	—	7
1463	Nigrita. *Cr.*	—	—	30
1464	4. punctata.	p.	—	7
1465	reticulata.	p.	—	10
1466	rugosa.	p.	—	7
1467	striata. *M.*	—	—	40
	Sinodendron.			
1468	cylindricum.	m.f	—	30
1469	muricatum.	p.	—	40
	Sperchaeus.			
1470	emarginatus.	p.	—	10
	Sphaeridium.			
1471	atomarium.	p.	—	7
1472	fasciculare.	p.	—	7
1473	*5. punctatum. M. Aff. 5. mac. sed Thor. later. ruf.*	—	—	40
	Spondylis.			
1474	Buprestoides.	m.f	—	10
	Staphylinus.			
1475	aeneocephalus.	p.	—	7
1476	2. maculatus. *Gr.*	p.	—	20
1477	canaliculatus.	p.	—	7

No.	Name		fl.	kr
1478	chloropterus.	m.f	1	—
1479	cyanaeus.	—	—	17
1480	*erythrocephalus.*	—	1	—
1481	Fossor.	—	—	10
1482	fulvipes.	p.	—	20
1483	fuscipes.	p.	—	6
1484	impressus. *P.*	—	—	15
1485	laminatus. *P.*	—	—	17
1486	marginalis.	—	—	40
1487	olens.	p.	—	7
1488	piceus.	p.	—	7
1489	pubescens.	p.	—	7
1490	rivularis.	p.	—	7
1491	rugosus.	p.	—	7
1492	strumosus.	—	—	51
1493	tenuis.	p.	—	15
1494	varians.	p.	—	6
	Stenocorus.			
1495	*festivus.*	—	1	20
1496	*Garganicus.*	m.f	5	—
1497	*Var. Elyt. basi, usqu. ad mac. pallid.*	—	3	—
1498	*Marylandicus ?*	—	3	—
1499	*ruficollis. M. ex Georg. stat. Callid. undat. nig. Thor. ruf. Ant. spinos. et Elyt. apice dentat.*	—	2	30
1500	*spinicormis.* * 1. *Ant.*	—	2	16
1501	*undatus.*	—	2	30
	Stenosis.			
1502	atra. *H.*	—	—	36
1503	filiformis. *F. Ackis.*	—	1	—
1504	unicolor. *H.*	—	—	36
	Strongylus.			
1505	ater. *A.*	—	—	30
	Synchita.			
1506	axillaris. *A.*	—	—	40
	Tenebrio.			
1507	culinaris.	p.	—	17
1508	ferrugineus. *P.*	p.	—	17
1509	loripes. *Ill.*	—	—	20

No.	Name		fl.	kr
1510	purpurascens. *H.*	—	—	45
1511	rufipes. *A.*	—	—	51
	Tetratoma.			
1512	cinamomea. *P.*	—	—	24
	Tillus.			
1513	ambulans.	—	—	17
1514	*2. lineatus. M.*	—	5	—
1515	*idem. femor. marginibq. Elyt. flav.*	—	6	—
1516	elongatus.	p.	—	24
	Trachys.			
1517	minuta.	p.	—	7
1518	pygmaea.	p.	1	—
1519	*tessellata.*	—	1	—
	Trichius.			
1520	*canaliculatus.*	—	1	8
1521	*Delta.*	—	1	12
1522	*limbatus. Ol. Melolon.*	—	3	—
1523	nobilis.	m.f	—	12
1524	8. punctatus.	m.f	—	20
	Trichodes.			
1525	Amios.	—	—	45
1526	alvearius.	—	—	15
1527	favarius. *Ill.*	—	—	15
1528	*lunatus. M. ex Georg. M in. 8. punct. ruf. Ant. ped. et fasc. Elytror. nig. in qua lunul. alb.*	—	3	—
1529	*pictus. M. ex Georg. Prior. maj. ruf. Ant. ped. Elyt. fasc. 2. nig. et in har. ult. lunul. ciner.*	—	3	30
1530	*idem. Elyt. apice plane ciner.*	—	4	—
	Triplax.			
1531	aenea.	p.	—	15
	Tritoma.			
1532	2. pustulata.	p.	—	7
1533	collaris. *Cr.*	p.	—	30

No.	Name		fl.	kr
1534	rufipes.	p.	—	7
1535	*striata. M.*	—	—	36
	Trogosita.			
1536	Calcar.	m.f	1	—
1537	caraboides.	p.	—	7
1538	coerulea.	p.	1	20
1539	*depressa M. Stat. viresc. picea Elyt. striat.*	—	2	30
1540	thoracica.	—	1	40
1541	*virescens.*	—	2	16
	Trox.			
1542	*denticulatus. Ol.*	—	1	8
1543	hispidus.	p.	—	7
1544	*horridus.*	—	—	34
1545	*suberosus.*	—	—	30
	Upis.			
1546	ceramboides.	—	—	40
1547	eadem * 1. *P.*	—	—	30
1548	*excavata. H.*	—	1	—
1549	*rugosa. M. Min. variolos. H. atra, Elyt. lin. 3. elev. rugos. inter stri. 2. valde punct.*	—	2	—
1550	*unicolor. H.*	—	1	30
	Zonitis.			
1551	clavipes. *M.*	m.f	2	16
1552	Var. ped. nig.	m.f	2	30
1553	nigripennis.	—	—	40
1554	praeusta.	—	1	—
1555	*vittata.*	—	2	—

HEMIPTERA.

No.	Name		fl.	kr
	Acanthia.			
1	crassipes.	m.f	—	12
2	depressa.	—	—	6
3	Echii. *F.*	p.	—	7
4	Humuli.	—	—	6
	Acheta.			
5	*monstrosa.*	—	3	—

			fl.	kr
	Blatta.			
6	*Petiveriana.*	—	—	30
	Cercopis.			
7	2. fasciata.	p.	—	7
8	coleoptrata.	p.	—	6
9	*cruentata.*	—	—	40
10	haemorrhoa.	p.	—	10
11	marginella.	p.	—	7
12	thoracica.	—	—	6
	Cicada.			
13	Cynosbatis.	p.	—	12
14	*ferruginea.*	—	1	—
15	interrupta.	p.	—	10
16	*lanata.*	—	—	48
17	Lanio.	p.	—	7
18	nervosa.	p.	—	12
19	viridis.	p	—	7
	Chermes.			
20	Alni.	p.	—	7
	Cimex.			
21	acuminatus.	p.	—	6
22	agathinus.	p.	—	10
23	albolineatus.	p.	—	24
24	albomarginellus.	p.	—	6
25	2. *maculatus. M.*	—	2	16
26	Custos.	p.	—	6
27	*Danus.*	—	—	34
28	*dentatus.* *	—	—	50
29	12 *pustulatus. M.*	—	—	50
30	festivus.	p.	—	10
31	Globus.	p.	—	6
32	haemorrhoidalis.	p.	—	6
33	melanocephalus.	p.	—	6
34	Nigellae.	—	—	15
35	*nigripes.*	—	—	48
36	nigrolineatus.	p.	—	12
37	*nobilis.*	—	—	40
38	*nubilus.*	—	—	30
39	*obscurus.*	—	—	30
40	*papillosus.*	—	—	24
41	pictus.	p.	—	20
42	*quadratus. M.*	—	—	40
43	*Stockerus.*	—	—	40
44	tristis.	p.	—	6
45	*Vahlii.*	—	—	48
	Coreus.			
46	*dentipes. M.*	—	1	12

			fl.	kr
47	hirticornis.	p.	—	12
48	quadratus.	—	—	6
49	*tibialis.*	—	—	48
	Flata.			
50	*ocellata.* *	—	—	50
51	*Phalaenoides.*	—	1	—
52	*eadem.* *	—	—	36
	Fulgora.			
53	*albina. M. Parv. nivea, punct. nig.*	—	1	30
54	*Candellaria.*	—	1	8
55	Europaea.	p.	—	12
56	*hyalinata.*	—	1	30
57	*lineata. M. Maj. albin. albid. line. rose. in Elyt.*	—	2	16
	Gryllus.			
58	*brevipennis. M.*	—	3	—
59	cothurnatus. *Cr.*	—	—	12
60	*pictus.*	—	3	—
61	*variolosus.*	—	1	8
	Locusta.			
62	Regina.	m.	—	30
	Lygaeus.			
63	*abdominalis. M.*	—	1	12
64	*analis M.*	—	—	48
65	apterus. *Var. alata.*	p.	—	17
66	*bicolor. M.*	—	—	36
67	*Capensis. M.*	—	1	12
68	capitatus.	p.	—	6
69	Echii. *P.*	p.	—	12
70	flavomaculatus.	p.	—	6
71	Fraxini.	p.	—	7
72	*Jacquinii. M.*	—	1	12
73	*Koenigii.*	—	—	36
74	leucocephalus.	—	—	6
75	*nigricornis.*	—	—	30
76	nugax.	p.	—	7
77	*Pedellus. Sto.*	—	—	51
78	*pictus. M.*	—	1	8
79	Punctum.	p.	—	6
80	Saxatalis.	p.	—	6
81	*tarsatus. M.*	—	2	—
82	*valgus.* *	—	—	50

			fl.	kr
	Mantis.			
83	pagana.	m.f	—	34
84	religiosa.	—	—	7
85	*siccifolia.*	—	1	30
86	*Simulacrum.*	m.f	4	—
	Membracis.			
87	aurita.	p.	—	20
88	*Ensigera. M.*	—	—	51
89	Genistae.	p.	—	10
90	*picicornis. M.*	—	—	48
91	*tecta. Sto.*	—	1	—
92	*truncaticornis. M.*	—	1	30
	Naucoris.			
93	cimicoides.	p.	—	7
	Nepa.			
94	*grandis.*	—	1	30
95	*rustica.*	—	—	45
	Notonecta.			
96	*nivea.*	—	—	30
	Psoccus.			
97	atratus	—	—	10
98	erythrocephalus.	—	—	10
	Reduvius.			
99	*flavipes M.*	—	1	—
100	*Gigas.*	—	—	51
101	stridulus.	m.f	—	12
	Tettigonia.			
102	*atrata.*	—	1	—
103	*brunnea.*	—	—	50
104	haematodes.	—	—	7
105	obscura.	—	—	36
106	*sanguinolenta.*	—	1	—
107	*eadem. Elyt. brunn.*	—	1	—
108	*stridula.*	—	1	30
109	tibialis. *P.*	—	—	12
	LEPIDOPTERA.			
	Bombyx.			
1	*Acria.*	f.	3	—
2	antiqua.	m.f	—	24

			fl.	kr
3	argentina.	m.f	1	40
4	Arundinis. *Hyb.*	m.f	9	—
5	atra. *B.*	m.	—	30
6	aulica.	m.f	—	24
7	*Aurota. C.*	—	5	—
8	*Bella.*	—	1	45
9	Betulifolia.	m.f	2	30
10	bicoloria.	m.f	2	30
11	*Capensis. C.*	—	4	30
12	Cassinia.	m.f	—	40
13	*castrensis. valde. distinct.*	m.f	—	40
14	*Cecropia.* †.	m	7	—
15	*eadem. eleg. maxim.*	f.	9	—
16	Chaonia.	m.f	—	30
17	Communimacula.	—	—	30
18	Crataegi.	m.f	—	36
19	*Cynthia. C.* *	m.f	6	—
20	Dictea.	m.f	1	—
21	Dominula.	m.f	—	24
22	Dromedarius.	—	—	20
23	Eborina.	—	—	15
24	Everia.	m.f	—	45
25	Flina.	—	—	20
26	*gibbosa. Sm.*	m.f	3	—
27	Gonostigma.	m.f	—	30
28	gramica.	—	—	10
29	Hamula.	—	—	24
30	Hebe.	m.f	—	40
31	Hospita.	—	—	40
32	*Humuli.*	f.	—	34
33	imbuta. *Hyb.*	m.	1	—
34	*Jo. eleg.*	f.	2	30
35	irrorea.	—	—	10
36	Lobulina.	m.f	1	—
37	luctifera.	m.f	—	45
38	*Luna. eleg.*	m.	5	—
39	lunigera.	m.f	1	20
40	Luteola.	—	—	10
41	maculosa.	m.f	1	—
42	marginea. *B.*	—	—	24
43	mendica.	m.f	—	30
44	Morio.	m.f	—	20
45	mundana.	—	—	15
46	Muscerda.	—	—	30
47	*Neustria. aliquommod. distinct.*	m.	—	30
48	nivosa.	f.	—	45
49	Oleagina.	m.f	—	48
50	*opercularis. Sm.*	f.	3	—

			fl.	kr
51	Pavonia hybrida. *Zi.*	m.f	12	—
52	— — Pyri.	m.f	1	—
53	— — Spini.	f.	—	24
54	*pellucida. Sm.*	m.	2	16
55	*Phyllira.***Sm.*1.*Ant.*	—	2	—
56	*eadem.* * 2. *Ant.*	—	1	40
57	Plantaginis.	m.f	—	40
58	plumifera. *Zi.*	m.	—	20
59	*Polyphemus.*	m.f	4	—
60	Populifolia.	f.	1	10
61	*Promethea.*	m.f	4	—
62	Pruni.	m.f	1	20
63	*pulchella.*	—	—	40
64	Rimicola.	m.f	1	—
65	roscida.	m.f	—	24
66	rubicunda.	—	—	24
67	rubricollis.	—	—	24
68	Selenitica.	m.f	4	—
69	sericina. *Hyb.*	f.	—	45
70	Taraxaci.	m.f	2	30
71	Tau.	m.f	—	40
72	Torva. *Hyb.*	—	—	45
73	Tremula. *Hyb.*	—	—	20
74	Trifolii.	m.f	—	30
75	Ulmi.	m.f	—	40
76	*Velleda. Sm.*	f.	2	30
77	Velitaris. *E.*	m.f	2	—
78	versicolora.	m.f	—	48
79	villica.	m.f	—	40
	Geometra.			
80	Aceraria.	—	—	36
81	achatinata.	—	—	36
82	Advenaria.	—	—	15
83	Aescularia.	m.f.	—	15
84	albulata.	—	—	12
85	alchemilata.	—	—	10
86	alpinata.	—	—	15
87	Arenacearia.	—	—	15
88	Artesiaria.	—	—	24
89	aurantiaria.	—	—	20
90	Aureolaria.	—	—	7
91	Auroraria.	—	—	20
92	Aversaria.	—	—	12
93	badiata.	—	—	10
94	Bajularia.	—	—	24
95	berberata.	—	—	10
96	Betularia.	m.f	—	20
97	Carpinaria.	—	—	20
98	centaureata.	—	—	7
99	cinctaria.	—	—	7
100	cineraria.	—	—	10
101	*clemataria. Sm.* *	—	1	12
102	coarctata.	—	—	12
103	consignata.	—	—	10
104	Conspicuaria.	—	—	30
105	Crepuscularia.	—	—	10
106	*Cribraria. C.*	—	1	12
107	decussaria.	—	—	30
108	defoliaria.	m.f	—	20
109	dilutata.	—	—	20
110	diversaria.	—	—	20
111	dolabraria.	—	—	20
112	elinguaria.	—	—	12
113	emarginaria.	—	—	10
114	fasciaria.	—	—	15
115	flameolaria. *B.*	—	—	24
116	Turvaria.	—	—	15
117	grisearia.	—	—	10
118	hastata.	—	—	30
119	hexapterata.	—	—	10
120	hispidaria.	m.f	—	40
121	illibata.	—	—	24
122	illunaria.	—	—	15
123	illustraria.	—	—	15
124	impluviata.	—	—	10
125	imutaria.	—	—	10
126	laevigaria.	—	—	20
127	Leucophearia.	m.f	—	48
128	Lichenaria.	m.	—	18
129	ligustrata.	—	—	15
130	Lituraria.	—	—	29
131	lunaria.	—	—	15
132	lutearia.	—	—	10
133	Margaritaria.	f.	—	24
134	moniliaria.	—	—	15
135	murinaria.	—	—	10
136	nivearia.	—	—	20
137	notataria.	—	—	24
138	obfuscaria.	—	—	30
139	obliquata.	—	—	20
140	obscuraria.	—	—	20
141	parallelaria.	—	—	30
142	Pennaria.	m.f	—	20
143	Petraria.	—	—	30
144	pilosaria.	m.f	—	24
145	Pinetaria.	—	—	24
146	Piniaria.	m.f	—	40
147	Plumaria.	m.	—	18
148	polycomata.	—	—	24
149	polygramata.	—	—	24
150	Pomonaria.	m.f	1	—
151	populata.	—	—	10
152	procellata.	—	—	10
153	Prodromaria.	m.f	—	20
154	progemaria.	—	—	15
155	propugnata.	—	—	12
156	Prunaria.	—	—	10
157	Pulveraria.	f.	—	20
158	Punctularia.	—	—	15
159	Pusillaria.	—	—	10
160	4. fasciata.	—	—	18
161	repandaria.	—	—	15
162	Rhamnata.	—	—	15
163	Rhomboidaria.	—	—	10
164	Rubidata.	—	—	10
165	Rupicapraria.	—	—	34
166	russata.	—	—	15
167	rusticata.	—	—	10
168	Scutellaria.	—	—	15
169	secundaria.	—	—	48
170	selenaria.	m.	—	45
171	spartiata.	—	—	36
172	Syringaria.	—	—	15
173	tersata.	—	—	15
174	3. linearia. *B.*	—	—	34
175	tristata.	—	—	15
176	Ulmaria.	m.f	1	—
177	variata.	—	—	20
178	Vetulata.	m.f	—	30
179	Vitalbata.	—	—	24
180	Zonaria.	m.f	—	40
	Noctua.			
181	Abrotani.	—	—	30
182	Absynthii.	m.f	—	24
183	Acetosellae.	f.	—	40
184	Advena.	—	—	20
185	Affinis.	—	—	10
186	Albimacula. *B.*	—	—	40
187	Algae.	f.	1	10
188	Alsines.	—	—	20
189	*Amasia. Sm.*	—	1	30
190	Artemisiae.	—	—	50
191	Asclepiadis.	—	—	30
192	Asteris.	—	2	—
193	atratula.	—	—	15
194	Augur. *Hyb.*	—	1	—
195	Basilinea.	—	—	20
196	Batis.	—	—	20
197	2. maculosa.	m.f	—	45
198	2. punctata.	—	—	30
199	Biriva. *W. V.*	—	1	10
200	Bractea.	—	1	30
201	brunnea. *Hyb.*	—	—	45
202	Caecimacula.	—	—	24
203	Caesia.	—	—	40
204	Calcites. *	—	—	40
205	*Cammelina. Sm.*	—	2	16
206	candidula.	—	—	20
207	Câspincula.	—	—	24
208	Cardui.	—	—	45
209	Cerago.	p.	—	20
210	Cespitis.	—	—	40
211	Chrysozona. *B.*	—	—	30
212	Circumflexa.	—	—	20
213	Citrago. *Hyb.*	—	—	30
214	Coma.	m.f	—	48
215	Compta. *B.*	—	—	40
216	conformis.	—	—	20
217	*Consors. Sm.*	—	2	—
218	convergens.	—	—	20
219	corticea. *W. V.*	—	—	40
220	Croceago.	—	—	15
221	cruda.	—	—	40
222	cubicularis.	—	—	15
223	Culta.	—	—	40
224	Deceptricula. *Hyb.*	—	—	24
225	decora.	—	—	40
226	Delphinii.	—	—	50
227	derasa.	—	—	36
228	diluta.	—	—	40
229	Ditrapezium. *Hyb.*	—	—	48
230	divergens.	—	2	—
231	Echii.	—	1	20
232	Electa.	—	—	20
233	exoleta.	f.	—	10
234	Festucae.	—	—	30
235	Fimbria.	—	—	20
236	Flavago.	m.f	1	—
237	flavicincta.	—	1	—
238	flavicornis.	—	—	10
239	Fraterna. *B.*	—	1	40
240	Fraudatricula. *Hyb.*	—	—	20
241	Fraxini.	—	—	30
242	*Gaurae. Sm.*	—	2	30
243	Gilvago.	p.	—	30
244	Haematidea. *Zi.*	—	—	40
245	*hastulifera. Sm.*	—	2	—
246	Herbida.	—	—	45
247	Hymenea.	—	1	30
248	Hyperici.	—	—	30
249	Janthina.	—	—	20

			fl.	kr
250	*Ilia C.*	—	1	45
251	Interrogationis. *Hyb.*	—	—	45
252	Jota. *Hyb.*	—	1	—
253	leporina.	m.f	1	20
254	leucostigma. *E.*	—	—	40
255	Lichenis.	—	—	30
256	Ligustri.	—	—	24
257	linogrisea.	—	—	40
258	lythoxilea.	m.f	1	20
259	Litura.	—	—	20
260	livida.	—	1	20
261	lota. *E.*	—	—	30
262	lucifuga. *W. V.*	—	—	30
263	lucipara.	—	—	30
264	lucipeta.	—	1	30
265	lunaris.	m.f	1	20
266	lusoria.	—	—	30
267	Luteago. *Hyb.*	—	—	40
268	Nymphagoga. *	—	—	30
269	Nymphea. *	—	1	30
270	occulta.	—	—	40
271	octuagesima. *Hyb.*	—	1	30
272	ochroleuca.	—	—	30
273	olivea.	—	—	12
274	Ononis.	—	—	17
275	Oo.	—	—	12
276	Paleago. *Hyb.*	—	—	20
277	Paranympha.	m.f	1	8
278	peltigera.	—	1	—
279	perspicillaris.	—	—	30
280	Petroriza. *B.*	—	—	24
281	Phragmitidis. *Zi.*	—	1	30
282	Plecta.	—	—	20
283	polygona.	—	—	24
284	polymita. *W. V.*	—	—	40
285	Polyodon.	—	—	20
286	Promissa.	—	—	20
287	prunea.	—	—	40
288	Puella.	—	—	10
289	pulverulenta.	—	—	20
290	Punica. *B.*	—	—	24
291	putris. *Hyb.*	—	—	40
292	Pyralina.	—	—	45
293	Pyrophila.	—	—	30
294	ravida.	—	—	30
295	Receptricula. *Hyb.*	—	—	24
296	rubiginea.	—	—	30
297	rubricans.	m.f	1	20
298	rufina.	—	—	48
299	Rutilago. *Hyb.*	—	—	30

			fl.	kr
300	Saponariae.	—	—	15
301	scutosa.	m.f	1	20
302	secalina.	—	—	12
303	serena.	—	—	20
304	Sigma. *Hyb.*	—	—	45
305	signifera. *W. V.*	—	—	45
306	Silago. *Hyb.*	—	—	30
307	Spoliatricula. *Hyb.*	—	—	30
308	Sponsa.	—	—	24
309	spuria. *Hyb.*	—	—	15
310	subsequa.	—	—	15
311	subtusa.	—	—	24
312	Tanaceti. *B.*	—	—	30
313	tenebricosa. *Hyb.*	—	1	—
314	testacea.	—	—	40
315	Tetra.	—	—	20
316	texta.	—	—	40
317	triangularis. *	—	1	—
318	triquetra.	—	—	30
319	Tritici.	—	—	45
320	Typhae.	—	1	—
321	Unca.	—	—	20
322	Valligera. *Hyb.*	—	—	40
323	*Vidua. Sm.*	—	4	—
324	virens.	—	—	30
325	V. punctatum.	—	—	40

Papilio.

			fl.	kr
326	Aceris.	—	1	—
327	Actea.	—	2	30
328	Admethus.	—	—	40
329	*Agamemnon. C.*	—	2	—
330	*Ajax.*	—	1	12
331	*Alceste? C.*	—	1	8
332	Alcyone.	m.f	—	40
333	*Almana.* **	—	—	24
334	Alveolus. *Hyb.*	—	—	24
335	Alveus. *Hyb.*	—	—	20
336	*Anthonoe. C.*	—	—	45
337	*Aonis. C.*	—	1	8
338	Apollo.	m.f	—	24
339	Alionia.	m.	1	—
340	eadem.	f.	1	20
341	Arachne. *Hyb.*	m.	—	40
342	eadem.	f.	1	8
343	*Arbates. C.*	m.	2	—
344	*Archippus.*	—	—	36
345	*areolatus. Sm.*	—	1	30
346	*Arete. C.*	—	1	—
347	*Ariadne.**	—	1	12
348	Artemis.	—	—	20

			fl.	kr
349	*Asteriae.*	m.f	1	30
350	*Batylus. Sm.*	—	1	12
351	Belemia.	—	2	30
352	*Belia.*	m.f	3	—
353	Boeticus.	—	1	—
354	*Bolina.*	—	2	—
355	*C. aureum.*	—	2	30
356	*Cardamines.*	m.	—	17
357	*Castor.* *	—	2	—
358	*Catilina. C**	—	1	8
359	*Cato.* *	—	1	30
360	*Catullus.*	—	—	45
361	Celtis.	—	4	—
362	Cerasi.	—	—	15
363	Ceronus. *Hyb.*	m.f	—	45
364	*Chalcas.*	—	1	30
365	Chloris.	—	—	12
366	Chryseis.	m.f	—	24
367	*Chrysippus.*	—	—	40
368	Chrysoteme.	m.f	2	8
369	Cleo. *Hyb.*	—	1	—
370	Cleodoxa.	m.f	1	8
371	Cleopatra.	—	2	30
372	Corythalia. *Hyb.*	—	—	30
373	*Cupido.*	—	—	48
374	*Cyprea.*	—	—	40
375	*Damocles.* *	—	3	—
376	Dejanira.	—	—	10
377	*Delia C.*	—	1	8
378	*Druryi. M.Dr.* t.13. f. 4. 5.	—	1	12
379	*Eleusina. C.*	—	—	45
380	*Enothrea.* *	—	1	30
381	*Epius.*	—	1	—
382	Eupheno.	m.	1	30
383	— —	f.	1	40
384	Europome.	m.	1	—
385	Eva. **	—	1	—
386	Fauna.	—	—	36
387	Fidia.	—	3	—
388	*Flessus.* *	—	—	30
389	*Genutia. C.* *.	m.	—	40
390	*Glaucus.*	m.	2	—
391	Geticus.	—	1	30
392	Gorge. *Hyb.*	—	1	40
393	*Helena.*	—	8	—
394	*Helenor. C.*	—	4	—
395	Hermione.	m.f	—	20
396	Herse.	m.f	1	—
397	*Hilarius. C.* *	—	1	—
398	*Hiparete.*	—	1	12

			fl.	kr
399	Hypothoae.	—	—	10
400	Ida.	m.f	1	40
401	*Ilioneus.*	—	5	—
402	Ino. *B.*	m.f	1	8
403	Iphis. *Hyb.* var.	m.f	—	24
404	Iris ilia.	—	—	17
405	— Junonia.	—	—	20
406	— lutea.	—	—	17
407	*Jupiter.* **	—	1	8
408	L. album.	—	1	—
409	Lampetie.	—	—	20
410	Laomedia.	—	1	—
411	Lavatherae.	—	—	30
412	*Leilus.*	—	1	45
413	*Leonidas.*	—	1	30
414	Leucomelas.	—	1	—
415	*Leuçothoae. C.*	—	—	40
416	*Licas.*	—	1	8
417	ligea.	f.	—	24
418	*Liger.*	—	2	16
419	*Liria.*	—	3	—
420	Lucilla.	—	1	15
421	*Lysander. C.*	—	1	30
422	Melampus.	—	1	—
423	*Melicerta. Agatha. C.**	—	1	8
424	*Melpomene.*	—	—	40
425	*Memnon.*	—	2	30
426	*Merione.* **	—	—	30
427	*Merope.* ** *Cauda* 1. *fract.*	—	2	30
428	Mnemosine.	m.f	1	—
429	montanus. *Zi.*	—	—	24
430	*Monuste.*	—	—	45
431	*Mutius.*	—	4	—
432	Napi. *Var. Hyb.*	m.	—	40
433	— — —	f.	1	—
434	*Nicippe.*	—	—	48
435	Norna. * †	—	—	30
436	*notatus. M. ex Georg. Maj. Hecabe. Alae. antic. nig. fasc. flav. nig. notat. posti. flav. margin. nig. subt. flav. ocell. argent.* 6.	—	2	30
437	*Orythia.*	—	1	8
438	*Pammon.*	—	1	—
439	Pandora.	—	—	34
440	*Panthous.*	—	15	—
441	*Passiflorae.*	—	2	30

			fl.	kr
442	*Pelops.* * *Ant.*	—	—	24
443	Phaedra.	—	—	15
444	*Phalantha.* *	—	—	36
445	Phicomone.	—	1	30
446	Philea. *Hyb.*	—	1	30
447	*Philenor.*	m.	3	—
448	*Philis.* *	—	2	16
449	Phoebe.	—	—	24
450	*Phorcas. C.*	—	4	—
451	*Phrygne.*	—	—	40
452	*Pipleis.*	—	4	30
453	*Plexippus.*	—	—	34
454	*Polydamas.*	—	2	16
455	*Polydorus.*	—	1	12
456	Polymeda. *Var. Arete. Sc.*	—	—	40
457	Polysperchon.	m.f	—	40
458	*Polytes.* *	—	1	—
459	Polyxena.	—	—	24
460	Populi.	m.	—	30
461	*Priamus.*	—	12	—
462	Proserpina.	—	—	10
463	Pyrrha. *Hyb.*	m.	—	40
464	— —	f.	1	—
465	Quercus.	m.f	—	24
466	— *Var. mac. flav.*	—	—	36
467	*Quirina. C.*	—	1	—
468	*Remus.*	—	5	—
469	Rumina.	f.	2	—
470	Salome.	—	1	—
471	Sao.	—	—	15
472	*Serena.* †	—	—	40
473	*Sesostris. C.*	—	1	30
474	*Sichaeus. C.*	—	2	16
475	*similis.*	—	—	50
476	Steropes.	—	—	20
477	Telicanus.	m.	1	8
478	— —	f.	1	20
479	Tersamon.	—	—	20
480	*Thoas.*	—	5	—
481	*Troilus.*	m.f	3	—
482	Tullia. *Hyb.*	—	—	24
483	*Turnus.*	—	3	—
484	*Ulysses.*	—	6	—
465	*undularis.* *	—	2	—
486	V. album.	—	1	—
487	*Vanillae. C.*	—	—	40
488	*Violae.*	—	—	40
489	W. latinum.	—	—	24
	Pyralis.			
490	albidalis.	—	—	20

			fl.	kr
491	alpestralis.	—	—	15
492	alpinalis.	—	—	20
493	anguinalis.	—	—	20
494	angustalis.	—	—	12
495	*argentalis. C.*	—	—	48
496	bombycalis.	f.	—	20
497	calvarialis.	—	—	36
498	cineralis.	—	—	12
499	crassalis.	—	—	40
500	dentalis.	—	—	15
501	emortualis.	—	—	15
502	fascialis.	—	—	20
503	flamealis.	—	—	12
504	formosissimalis.	—	1	8
505	forficalis.	—	—	10
506	glabralis.	—	—	20
507	guttalis.	—	—	15
508	hyalinalis.	—	—	20
509	leucophealis.	—	—	15
510	lividalis.	—	—	30
511	nigralis.	—	—	12
512	nivealis.	—	—	24
513	normalis.	—	—	15
514	nubilalis.	—	—	20
515	pallealis.	—	—	20
516	palliolalis.	—	—	10
517	pollinalis.	—	—	10
518	porphyralis.	—	—	15
519	Potogomalis.	—	—	15
520	repandalis.	—	—	15
521	rubidalis.	—	—	15
522	rubiginalis.	—	—	20
523	Salicalis.	—	—	12
524	silacealis.	—	—	24
525	Sophialis	—	—	15
526	stratiatalis.	—	—	10
527	tarsiplumalis.	—	—	24
528	tentaculalis.	—	—	15
529	trinalis.	—	—	15
	Sphinx.			
530	appendiculata.	m.f	1	12
531	asiliformis.	—	—	30
532	Astragali.	—	—	30
533	Atropos.	—	—	24
534	Bibioniformis. *Hyb.*	—	—	30
535	*Carolina.*	—	2	16
536	Celerio.	—	4	30
537	*eadem ex Amer. eleg.*	—	5	—
538	Conopiformis.	—	—	30
539	*Convolvuli ex Amer.*	—	1	—
540	Cynarae.	—	1	15

			fl.	kr
541	*Cyssea. C.*	—	—	48
542	*didyma.*	—	3	—
543	*Drancus. C.*	—	3	—
544	Empiformis.	—	—	12
545	fausta.	—	—	40
546	fenestrina.	—	—	7
547	*Ficus.* *	—	2	—
548	fuciformis.	—	—	12
549	*Hilas.*	—	1	—
550	*Hirteiformis. M. ex Georg. atra, Ant. et Alar. antic. apice, Abdom. fasc. et ano barbat. et pedib. fulv.*	—	1	30
551	laeta. *Hyb.*	—	4	30
552	lineata.	—	4	30
553	Loti. *B.*	—	—	20
554	*marginata. M.*	—	3	—
555	*Myron. C.*	—	2	30
556	Nerii.	—	8	—
557	eadem. *min. eleg.*	—	5	30
558	Oestriformis.	—	—	30
559	eadem. * ½. *Ant.*	—	—	17
560	*Pelasgus. C.*	—	4	—
561	Phegea.	—	—	10
562	Pinnastri.	—	—	12
563	*Polymena.*	—	1	30
564	Rhadamantus.	—	2	30
565	Quercus. *	—	6	—
566	Scabiosae.	p.	—	24
567	Spheciformis.	—	—	40
568	Sireciformis.	—	—	30
569	Transalpina.	—	1	—
570	Trifolii.	f.	—	30
571	Veronicae.	—	1	20
572	eadem. *Var. mac. rubr.*	—	1	30
573	Vespiformis.	—	—	40
574	Viciae. *W. V.*	—	—	30
	Tinea.			
575	aenella.	—	—	15
576	Annella. *Hyb.*	—	—	30
577	Anthracinella.	—	—	10
578	Boletella.	—	1	—
579	Carmelitella.	—	—	12
580	Colonella.	—	—	20
581	Conchella.	—	—	10
582	Consortella.	—	—	30
583	Cribrella.	—	—	10

			fl.	kr
584	Criptella.	—	—	12
585	Cristella.	—	—	15
586	Cultrella.	—	—	24
587	cuspidella.	—	—	20
588	disparella. *Zi.*	m.f	1	20
589	Fagella.	—	—	7
590	fissella.	—	—	10
591	Friganella.	—	—	12
592	funerella.	—	—	10
593	emulella.	—	—	20
594	Esperella.	—	—	30
595	Gilvella.	—	—	15
596	illustrella.	—	—	15
597	lignella.	—	—	10
598	lobella.	—	—	10
599	Masculella.	—	—	10
600	Margaritella.	—	—	20
601	Merianella.	—	—	10
602	Palumbella.	—	—	10
603	Perlella.	—	—	10
604	petrificella.	—	—	18
605	Plumella.	—	—	10
606	procerella.	—	—	12
607	pterodactylella.	—	—	20
608	Pyralella.	—	—	15
609	reticulella. *Zi.*	—	—	36
610	Schlemerella.	—	—	24
611	Sociella.	—	—	20
612	Sturmella. *M.*	—	—	20
613	Sulzella.	—	—	10
614	Taurella.	m.	—	24
615	Tigrella. *Zi.*	—	—	24
616	Tribunella.	—	—	24
617	Verucella.	—	—	15
618	Vinetella.	—	—	20
619	Wenzelidella. *Zi.*	—	—	15

NEUROPTERA.

			fl.	kr
	Agrion.			
1	*americana.*	—	—	48
	Ascalaphus.			
2	*appendiculatus.*	—	3	—
3	Barbarus.	m.f	—	48
4	*pallidus.*	—	1	8
	Dyptila.			
5	Lusitanica. *Ill.*	—	2	—

No.			fl.	kr
	Ephemera.			
6	horaria.	—	—	15
	Hemerobius.			
7	maculatus.	p.	—	17
	Libellula.			
8	2. *fasciata.*	m.	—	51
9	*divisimacula. M.*	—	—	50
10	*equestris.*	—	—	48
11	*Indica.*	—	—	51
12	*lineata.*	—	—	30
13	*Murcia.*	—	1	30
14	4. *notata.*	—	—	48
15	*vibrans.*	—	—	34
	Myrmeleon.			
16	Libelluloides.	—	—	51
	Phryganea.			
17	reticulata.	—	—	15
	HYMENOPTERA.			
	Andrena.			
1	bicolor.	p.	—	10
2	helvola.	p.	—	10
3	hirtipes.	p.	—	30
4	lobata. *P.*	m.f	—	17
5	marginalis. *M.*	p.	—	14
6	minuta. *M.*	—	—	8
7	plumipes. *P.*	—	—	17
8	4. fasciata. *M.*	—	—	15
9	succincta.	p.	—	10
10	vulpina. *M.*	—	—	7
	Apis.			
11	adunca.	—	—	30
12	aegrota.	p.	—	24
13	*aestuans.*	—	—	30
14	Agrorum.	p.	—	10
15	aprica.	—	—	17
16	aterrima.	—	—	17
17	bicornis.	p.	—	14
18	2. maculata. *P.*	—	—	12
19	*Brasilianorum.*	—	1	—
20	*Caffra.*	—	—	36

No.			fl.	kr
21	Calendarum. *P.*	—	—	7
22	centuncularis.	p.	—	7
23	cinerea.	—	—	7
24	conica.	p.	—	14
25	farfarisequa. *P.*	p.	—	12
26	haemorrhoa.	m.f	—	10
27	Lagopoda.	p.	—	12
28	Lapponica.	m.f	—	30
29	leporina.	—	—	17
30	maculata.	p.	—	7
31	manicata.	p.	—	17
32	*Morio.*	—	1	—
33	pacifica. *P.*	p.	—	36
34	pilipes.	—	—	17
35	punctata.	—	—	12
36	pygmaea.	—	—	6
37	4. dentata.	p.	—	12
38	rotundata.	p.	—	14
39	rufa.	p.	—	12
40	Sylvarum.	—	—	7
41	Taurus.	—	—	7
42	tuberculata.	—	—	20
	Banchus.			
43	pictus.	p.	—	17
44	Venator.	p.	—	14
45	Viridator. *F.*	—	—	17
	Bembex.			
46	*Americana.*	—	2	45
47	*Carolina.*	—	2	16
48	*glauca.*	—	1	30
49	rostrata.	m.f	—	40
	Chalcis.			
50	minuta.	p.	—	10
	Chrysis.			
51	aurata.	p.	—	7
52	cyanea.	p.	—	7
53	lucidula.	—	—	7
54	purpurata.	—	1	—
	Crabro.			
55	clypeatus.	m.	—	7
56	cribrarius.	m.f	—	10
57	palmatus. *P.*	m.f	—	10
58	peltatus.	m.f	—	10
59	pictus.	m.	—	20
60	pterotus. *P.*	m.f	1	—
61	signatus.	—	—	7

No.			fl.	kr
62	spinosus.	—	—	10
63	3. maculatus. *R.*	—	—	10
64	uniglumis.	p.	—	7
65	vagus.	p.	—	10
66	vexillatus. *P.*	p.	—	12
	Cynips.			
67	adscendens.	m.f	—	48
68	aptera.	p.	—	7
69	compressa.	p.	—	20
70	Quercus Folii.	p.	—	17
	Eucera.			
71	linguaria.	—	—	10
72	longicornis.	—	—	7
	Evania.			
73	maculata.	p.	—	30
74	minuta.	—	1	—
	Foenus.			
75	Assectator.	m.	—	7
76	Jaculator.	f.	—	7
	Formica.			
77	Herculeana.	—	—	6
78	rufitarsis. *F.*	—	—	7
79	nigra.	p.	—	6
	Hylaeus.			
80	albipes.	p.	—	7
81	annulatus.	p.	—	7
82	Arbustorum. *P.*	p.	—	24
83	cylindricus.	—	—	6
84	florisomnis.	p.	—	7
85	maxillosus.	p.	—	6
86	6. cinctus.	p.	—	12
87	Truncorum.	p.	—	10
	Ichneumon.			
88	Arundinis. *F.*	p.	—	15
89	Clavator.	p.	—	7
90	Comitator.	—	—	7
91	Confiscatorius. *F.*	—	—	20
92	Comitator.	—	—	7
93	Denigrator.	p.	—	12
94	Dubitator. *P.*	—	—	12
95	Extensor.	p.	—	12
96	Infractor.	p.	—	24
97	Luctatorius.	p.	—	6
98	Manducator. *P.*	—	—	10

No.			fl.	kr
99	Motatorius.	p.	—	6
100	Oculator.	m.f	—	12
101	Ornatorius. *P.*	p.	—	12
102	Pisorius.	—	—	10
103	Sarcitorius.	p.	—	7
104	Sponsor.	p.	—	12
105	Sputator.	—	—	7
	Leucospis.			
106	dorsigera.	m.	—	12
	Mellinus.			
107	campestris.	—		12
108	frontalis.	—	—	12
109	5. cinctus.	p.	—	17
110	sabulosus.	—	—	10
	Mutilla.			
111	*fasciata.*	—	2	—
112	*vulpina.*	—	2	16
	Myrmosa.			
113	atra. *P.*	—	—	15
	Nomada.			
114	Jacobea. *P.*	p.	—	48
115	ruficornis.	p.	—	6
116	Solidaginis.	—	—	20
117	succincta.	—	—	12
	Ophion.			
118	Cultellator.	—	—	12
119	Cunctator.	p.	—	12
120	Flagellator.	p.	—	15
121	glaucopterus.	—	—	6
122	Jocator.	—	—	7
123	obscurus. *F.*	p.	—	12
124	ramidulus.	—	—	6
	Oryssus.			
125	Vespertilio.	m.f	—	20
	Philanthus.			
126	labiatus. *P.*	—	—	10
127	pictus. *P.*	p.	—	16
128	4. cinctus.	p.	—	16
129	5. — —	—	—	7
	Pompilus.			
130	2. punctatus.	p.	—	10
131	exaltatus.	p.	—	7

No.			fl.	kr
132	femoratus. *G.*	—	—	24
133	guttatus.	—	—	17
134	niger.	—	—	10
135	6. guttatus.	m.f	—	20
136	3. color.	—	—	24
137	viaticus.	p.	—	7
	Scolia.			
138	flavifrons.	—	—	17
139	Prisma.	—	—	7
140	4. punctata.	m.f	—	30
141	5. — —	—	—	15
142	6. cincta.	—	—	45
143	3. *cincta. M. aff.* 4. *punct. atra, thor. mac. Abdo. fasc.* 3 *et pedib. fulv.*	—	1	8
	Sirex.			
144	*Columbina.*	—	1	8
145	Dromedarius.	f.	—	12
146	Spectrum.	m.f	—	20
147	tabidus.	—	—	20
	Sphex.			
148	atra.	p.	—	17
149	Figulus.	p.	—	7
150	*lobata.*	—	—	48
151	*Pensylvanica.*	—	—	51
152	Spirifex.	p.	—	20
153	*violacea.*	—	—	30
	Tenthredo.			
154	Abietis.	—	—	7
155	albicornis.	p.	—	14
156	Amerinae.	p.	—	10
157	atra.	p.	—	7
158	2. fasciata. *Vil.*	p.	—	12
159	blanda.	p.	—	6
160	carbonaria.	p.	—	6
161	Carpini. *P.*	—	—	10
162	Cephalotes.	—	—	7
163	cincta.	p.	—	7
164	coerulescens.	m.f	—	7
165	crassa.	p.	—	7
166	12. punctata.	—	—	6
167	Enodis.	p.	—	6
168	Ephippium.	p.	—	7
169	erythrocephala.	—	—	7
170	ferra.	—	—	6
171	flavicornis.	—	—	6

No.			fl.	kr
172	Germanica.	p.	—	6
173	haematopus. *F.*	m.f	—	24
174	livida.	—	—	6
175	lutea.	m.f	—	24
176	marginata.	p.	—	17
177	nassata.	p.	—	6
178	nigra.	m.f	—	6
179	ovata.	p.	—	6
180	plagiocephala. *F.*	—	—	10
181	punctata.	—	—	7
182	Punctum.	p.	—	6
183	Rapae.	p.	—	7
184	Ribis. *Sr.*	m.f	—	7
185	Rosae.	p.	—	6
186	rufiventris.	m.f	—	14
187	rustica. s. carbonaria.	m.f	—	12
188	semicincta. *P.*	—	—	6
189	Stigma.	m.f	—	6
190	sylvatica.	m.f	—	6
191	ustulata.	m.f	—	12
192	viridis.	p.	—	7
	Tiphia.			
193	femorata.	p.	—	7
	Vespa.			
194	*affinis.*	—	—	51
195	*conica.*	—	—	34
196	Gallica.	p.	—	7
197	Germanica.	p.	—	7
198	*hebraea.*	—	2	16
199	pomiformis.	p.	—	16
200	quadrata. *P.*	p.	—	6
201	spinipes.	m.f	—	7
202	uniglumis.	—	—	6

DYPTERA.

No.			fl.	kr
	Anthrax.			
1	Belzebul.	p.	—	6
2	*Lar.*	—	—	5
3	Maura.	p.	—	6
4	Morio.	p.	—	6
5	Sabaeus.	—	—	15
6	variegata. *M.*	—	—	15
	Asilus.			
7	Ephippium.	f.	—	6
8	flavus.	m.f	—	7
9	fuliginosus.	p.	—	7
10	gibbosus.	m.	—	6
11	linearis.	p.	—	6
12	minutus.	p.	—	6
13	Pedemontanus.	m.f	—	7
	Bombylius.			
14	ater.	p.	—	6
15	sulphureus. *Mik.*	—	—	6
16	virescens.	p.	—	7
	Ceria.			
17	clavicornis.	m.f	—	30
18	conopsea. *L. Musca.*	p.	—	24
	Conops.			
19	flavipes.	p.	—	10
20	vesicularis.	—	—	7
	Diopsis.			
21	*Ichneumonea. H. Arch.*	—	2	30
	Empis.			
22	ciliata.	m.f	—	6
23	clavipes.	—	—	7
24	testacea. *F.*	—	—	7
	Hippobosca.			
25	*variegata. M.*	—	—	30
	Mulio.			
26	2. cinctus.	m.f	—	7
27	Ichneumoneus.	—	—	20
28	intermedius. *M.*	m.f	—	6
29	virens.	m.f	—	7
	Musca.			
30	arcuata.	p.	—	7
31	Argus.	p.	—	7
32	Bryoniae. *M.*	—	—	15
33	Centaureae.	p.	—	7
34	compressa.	—	—	6
35	filiformis.	p.	—	12
36	formosa. *P.*	p.	—	6
37	funebris.	—	—	7
38	grossa.	—	—	10

No.			fl.	kr
39	Lanio. *P.*	—	—	6
40	lateralis.	p.	—	6
41	Leptogaster. *P.*	p.	—	17
42	lineata.	p.	—	6
43	lobata. *F.*	—	—	12
44	ludifica.	p.	—	6
45	maculata.	p.	—	6
46	marginata.	—	—	6
47	reticulata.	p.	—	7
48	rivularis.	—	—	12
46	rotunda.	p.	—	6
50	Seminationes.	p.	—	6
51	stellata.	—	—	6
52	tessellata.	p.	—	5
53	vibrans.	p.	—	5
	Myopa.			
54	annulata.	p.	—	10
55	femorata. *F.*	p.	—	30
56	ferruginea.	p.	—	7
57	irrorata. *F.*	—	—	7
58	*undata. M.*	—	—	51
	Nemotellus.			
59	ater. *P.*	p.	—	12
60	auratus. *M.*	—	—	10
61	marginatus.	p.	—	12
62	uliginosus.	p.	—	12
	Oestrus.			
63	Ovis.	—	—	30
	Rhagio.			
64	oculatus. *F.*	—	—	30
	Rhingia.			
65	rostrata.	p.	—	7
	Sargus.			
66	genniculatus. *F.* *	—	—	12
	Sicus.			
67	errans.	—	—	15
68	ferruginea.	—	—	15
	Stratiomys.			
69	Ephippium.	—	—	7
70	Hypoleon.	m.f	—	7
71	mutica.	p.	—	7
72	splendens.	—	—	6
73	strigata.	m.f	—	7

			fl.	kr
74	3. lineata.	p.	—	10
75	viridula.	m.f	—	12
	Syrphus.			
76	apicalis. *M.*	—	—	17
77	2. fasciatus.	m.f	—	6
78	bombylans.	p.	—	6
79	coarctatus.	—	—	12
80	elongatus.	p.	—	10
81	femoratus. *P.*	p.	—	10
82	flavicans.	—	—	10
83	flavipes.	—	—	7
84	inanis.	p.	—	10
85	inflatus.	—	—	7
86	Lapponum.	—	—	24
87	micans.	—	—	7
88	mystaceus.	p.	—	10
89	padagricus.	p.	—	7
90	ruficornis.	m.f	—	10
91	rupestris. *P.*	m.f	—	30
92	sepulchralis.	p.	—	6
93	speciosus. *R.*	p.	—	10
94	spinipes.	m.f	—	12
95	Sylvarum.	p.	—	10
96	transfugus.	p.	—	6
97	3. color.	—	—	10
98	tristis.	—	—	6
99	variabilis.	p.	—	6
100	varius.	—	—	7
101	*violascens. M. Stat. specios. violaceo ater.*	—	—	40
102	Volvulus.	p.	—	14
	Tabanus.			
103	Austriacus. *F.*	—	—	17
104	Bromius.	—	—	6
105	*cinctus. M.*	—	1	[illegible]
106	Graecus.	m.f	—	[illegible]
107	*guttatus. M.*	—	1	[illegible]
108	Italicus.	m.f	—	20
109	*interruptus. M.*	—	—	45
110	Vituli. *F.*	—	—	17
	Thereva.			
111	analis. *P. Musca.*	p.	—	12
112	continua. *P. Musca.*	—	—	6
113	taeniata. *P. Musca.*	—	—	6

APTERA.

			fl.	kr
	Acarus.			
1	sanguisugus.	—		6
	Julus.			
2	*Indus.*	—	1	20
	Oniscus.			
3	Armadillo.	p.	—	7
4	Carniolicus. *M.*	p.	—	12
	Pediculus.			
5	Urogalli. *St.*	p.	—	6
	Scolopendra.			
6	*morsitans.*	—	1	12
	Scorpio.			
7	Europaeus.	—	—	20
8	*Capensis.*	—	1	30
9	*longicaudus. M.*	—	2	16

APPENDIX.

			fl.	kr
	Buprestis.			
1	Millefolii.	p.	—	30
	Cerambyx.			
2	*albitarsus.* * ½ *Ant.*	—	4	—
3	*depressus.*	—	1	—
4	*fasciatus.*	—	3	—
5	*longicornis. M. ex Georg. Stat. grisei.*	—	2	16
6	*scriptus.*	—	2	30
7	*idem.* * 1. *Ant.*	—	2	—
8	*vittatus.*	—	2	16
	Dircaea.			
9	4. guttata.	—	—	51
	Melolontha.			
10	*rubripes. M.*	—	2	30
11	*tarsata. M.*	—	2	30

Viennae, typis J. V. Degen.

APPENDIX

AD

CATALOGUM INSECTORUM, QUAE MENSE NOVEMBRIS MDCCCIII. AUCTIONIS LEGE VENDITA FUERE.

Monenda.

I. Die 14. et sequentibus Maji. 1804. alia Insectorum auctio erit, in qua non solum illa, hisce pagellis enumerata, sed — deletis absentibus speciebus Catalogi supra nominati - nempe COLEOPT. 4. 5. 6. 9. 10. 12. 13. 14. 18. 22. 23. 24. 26. 35. 42. 43. 47. 50. 52. 56. 59. 60. 61. 62. 65. 66. 68. 78. 80. 81. 87. 88. 90. 102. 104. 106. 109. 110. 111. 114. 117. 120. 121. 124. 125. 126. 134. 139. 141. 146. 148. 150. 151. 157. 158. 159. 160. 161. 162. 163. 165. 168. 169. 175. 177. 179. 183. 186. 187. 189. 191. 192. 193. 194. 195. 196. 197. 198. 201. 208. 210. 212. 213. 215. 217. 218. 219. 220. 221. 224. 225. 227. 242. 244. 245. 246. 247. 248. 259. 265. 270. 271. 276. 279. 280. 286. 294. 295. 299. 300. 348. 351. 363. 375. 379. 384. 386. 391. 394. 395. 396. 403. 408. 410. 411. 413. 414. 421. 424. 430. 432. 434. 435. 436. 437. 438. 440. 444. 445. 446. 449. 453. 458. 462. 463. 465. 473. 480. 486. 488. 490. 504. 505. 506. 508. 510. 512. 519. 521. 525. 532. 536. 541. 543. 544. 545. 546. 547. 548. 549. 550. 553. 555. 557. 559. 562. 563. 568. 569. 570. 571. 577. 580. 584. 586. 588. 590. 593. 595. 596. 598. 599. 602. 605. 608. 611. 612. 613. 615. 616. 617. 618. 619. 620. 630. 631. 635. 642. 643. 644. 645. 646. 649. 650. 655. 656. 658. 660. 661. 664. 666. 668. 669. 673. 674. 677. 678. 683. 684. 685. 688. 691. 692. 696. 702. 703. 704. 705. 706. 712 714. 716. 718. 723. 736. 737. 746. 751. 752. 757. 758. 765. 766. 768. 769. 770. 771. 780. 781. 782. 783. 786. 787. 793. 795. 798. 799. 808. 811. 814. 816. 826. 831. 833. 836. 840. 842. 843. 845. 852. 853. 854. 864. 866. 871. 878. 879. 881. 886. 900. 901. 902. 903. 908. 909. 921. 926. 927. 928. 929. 930. 931. 940. 941. 944. 945. 947. 949. 950. 953. 954. 956. 959. 960. 961. 962. 963. 965. 968. 970. 971. 972. 973. 974. 975. 979. 981. 982. 983. 993. 995. 996. 1001. 1005. 1006. 1013. 1015. 1016. 1017. 1018. 1023. 1025. 1028. 1029. 1030. 1032. 1033. 1037. 1038. 1040. 1042. 1046. 1047. 1050. 1055. 1056. 1057. 1058. 1060. 1063. 1064. 1065. 1066. 1071. 1076. 1080. 1081. 1089. 1098. 1100. 1105. 1106. 1108. 1111. 1112. 1120. 1125. 1126. 1134. 1135. 1136. 1140. 1143. 1146. 1150. 1155. 1158. 1162. 1164. 1165. 1166. 1187. 1192. 1194. 1195. 1196. 1197. 1201. 1202. 1211. 1212. 1213. 1215. 1227. 1228. 1231. 1237. 1243. 1244. 1247. 1252. 1253. 1260. 1275. 1277. 1282. 1283. 1284. 1285. 1286. 1287. 1288. 1290. 1292. 1294. 1297. 1300. 1303. 1305. 1308. 1311. 1315. 1316. 1318. 1334. 1337. 1340. 1343. 1344. 1351. 1352. 1355. 1356. 1358. 1361. 1362. 1363. 1364. 1365. 1369. 1372. 1376. 1377. 1380. 1381. 1389. 1396. 1398. 1399. 1401. 1402. 1404. 1406. 1410. 1411. 1413. 1416. 1417. 1418. 1430. 1437. 1438. 1440. 1444. 1450. 1451. 1452. 1453. 1458. 1460. 1475. 1480. 1482. 1485. 1489. 1490. 1491. 1492. 1494. 1496. 1497. 1498. 1499. 1500. 1502. 1503. 1504. 1505. 1512. 1520. 1521. 1522. 1528. 1529. 1530. 1534. 1539. 1540. 1541. 1542. 1544. 1547. 1549. 1550. 1553. 1554. HEMIPT. 3.

4. 9. 10. 11. 14. 16. 19. 20. 25. 26. 30. 33. 36. 40. 45. 50. 51. 53. 57. 58. 60. 61. 62. 63. 64. 72. 76. 77. 81. 82. 84. 85. 86. 88. 91. 92. 96. 97. 98. 100. 102. 103. 104. 108. LEPIDOPT. 1. 9. 13. 14. 15. 18. 19. 26. 32. 33. 36. 42. 46. 47. 48. 50. 51. 54. 55. 56. 59. 60. 61. 72. 76. 77. 88. 116. 128. 139. 150. 160. 189. 192. 204. 205. 217. 231. 235. 238. 239. 242. 245. 250. 255. 257, 264. 268. 269. 271. 300. 313. 323. 328. 329. 330. 331. 336. 345. 346. 350. 355. 357. 358. 359. 360. 361. 373. 375. 376. 379. 380. 382. 383. 384. 385. 388. 392. 393. 394. 397. 407. 413. 415. 4 6. 418. 422. 424. 425. 430. 431. 440. 442. 447. 448. 451. 452. 454. 458. 461. 467. 468. 472. 473. 474. 475. 480. 481. 483. 495. 504. 539. 541. 542. 543. 547. 550. 555. 560. 564. 570. 573. 592. 594. NEUROPT. 1. 2. 8. 9. 13. HYMENOPT. 2. 3. 9. 11. 12. 15. 16. 17. 19. 21. 25. 26. 27. 29. 30. 31. 33. 34. 36. 40. 42. 43. 44. 46. 47. 48. 50. 54. 55. 56. 57. 58. 59. 60. 61. 62. 63. 64. 65. 68. 69. 70. 73. 74. 75. 78. 80. 81. 82. 83. 86. 87. 89. 90. 91. 92. 93. 95. 96. 101. 102. 103. 104. 105. 108. 109. 111. 112. 113. 114. 116. 118. 119. 122. 126. 127. 128. 129. 131. 133. 135. 136. 137. 138. 141. 142. 143. 144. 145. 146. 147. 149. 151. 154. 155. 158. 159. 162. 166. 167. 180. 183. 185. 192. 193. 199. 200. DYPT. 5. 10. 17. 19. 20. 22. 27. 35. 49. 50. 57. 59. 63. 64. 65. 71. 72. 74. 86. 89. 96. 101. 110. 112. 113. APT. 3. 4. 5. APPEND. 2. 3. 5. 6. 9.

II. Signum † post nomen positum indicat, quod specimen in sinistro latere acu sit pertusum.

Nro.		Exemplaria.	Pretium Subhastationis. fl.	kr
	COLEOPTERA.			
	Altica.			
1	Aridella. *Monogr.*	—	—	12
2	calcarata. *Fr.*	—	—	12
3	Dalmatina. *M.*	p.	—	20
4	Lepidii. *Monogr.*	p.	—	20
5	Malvae. *Cr.*	p.	—	12
6	pallipes. *M.*	p.	—	14
	Anthophagus.			
7	niger. *M.*	—	—	20
	Apate.			
8	*muricata.*	—	1	—
9	scabrata. *Fr.*	—	—	48
	Aphodius.			
10	foetens. *Ol.*	—	—	17
11	4. maculatus.	p.	—	12
12	ventricosus. *Cr.* aff. elevat. minor.	—	—	30
	Apion.			
13	cyaneum.	p.	—	10
	Ateuchus.			
14	*cinctus.*	—	—	51
15	*Lei. var. vide Ol. scar. fulgid.*	—	2	30
16	*morbillosus.*	—	2	40
	Attelabus.			
17	coeruleus.	—	—	7
18	exilis. *M.*	—	—	12
	Bostrichus.			
19	Calygraphus.	p.	—	17
20	Chalcographus.	p.	—	15
21	Laricis.	p.	—	12
22	polygraphus.	p.	—	12
23	Typographus.	p.	—	7
24	villosus.	p.	—	15

Nro.		Exemplaria.	fl.	kr
	Brentus.			
25	*Anchorago.* * 2. *P.*	—	1	30
26	*formicarius.* antea Apion. brentiforme. *M.*	—	2	—
	Buprestis.			
27	linearis.	p.	—	12
	Byrrhus.			
28	ater.	—	—	20
29	Maurus. *M.*	—	—	30
	Calandra.			
30	Lymexylon.	—	—	10
31	*Phoenicis.*	—	3	—
	Cantharis.			
32	2. guttata.	—	—	6
33	cincta. *M.*	p.	—	24
34	fumata. *Hl.*	—	—	17
35	maculicornis. *M.*	—	—	15
36	nigricornis. *M.*	—	—	17
	Carabus.			
37	arvensis.	p.	—	15
38	idem *femor. rubr.*	p.	—	30
39	2. striatus. *M.*	—	—	17
40	brunnipes. *Cr.*	p.	—	10
41	consitus. *Hoff. aff. monil. sed. var. viola.*	—	1	30
42	Creutzeri.	m. f	4	30
43	cylindricus.	m. f	1	8
44	decorus. *P.*	p.	—	7
45	Doris. *P.*	—	—	12
46	exilis. *Hoff.*	p.	—	30
47	Fabricii. M.	m. f	3	30
48	fasciato-punctatus.	m. f	—	10
49	femoralis. *Cr.*	p.	—	17
50	festivus.	m. f	—	10
51	flammulatus.	p.	—	17
52	flavicornis.	m. f	—	30
53	fossulatus. *Pr.*	m. f	1	30
54	fulvipennis. *M.* †	—	1	—
55	fulvipes.	p.	—	20
56	fumigatus *Cr.*	p.	—	14
57	Gagates.	p.	—	7
58	gemmatus.	m. f	—	30
59	gibbus.	m. f	—	12
60	glabratus.	m. f	—	40
61	Goldeggii. *M. Min. Scheidl. Margin. cupre.* †	—	3	—
62	haemorrhoidalis.	p.	—	20
63	Hellwigii. M.	m. f	1	—
64	Hoffmannseggii, *P. antea. Cossyphod. M.*	—	—	50
65	hortensis.	m. f	—	20
66	humeralis.	p.	—	7
67	Hungaricus.	—	—	24
68	ignavus. *Cr.*	p.	—	20
69	Illigeri. *M.*	m. f	1	—
70	*impressus.*	—	1	—
71	idem. *Ill.*	p.	—	20
72	interceptus. *Hl.*	—	1	8
73	irregularis.	m. f	1	20
74	Jurine. *P. antea cupripenn. M.*	m. f	1	—
75	*limbatus M.*	—	—	45
76	lunulatus. *M.*	p.	—	12
77	Melas. *Cr.*	m. f	—	12
78	metallicus.	p.	—	6
79	miliaris.	—	—	20
80	minimus.	p.	—	14
81	modestus. f. Cursor.	p.	—	20
82	monilis. *var. viola.*	—	1	30
83	— *var. atra.*	—	1	30
84	picipes.	—	—	15
85	pulchellus. *P.*	p.	—	12
86	*integer.*	—	—	30
87	4. maculatus.	—	—	24
88	4. striatus. *Sr.*	p.	—	8
89	Secalis. *Pay.*	—	—	7
90	Spilotus. *Ill.*	p.	—	24
91	Spinibarbis.	—	—	20
92	idem * 1/2 *Ant.*	—	—	15
93	Sturmii. *P.*	—	—	10
94	tardus.	—	—	7
95	Verbasci. *Cr.*	—	—	15
96	violaceus. *ex. Montib. Carpat.*	—	—	40
97	Zonatus. *P.*	m. f	—	40
	Gassida.			
98	*discors.* * *Ant. et P.*	—	1	45
99	*lateralis.*	—	1	30
100	pallida. *Pay.*	—	—	17
	Chrysomela.			
101	analis.	—	—	10
102	*aestuans.*	—	—	40
103	Nigritta.	—	—	15
104	tristis.	p.	—	14
	Clytus.			
105	bidens.	—	1	12
106	Verbasci.	—	—	7

No.	Name		fl.	kr
	Coccinella.			
107	aurita.	—	—	15
108	*dispar.*	—	—	50
109	lateralis. *Ill.* β	—	—	12
110	11. maculata.	—	—	20
111	variabilis *Ill.* γγ	—	—	12
	Colaspis.			
112	*fulvipes. M. ex Georg. Cupr. aenea, Ant. et ped. fulv.*	—	1	8
113	*laevigata.*	—	—	50
	Copris.			
114	*Guineensis.*	—	2	30
	Corynetes.			
115	scutellaris. *P.*	—	—	20
	Cryptocephalus			
116	10. punctatus.	—	—	24
117	flavescens.	—	—	24
118	flavilabris.	—	—	12
119	6. punctatus.	—	—	7
120	3. maculatus? *R.*	—	—	30
	Cucujus.			
121	depressus. †	—	2	30
122	idem. † * 1/2 *Elytr.*	—	—	50
123	flavipes.	p.	—	12
	Curculio.			
124	*affinis.*	—	1	---
125	Austriacus.	—	—	24
126	Chrysops ? *H. carinat M.*	—	—	48
127	crinitus. *H.*	p.	—	10
128	excoriatus. *Ill.*	—	—	48
129	flavicans. *M.*	—	—	30
130	Fruteti. *Cr.*	p.	—	17
131	gracilipes. *P.*	—	—	17
132	Herbstii. *M.*	—	—	48
133	hispidulus.	p.	—	7
134	inflatus. *M.*	—	—	24
135	maxillosus. ſ. articulat.	—	—	24
136	parvulus.	p.	—	6
137	planirostris. *P.*	p.	—	20
138	squamosus. *Kn.*	p.	—	12
139	subrotundus. M.	—	—	30
140	sulcifrons. *M.*	p.	—	12
141	*tomentosus.*	—	1	---
142	vulgaris. *Cr.*	—	—	7
	Cyphon.			
143	lividus.	p.	—	24

No.	Name		fl.	kr
144	marginatus.	—	—	15
	Dermestes.			
145	crenatus.	—	—	12
146	macelarius.	p.	—	10
147	Maegatoma.	—	—	10
	Diaperis.			
148	armata *M.* Brunn. Capit. bicornut.	—	1	—
	Donacia.			
149	clavipes.	—	—	10
150	impressa.	p.	—	12
151	pallustris. *P.*	p.	—	15
152	striata	m. f	—	30
	Dyticus.			
153	agilis.	p.	—	10
154	collaris. *P.*	p.	—	20
155	confluens.	—	—	7
156	elevatus. *Hl.*	—	—	40
157	erythrocephalus.	—	—	12
158	flavipes.	—	—	10
159	fusculus. *Ill.*	p.	—	10
160	gemminus.	p.	—	10
161	lituratus.	p.	—	12
162	notatus.	—	—	10
163	picipes.	p.	—	10
	Elaphrus.			
164	2. guttatus.	—	—	12
165	nubilus.	—	—	6
166	picipes. *M.*	—	—	12
	Elater.			
167	Aethiops. *Fr.*	—	—	20
168	2. *lineatus.*	—	—	54
169	cylindricus. *R.*	—	—	12
170	Equiseti. *P.*	p.	—	12
171	hirtus. *H.*	p.	—	7
172	marginellus. *M.*	—	—	30
173	Nigrita. *M.*	—	—	15
174	pusillus.	p.	—	10
175	variabilis.	p.	—	14
	Erotylus.			
176	*gemmatus. * Ant. et P.*	—	1	30
	Eumolpus.			
177	*compressicornis.*	—	1	50
178	*nitidus.*	—	—	50
	Galleruca.			
179	*abdominalis.**	—	—	10

No.	Name		fl.	kr
180	*Avicenniae* * *Ant. des.*	—	—	30
181	*Cayennensis.*	—	—	50
182	*marginella,*	—	—	50
	Geotrupes.			
183	*Centaurus.*	—	4	—
184	Hercules. * *T. arte. fact.*	m.	8	—
	Gyrinus.			
185	bicolor.	—	—	50
186	opacus. *M.*	—	—	17
	Helops.			
187	laevis.	—	3	—
	Hispa.			
188	atra.	p.	—	10
	Hister.			
189	bis 5. striatus. *M.*	—	—	17
190	brunnipes. *A.*	—	—	20
191	Globulus. *Cr.*	—	—	24
192	oblongus.	p.	—	10
193	punctatus. *Pay.*	—	—	20
194	punctulatus *Brahm*	—	—	50
195	pygmaeus.	p.	—	15
196	rugifrons. *Pay.*	—	1	—
197	virescens. *A.*	—	—	20
198	viridis. *M.*	—	—	20
	Hydrachna.			
199	gibba.	—	—	12
200	Hermanni.	—	1	30
201	ovalis.	—	—	12
	Hydrophilus			
202	aeneus.	—	—	20
203	Globulus. *Pay.*	—	—	12
204	haemorrhoidalis.	p.	—	15
205	pedicularius. *Fr.*	—	—	12
206	4. punctatus. *Fr.*	—	—	15
207	truncatellus.	—	—	17
	Hylesinus.			
208	crenatus.	—	—	12
	Lagria.			
209	*obscura.*	—	1	—
	Lamia.			
210	atomaria.	p.	—	36
	Latrobium.			
211	brunneum. *Gr.*	—	—	24
212	elongatum. *Gr.*	—	—	17
	Lema.			
213	*nigricornis.*	—	1	20

No.	Name		fl.	kr
	Leptura.			
214	*tenuicollis.*	—	1	30
	Lixus.			
215	*trilobus.*	—	1	—
	Lycus.			
216	Aurora.	—	—	10
217	*latissimus.* * *Ant. des.*	—	1	20
218	reticulatus. *M.*	—	1	8
219	rubens. *M.*	—	—	17
	Lytta.			
220	*melanocephala.*	—	2	—
221	Syriaca *Elytr. viola*	p.	—	20
	Malachius.			
222	analis. *P.*	—	—	7
223	marginalis. *M.*	p.	—	20
	Manticora.			
224	*maxillosa. * eleg. sed. Ant. falsis.*	—	9	—
	Melolontha.			
225	atra.	—	1	20
226	Fruticola.	—	—	10
	Melyris.			
227	*abdominalis.*	—	—	48
	Mylabris.			
228	3. maculata.	—	—	15
	Necydalis.			
229	annulata. *M.*	—	—	24
	Nitidula.			
230	discoidea.	p.	—	7
231	ferruginea.	p.	—	7
232	obscura.	—	—	6
	Omalium.			
233	rivulare. *Gr.*	—	—	7
	Onitis.			
234	*thoracicornis. M. Min. flaviped. nig. Thor. postice. cornut.*	—	3	—
	Oxyporus.			
235	lunulatus.	p.	—	12
236	3. maculatus.	—	—	12
	Parnus.			
237	cothurnatus. *Z.*	—	—	45
238	obscurus.	—	—	15

			fl.	kr
	Ptilinus.			
239	pectinicornis.	m. f	—	10
240	serratus.	—	—	12
	Ptinus.			
241	Fur.	p.	—	6
	Rhynchaenus.			
242	Absynthii. *P.*	p.	—	12
243	Artemisiae. *P.*	p.	—	12
244	callosus. *Fr.*	—	—	7
245	contaminatus. *H.*	—	—	20
246	haemorrhoidalis.	p.	—	15
247	melaraphus. *Hl.* †	—	—	45
248	olens. ? *saltem. Lysimachiae Nov. S.*	—	—	34
249	Solani.	—	—	17
250	*suillus.*	—	—	40
251	villosulus. *M.*	—	—	15
	Saperda.			
252	Lima. *Fr.*	—	2	30
253	3. punctata. * 1/2 *Ant.*	—	2	—
	Scarabaeus.			
254	*retusus. M.*	—	4	30
	Scarites.			
255	littoralis. *Cr. Entom. Vers.*	—	—	48
256	nigricornis. *M. Aff. thoraci.*	p.	—	14
	Sepidium.			
257	*rugosum.*	—	1	8
	Staphylinus.			
258	antennatus. *M.*	—	—	24
259	chalcocephalus.	—	—	7
260	hirtus.	p.	—	12
261	rufipennis. *M.*	—	—	15
262	tectus. *Pay.*	—	—	6
263	terminatus. *Gr. Latrob.*	—	—	15
	Stenocorus.			
264	*ruficollis. M. 1. Ant.*	—	1	45
	Tachinus.			
265	2. pustulatus. *Gr.*	—	—	15
266	sordidus. *Gr.*	p.	—	10
	Tenebrio.			
267	Juvenis. *Hl.*	—	1	8
	Trichius.			
268	Eremita.	p.	—	20

			fl.	kr
	HEMIPTERA.			
	Syrtis.			
1	*manicata.*	—	1	12
	LEPIDOPTERA.			
	Bombyx.			
1	Asela. B.	—	—	20
2	*aurantia. M. Aff. rubicund. Hyb. rosea. alar. postic. margin. nig.*	—	1	8
3	aureola. *Hyb.*	—	—	30
4	complecta. *Hyb.*	m. f	1	30
5	Dumeti.	m. f	1	40
6	Falcula.	p.	—	50
7	Hecta.	—	—	20
8	—	m. f	1	30
9	helvola *Hyb.*	m. f	—	48
10	irrorea. *Hyb.*	m. f	—	24
11	Lacertula.	p.	1	—
12	Matronula.	f.	1	30
13	Parasita.	f.	1	30
14	plumbeola. *Hyb.*	—	—	20
15	plumigera.	m. f	—	48
16	Populi.	m.	—	20
17	pudibunda.	f.	—	24
18	purpurea.	m. f	—	24
19	Querna.	m.	1	—
20	reclusa.	—	—	24
21	rubricollis.	m. f	—	48
22	Russula.	m. f	—	20
23	Sphinx. *Hyb.*	m. f	1	40
24	Spinula.	m. f	—	40
25	*superba. M. Aff. imbutae. Hyb. sed Alis post. uti in. Nro. 2.*	—	2	16
26	terrifica.	f.	2	—
27	*tricolor. M. Hab. deplanae, ciner. corp. roseo, alis. anti. flavo marginat.*	—	1	30
28	tripartita. B.	m. f	1	30
	Geometra.			
29	*aurita. M. Aff. petrariae. Hyb.*	—	1	8
30	bajaria.	m. f	—	30
31	caesiata.	—	—	45
32	capreolaria.	m. f	—	30
33	Chaerophyllata.	—	—	20
34	Chenopodiata.	—	—	15

			fl.	kr
35	coarctata *Hyb.*	m. f	—	30
36	consortaria *Hyb.*	p.	1	—
37	cruentaria. *B.*	m. f	—	30
38	dilutaria. *Hyb.*	—	—	20
39	elinguaria.	p.	—	30
40	emutuaria.	—	—	20
41	extensaria *Hyb.*	m. f	1	20
42	flavicaria. *W.* V.	p.	1	20
43	flexularia. *Hyb.*	p.	1	—
44	galiata.	—	—	10
45	gilvaria.	m. f	—	36
46	lignata.	—	—	30
47	marmorata. *Hyb.*	m. f	1	30
48	mensurata.	—	—	15
49	miaria.	m. f	—	30
50	montanata.	—	—	10
51	nigricaria.	—	—	24
52	nubilaria. *Hyb.*	—	3	—
53	ocellaria.	—	—	30
54	papilionaria.	—	—	24
55	plumaria.	m. f	1	—
56	pupillata.	—	—	30
57	rhomboidaria.	m. f	—	30
58	rivulata.	—	—	10
59	rubiginata.	—	—	10
60	rupestrata.	m. f	—	48
61	rupicapraria. *Hyb.* ?	m. f	1	8
62	salicata.	—	—	20
63	Sambucaria.	—	—	24
64	— —	m. f	1	—
65	smaragdaria. *Hyb.*	—	—	36
66	Syringaria.	m. f	1	—
67	taminaria. *Hyb.*	—	—	30
68	temeraria. *Hyb.*	—	—	30
69	tristata.	—	—	45
70	Ulmaria. *Hyb.*	m. f	1	—
71	vernaria.	m. f	—	36
72	vespertaria.	—	—	36
	Noctua.			
73	aprilina.	p.	—	50
74	Atriplicis.	—	—	30
75	Aurago.	m. f	—	50
76	— var.	m. f	—	50
77	auricoma. *W.* V.	p.	1	20
78	candidula.	—	—	20
79	Capsincola.	—	—	20
80	conigera.	—	—	24
81	consequa. *Hyb.*	—	1	—
82	Coryli. *Hyb.*	m. f	—	40
83	cruda.	—	—	30
84	diffinis.	m. f	—	40
85	dydima.	—	—	30

			fl.	kr
86	favilacea. *Hyb.*	—	1	30
87	Flamatra.	p.	—	40
88	Fragariae. *B.*	—	1	—
89	fumosa. *Hyb.*	m. f	—	40
90	gentilis.	—	—	30
91	Graminis.	p.	—	30
92	illustris. *Hyb.*	p.	1	20
93	lignosa. *Hyb.*	—	—	36
94	lota.	—	—	24
95	margaritacea.	—	—	40
96	meticulosa.	p.	—	45
97	miniosa.	—	—	40
98	*monilis. ? Fab.*	—	—	50
99	Myrtili.	—	—	40
100	*Neonympha. M. Hab. triquet. sed. aff. hymeneae.*	—	2	30
101	Nun atrum.	m. f	—	30
102	Oxyacanthae.	m. f	—	40
103	Parthenias.	—	—	15
104	Piniperda.	—	—	20
105	Pisi.	m. f	—	40
106	pistacina. *Hyb.*	—	—	40
107	porphyrea.	m. f	2	30
108	*Praecox.*	—	2	---
109	Protea. *W.* V.	m. f	—	45
110	pulmonaris.	—	—	40
111	putris.	—	—	40
112	Pyrophila.	—	—	30
113	ravida. *W.* V.	—	—	30
114	ridens. *Hyb.*	—	2	30
115	spadicea..	—	—	40
116	serena.	—	—	24
117	signifera. *Hyb.*	—	—	45
118	Silene. *W.* V.	—	—	40
119	Xantographa. *Hyb.*	—	—	40
	Papilio.			
120	Acteon.	—	—	20
121	*Alcander. M. Hab. Atalantae, sed. fulv. macul. nig.*	—	2	---
122	*Andromacha. M. Aff. Dejanirae.*	—	2	---
123	Aphirape.	m.	—	45
124	Arethusa.	m. f	—	30
125	Bellidice. *Zi.*	—	1	30
126	*Calisto. Eleg.*	—	5	---
127	Cetosia. *Hyb.*	m. f	2	30
128	*Corus.*	—	—	40
129	Euphrosina.	—	—	24
130	Freja.	---	1	---
131	Helle.	m. f	1	20

			fl.	kr
132	Hero.	—	—	15
133	Janthae. *Hyb.*	—	—	30
134	Lampetiae.	m.	—	20
135	Laodice.	—	1	15
136	*Lemonias.*	—	1	8
137	Manto. *Hyb.*	—	—	45
138	Selene.	—	—	24
139	Semele.	m. f	—	30
140	Sylvius.	—	—	40
141	Xantomelas.	—	1	30
142	*Xenophon M.Hab. Hyparete, nig. macul. oblong virid. alb.*	—	1	30
	Pyralis.			
143	*argyralis. M.Hab. repandalis.*	—	1	30
144	*bifascialis. M.Hab. sanguinal.*	—	1	8
	Sphinx.			
145	Cynipiformis. *Hyb.*	—	—	30
146	infausta.	—	1	45
147	— *	—	—	45
148	Lavandulae. *	—	1	20
149	*Onobrichis. L.* ?	—	1	20
	Tinea.			
150	boletella. *Hyb.*	—	1	—
151	*castella. M. Hab. Evonymel. Alis. posti. roseis, ant. alb. punct. strigisq. nig.*	—	2	16
152	Harpella.	—	—	20
153	liturella. *Hyb.*	—	—	30
154	ornatipenella. *Hyb.*	—	—	15
155	plumella. *W. V.*	p.	—	20
156	Radella. *Hyb.*	p.	1	—
157	Schwammerdamella. *W. V.*	p.	—	40
158	sequella *Hyb.*	—	—	12
159	Tapezella.	—	—	15
	Tortrix.			
160	Lathoniana.	—	—	30
161	Quercana.	—	—	20

			fl.	kr
	NEUROPTERA.			
	Myrmeleon.			
1	Formicarium.	m. f	1	—
	HYMENOPTERA			
	Chrysis.			
1	*splendida.*	—	—	30
	Pompilus.			
2	bicolor. G.	—	1	30
3	variegatus.	—	—	30
	DYPTERA.			
	Anthrax.			
1	rorata. *G.*	p.	1	—
2	vitripennis. *G.*	p.	1	20
	Asilus.			
3	argentiferus. *G.*	p.	—	54
4	cristatus. *G.*	—	1	—
5	Sabaudus.	—	—	40
6	Spectrum. *G.*	—	—	45
	Bombylius.			
7	concolor. *Mi.*	p.	—	40
8	discolor. *Mi.*	m. f	—	40
9	undatus. *Mi.*	m. f	1	—
	Mulitta. G.			
10	flava. *G.*	—	1	30
	Oestrus.			
11	Jubarum. *G.*	m. f	4	—
	Rhingia.			
12	cingulata. *G.*	—	1	30
	Syrphus.			
13	fallax.	p.	—	40
	Tabanus.			
14	Vituli.	—	—	24
	APTERA.			
	Aranea.			
1	*Avicularia Exemplar. eleg. max.*	—	3	—

CATALOGUS

DUARUM COLLECTIONUM ELEUTERATORUM DIE XIV. MAJI MDCCCIV. VIENNAE AUSTRIAE AUCTIONIS

LEGE VENDENDARUM.

Prima. Seu numerosior Collectio ex 2215. Eleuteratis composita est, quae 1600. diversas in hoc Catalogo nominatas species conficiunt, et in 12. libriformibus arculis in forma quarta majori adservatae sunt. Arculae extus papyro obductae sunt, intus vero cera superstratae, et in altero majori plano exacte claudente operculo vitreo instructae, Collectio haec pro 200. florenorum pretio promulgabitur.

In *Secunda.* Sive minori Collectione non nisi 1710. numerantur Eleuterata seu Individua, solummodo 1334. species constituentia, cum omnes eae hic deficiant, quarum nomina in Designatione typis *cursivis* expressa sunt. Haec Collectio pro 130. florenis pronunciabitur, inque Arca quercina loculis duplicatis sive per medium divisis, pari modo fundo cereo superfusis, atque vitris ductilibus instructis, continetur, quorum loculorum 6. impleti, 4. autem vacui sunt. Signum * pone nomen specificum positum significat, marem feminamque simul adesse, reliquaque abbreviata auctorum et specierum nomina lectori partim jam nota erunt, partim ex licitationum catalogis depromi poterunt.

LETHRUS. Cephalotes. * GEOTRUPES. Nasicornis. * Aries. Monodon. SCARABÄUS. Typhoeus. * 4. *dens* * mobilicornis. * stercorarius. * sylvaticus. * vernalis. c. var. * laevigatus. ONITIS. *Clinias.* Vandelli. * Bison. * COPRIS. lunaris. * Lemur. * Camelus. * Taurus. * Vacca. * *media.* * Austriaca. * Capra. *Alces.* Coenobita. * nuchicornis. * fracticornis. * *planicornis. H.* Xiphias. * nutans. * furcata. * semicornis. *P.* * Hybneri. ATEUCHUS. sacer. laticollis. variolosus. *flagellatus.* Schaefferi. Geoffroy. *gibbus. Sc.* Schreberi. flavipes. ovatus. APHODIUS. Fossor. * c. var. fasciatus. Scrutator. * foetens. Scybalarius. conflagratus. obsoletus. Prodromus. terrestris. niger. *Ku.* ater. Porcus. 2. maculatus. subterraneus. fimetarius. * erraticus. c. var. conspurcatus. inquinatus. tessulatus. *St. maculatus. St.* sordidus. foetens. *Ol.* granarius. haemorrhoidalis. rufipes. nigripes. *variegatus. H.* luridus. contaminatus. *H.* lugens. *Cr.* immundus. *Cr.* 4. maculatus. 4. pustulatus. Sus. sticticus. *Cr.* elevatus globosus *Ku.* testudinarius. Scrofa. merdarius. ictericus. *Pay.* 2. *punctatus.* Peccari. depressus. porcatus. asper. *rufus.* arenarius. caesus. putidus. *Cr.* HISTER. inaequalis. unicolor. transversalis. *Cr.* obscurus. *Cr.* bis 6. striatus. 12. striatus. nitidulus. lunatus. sinuatus. purpurascens. 2. pustulatus. 2. maculatus. 4. maculatus. aeneus.

A

Pygmaeus. striatus. rotundatus. *globulus*. *Cr*. *conjugatus*. *M*. 10. striatus. *R*. *bis* 5. *striatus*. *M*. planus. depressus. oblongus. picipes. SPHAERIDIUM. scarabaeoides. * *lunatum*. 2. pustulatum. marginatum. fasciculare. luteum. atomarium. crenatum. P. melanocephalum. haemorrhoidale. unipunctatum. fimetarium. testaceum. pulicarium. ANISOTOMA. *glabra*. *Ill*. bicolor. *Seminulum*. Millefolii. *Hl*. haemorrhoidalis. *M*. BYRRHUS. Gigas. pilula. Dianae. *ornatus*. *P*. *picipes*. *M*. fasciatus. *ater*. dorsalis. varius. aeneus. nitens. ANTHRENUS. Pimpinellae. Histrio. Scrophulariae. *Museorum*. *Verbasci*. varius. *elongatulus*. glabratus. TROX. sabulosus. hispidus. arenarius. BOLETOPHAGUS. crenatus. armatus. Agricola. OPATRUM. Lusitanicum. *Sc*. sabulosum. gibbum. arenarium. *pictum*. tibiale. ERODIUS. 2. *lineatus* *H*. *minutus*. SCARITES. *subterraneus*. arenarius. *thoracicus*. nigricornis. *M*. PIMELIA. *glabrata*. Pygmaea. AKIS. *spinosa*. glabra. *curculionoides* *Sc*. BLAPS. Gigas. mortisaga. * fatidica. Cr. * *obtusa*. spinipes. * dermestoides. femoralis. glabra. * TENEBRIO. *curvipes*. loripes. *Ill*. obscurus. Molitor. culinaris. * TROGOSITA. coerulea. caraboides. HELOPS. *coeruleus*. lanipes. * *laevis*. ater. quisquilius. ISOCERUS. *purpureus* *Ill*. MELANDRYA. serrata. CYCHRUS. rostratus. attenuatus. CARABUS. scabrosus. * coriaceus. * *caelatus*. glabratus. violaceus. *Preysleri*. purpurascens. * Scopolii. catenulatus. cyaneus. * *nodulosus*. gemmatus. * hortensis. * sylvestris. * irregularis. *Fabricii*. *M*. Scheidleri. * *consitus* *Hoff*. arvensis. convexus. scabriusculus. *Ol*. * auratus. * aurato nitens. * morbillosus. granulatus. cancellatus. *clathratus*. nitens. leucophthalmus. * Panzeri. *P*. Nigrita. fasciato punctatus. *Hoffmannseggii*. P. Terricola. * Illigeri. *P*. Gagates. P. * Melas. *Cr*. * Maurus. *femoralis*. *Cr*. niger. * planus. sabulosus. ruficornis. * fulvipes. picicornis. * Hellwigii. flavicornis. *spinibarbis*. humeralis. *axillaris*. *miliaris*. angusticollis. * multi punctatus. * *borealis*. oblongo punctatus. * Jurine. *P*. spoliatus. festivus. *P*. * rufipes. tricolor. 81. modestus. f. Cursor. agilis. *atricapillus*. *unipunctatus*. *Cr*. linearis. *Ol*. oblongus. albipes. * strenuus. *P*. aulicus. *Ill*. Cephalotes. * cylindricus. * ovalis. *M*. striola. * parallelepipedus. *M*. striolatus. gibbus. * metallicus. * fossulatus. *Pr*. lepidus. cassidius. *peltoides*. *Hl*. *silphoides*. Sabulicola *P*. melanocephalus. * fuscus. cisteloides. *Ill*. * *flavipes* *Pay*. brevicollis. * punctulatus. obscurus. griseus. *P*. holosericeus. * 2. notatus pilicornis. coerulescens. tardus. serripes. *Cr*. hirtipes. *Ill*. *lentus*. *Cr*. ignavus. *Cr*. piger. *Cr*. cupreus. *Eyrinotus*. *Ill*. vulgaris. * communis. * familiaris. *Cr*. helopioides. azureus. * *Ziegleri*. *M*. aeneus. *dorsiger*. *aterrimus*. Aethiops. *Ill*. nigricornis. * *Austriacus*. parum punctatus. * viduus. *Ill*. 6. punctatus. * impressus. *Ill*. marginatus. * vestitus. * cyanocephalus. Crux major. Vafer. *Cr*. Crux minor. haemorrhoidalis. 2. pustulatus. Germanus. puncticollis. *Pay*. spinilabris. rufescens. apricarius. * devius. Z. *nobilis*. *Cr*. fulvus. lunatus. * prasinus. * vaporariorum. meridianus. 4. striatus. *tempestivus*. *P*.

vernalis. 4. maculatus. 4. guttatus. ustulatus. 2. *guttatus*. Guttula. 2. punctatus. celer. fumigatus. *Cr*. decorus. *Z*. Pygmaeus. truncatellus. punctatellus. *Cr*. minimus. flamulatus. *Cr*. fasciolatus. *M*. Andreae. subglobosus. *Pay*. pulchellus. *P*. *Quadrillum*. *Cr*. spilotus. *Ill*. Strumii. *P*. dimidiatus. *Cr*. CALOSOMA. Sycophanta. Inquisitor. * reticulatum. BRACHINUS. mutilatus. Sclopeta. crepitans. * ODACANTHA. *melanura*. DRYPTA. emarginata. CICINDELA. campestris. hybrida. *sinuata*. sylvatca. ilittoralis. Germanica. ELAPHRUS. uliginosus. riparius. flavipes. aquaticus. rupestris. SCOLYTUS. limbatus. SPERCHÄUS. emarginatus. HYDROPHILUS. piceus. * caraboides. *aeneus* *H*. scarabaeoides. orbicularis. bicolor. *testaceus*. haemorrhoidalis. *marginellus*. luridus. griseus. 4. *punctatus*. *Fr*. *striatulus*. 2. punctatus. *minutus*. pedicularius. *Fr*. Globulus. *Pay*. *truncatellus*. HYDRACHNA. gibba. ovalis. DYTICUS. *latissimus*. marginalis. *punctulatus*. Roeselii. sulcatus. * striatus. * cinereus. 2. pustulatus. *guttatus*. *fenestratus*. *ater*. lacustris. Hybneri. transversalis. * abbreviatus. agilis. maculatus. *inaequalis*. *P*. notatus. adspersus. planus. *flavipes*. picipes. lituratus. Halensis. confluens. obliquus. impressus. margine punctatus. *P*. geminus. *lineatus*. *inaequalis*. minutus. interruptus. *P*. erassicornis. collaris. *P*. GYRINUS. Natator. *opacus*. *M*. *bicolor*. ELOPHORUS. aquaticus nubilus. flavipes. CLERUS. mutillarius. formicarius. TILLUS. elongatus. ambulans. TRICHODES. *Ammios*. apiarius *favarius*. *Ill*. alvearius. CORYNETES. violaceus. rufipes. *scutellaris*. *P*. *Cle*. NOTOXUS. mollis. ANTHICUS. major *M*. monoceros cornutus. pedestris. antherinus. floralis. hirtellus. *bicolor*. *Ol*. axillaris. *Fr*. *melanocephalus*. *ater*. *P*. Dresdensis. PSOA. Viennensis. CANTHARIS. fusca. antica. *Mac*. livida. dispar. obscura. nigricans. *pellucida*. lateralis. atra. pallipes. *pallida*. clypeata. *Ill*. 2. punctata. * *fumata*. *Hl*. melanura. cincta. *Cr*. nigra. *testacea*. 2 *guttata*. *discicollis*. *M*. *spiculata*. *Fr*. MALACHIUS. aeneus. 2. pustulatus. sanguinolentus. angulatus. pulicarius. fasciatus. equestris. flavipes. marginalis *M*. analis. *P*. DERMESTES. lardarius. macellarius. Megatoma. Pellio. * undatus. * 20. guttatus. *bicolor*. vulpinus. murinus. ater. *Ol*. tessullatus. Lycoperdi. fumatus. tomentosus. Adstrictor. 6. dentatus. unidentatus. subterraneus. *fenestratus*. variabilis. Serra. cellaris. *pedicularius*. Fungorum. *P*. *porcatus*. *P*. deplanus. *M*. gibbosus. *H*. *Lat*. brachypterus. ANOBIUM. tessullatum. striatum. denticolle. *Cr*. reticulatum. *rufipes*. *castaneum*. pertinax. Boleti. paniceum. PTINUS. *rufipes*. elegans. Fur. imperialis. crenatus. Latro. sulcatus. Scotias. testaceus. *Ol*. *minutus*. *Ill*. SARROTRIUM. *muticum*. PTILINUS. pectinicornis. * pectinatus. * *serratus*. MELASIS. flabellicornis. PARNUS. prolifericornis. obscurus. auriculatus. *Ill*. NECROPHORUS. Germanicus. Humator. * Vespillo. Mortuorum. SILPHA. littoralis. clavipes. thoracica. rugosa. atrata. *striata*. *M*. brunnea. *H*. lunata. laevigata. Nigrita. *Cr*. obscura. reticulata. opaca. sinuata. * 4. punctata. minuta. PELTIS. grossa. feruginea. oblonga. limbata. NITIDULA. 2. pu-

stulata. 4. pustulata. *obscura.* marginata. aestiva. obsoleta. strigata. *imperialis.* varia. Colon. haemorrhoidalis. discoides. pedicularia. aenea. viridescens. rufipes. testacea. *Ill. Dulcamarae. Ill.* HETEROCERUS. marginatus. COCCINELLA. impunctata. margine punctata. 2. punctata. 5. punctata. 7. punctata. 7. notata. *mutabilis Ill. α.* 8. punctata. 6. punctata. *Mül.* 9. punctata. *Ol.* 12. punctata. *Mül.* 11. *maculata.* 12. *punctata. chrysomelina.* 13. maculata. 13. punctata. 14. maculata. ocellata. 16. *punctata.* 20. pnnctata. 22. punctata. 24. punctata. conglomerata. conglobata. bis 6. guttata. 14. guttata. 17. guttata. *bis 7 guttata.* oblongo. guttata. aurita. *M.* flavipes. *atra. Ill.* parvula. 2. pustulata. *renipustulata. Ill.* lateralis. *frontalis. Sc.* variabilis. Morio. 2. notata. *M.* repensis. *H.* 4. pustulata. 4. verrucata. bis 2 pustulata. 6. pustulata. 10. pustulata. 14. pustulata. tigrina. 2. *cincta. M.* 4. *lunulata. Ill.* CASSIDA. viridis. equestris. affinis. *Podolica. M.* Vibex. *dorsalis. H.* azurea. sanguinolenta. *sanguinosa. Cr.* Austriaca. nebulosa. *L.* atrata. murraea. Lineola. *Cr.* ferruginea. nobilis. EUMOLPUS. praetiosus. Vitis. obscurus. arenarius. CHRYSOMELA. tenebricosa.* pratensis. *M.* coriaria.* Centaurei. globosa. *M.* Nigrita. Goettingensis.* Hottentotta.* coerulea. *M.* Banksii. Adonidis. dorsalis. *Sc.* Graminis.* *fulgida.* cuprea.* tristis. haemoptera. varians. Populi. Tremulae. Staphylaea.* polita.* 10. punctata, *Baaderi. P.* 6. punctata. pallida. Polygoni. cerealis.* Megerlei.* Americana. fastuosa. gloriosa.* limbata.* sanguinolenta.* marginata. Schach. analis. *aucta.* 20. punctata.* marginella. Hannoverana. scutellata. *pectoralis.* haemorrhoidalis. *fucata.* aenea.* Armoraciae. *Cochleariae.* Sophiae.* Hyosciami. nigripes. nitidula. Helxines. fulvicornis. Modeeri. testacea.* CRIOCERIS. nigricornis. *glabrata.* rufipes.* flavipes.* adusta. subspinosa. bicolor. *M.* fulvicollis. Lineola. Oxyacanthae. *Sch.* fulvipes. ruficornis.* Malvae. *Cr. Alt.* 4. pustulata. atricilla. Sisymbrii. Nasturtii. pallipes. *M.* exoleta.* tabida. Euphorbiae atra. Dalmatina. *M. Lepidii. Monogr. Alt.* Nemorum. flexuosa. *Hl. Alt. pratensis. Hl. Alt.* HELODES. Phellandrii. violacea. LEMA. merdigera. brunnea. 12. punctata. Asparagi. 5. punctata. cyanella.* melanopa. GALLERUCA. rustica. Tanaceti. *Nympheae.* Alni.* Lineola. Capreae. Calmariensis. *limbata. Fr.* Vitellinae. Crataegi. 2 notata. *M.* Erucae. oleracea. CYPHON. lividus. marginatus. melanurus. pubescens. griseus *haemisphaericus.* ENDOMYCHUS. coccineus. *cruciatus.* Bovistae. ATOPA. cervina. cinerea. CISTELA. ceramboides. lepturoides. *picipes.* sulphurea.* ruficollis. *rufipes.* fulvipes. *murina.* thoracica. Evonymi. Nigrita.* *Maura.* ALLECULA. *Morio.* fuscata. ZONITIS. *mutica. clavipes. M.* CLYTHRA. longipes. 4. punctata. fasciata. *Cr.* 3. dentata.* Taxicornis.* aurita. affinis. 4. maculata.* *longimana.* cyanea. Scopolina.* CRYPTOCEPHALUS. Salicis. marginatus. 2. punctatus. Lineola. Cordiger. variabilis. frenatus. Coryli.* 6. punctatus. violaceus. lobatus. sericeus.* nitens. vittatus. *labiatus.* flavipes.* flavifrons.

Hybneri.* Moraei.* 8. *guttatus.* hieroglyphicus. Histrio. 2. *lineatus. L.* geminus. *M.* coloratus. haemorrhoidalis. 2. pustulatus. Pini. minutus. HISPA. spinosa. testacea. LAGRIA. pubescens. hirta. DASYTES. ater.* niger.* pectinicornis. *plumbeus. Ol. Melyr.* flavipes. coeruleus. nobilis. *Hl. Melyr. metallicus.* pallipes. *Pay.* aeneus. nitidus. *M.* CEROCOMA. Schaefferi.* adde. Vahlii. Schreberi. LYTTA. vesicatoria.* Syriaca. erytrocephala. MYLABRIS. Cichorei.* *Australis. K.* 10. punctata. 3. maculata. LYMEXYLON. dermestoides. *proboscideum. Morio.* DIRCÄA. barbata. humeralis. CUCUJUS. monilis. 2. pustulatus. *Hl.* BRONTES. flavipes. *pallipes.* testaceus. COSSYPHUS. Hoffmannseggi. *H.* LAMPYRIS. noctiluca.* splendidula.* Italica. OMALYSUS. *suturalis.* PYROCHROA. coccinea. rubens.* pectinicornis. LYCUS. sanguineus.* rubens. *M. minutus.* RIPIPHORUS. 2. *punctatus.* MORDELLA. aculeata. fasciata. atomaria. brunnea. *lateralis.* frontalis. ruficollis. *pulicaria. Fr.* DONACIA. Festucae. dentipes. Nympheae. Sagittariae. nigra. discolor. *P.** clavipes. *striata. P.* simplex.* micans. *P.* Hydrochaeridis. gracilis. *Cr.* TRICHIUS. Eremita. nobilis.* 8. punctatus.* fasciatus.* succinctus. hemipterus.* CETONIA. aurata.* fastuosa. affinis. *Hop.* marmorata. viridis.* metallica. Floricola. *H.* hirta.* funesta. stictica. MELOLONTHA. Fullo.* c. var. rubr.* vulgaris.* hippocastani. pilosa. transversa. solstitialis. aequinoctialis.* aprilina. aestiva. brunnea. Julii. Nigrita. Frischii. *Vitis.* Horticola. Floricola.* Fruticola. Agricola. Ruricola. squamosa.* argentea. chrysomelina. variabilis.* BUPRESTIS. Berolinensis. calcarata. *Carniolica.* punctata. rutilans. maculata. flavo maculata. Mariana. 9. maculata.* chrysostigma. affinis. taeniata. decostigma. 8. guttata. Austriaca. rustica.* haemorrhoidalis. *H.* 4. *lineata. H.* lugubris. s. plebeja. Tenebrionis. Rubi. *aurulenta.* cyanicornis.* bicolor. *Morio.* 4. punctata. manca. viridis. 2. guttata. linearis. Filum. *M. Hyperici. Cr.* olivacea. *Schr.* elata. sepulchralis. nitidula. *Millefolii.* laeta. Salicis. nitida. *R.* 2. punctata. *H.* cyanea. TRACHYS. Pygmaea. minuta. ELATER. rufus. ferugineus. murinus. holosericeus. tessullatus. nigripes. *Fr.** atomarius. fasciatus. depressus. *M.* varius. aeneus. Germanus. niger. pectinicornis.* aeruginosus.* *cupreus.* signatus. *P. aulicus. P.* 3. *fasciatus. H. fulvipennis M. cruciatus.* castaneus. latus.* livens. Mesomelas. *linearis.* sticticus. *P.* obscurus.* hirtus. *H.* filiformis. marginatus. thoracicus. ruficollis. discicollis. *M.* Aethiops. *Fr.* brunneus.* haematodes.* sanguineus.* Ephippium.* praeustus. testaceus. balteatus. *lateralis. elongatulus.* Sputator.* analis. variabilis. pilosus. *melancholicus.* longicollis.* flavicornis. *P.* striatus.* nigricornis. *P.* rufipes. albipes. *M. Equiseti. P.* limbatus advena. pulchellus. equestris. 2. maculatus. 3. maculatus. pusillus. 2. pustulatus. 4. pustulatus. LUCANUS. Cervus.* Capreolus.* parallelepipedus.* tenebrioides. caraboides. AESALUS. scarabaeoides. PRIONUS. Faber. Serrarius. scabricornis.* *depsarius.* coriarius.* CERAMBYX. moschatus.* Cerdo.* Heros. alpinus. Koehleri. Budensis. nebulosus. gri-

seus. * _fasciculatus._ hispidus. pilosus. LAMIA. Textor. aedilis. * atomaria. * varia. nebulosa. Sartor. Sutor. curculionoides. tristis. * pedestris. rufipes. * Morio. * fulva. * lineata. * vittigera. CALOPUS. serraticornis. testaceus. _Hop._ RHAGIUM, mordax. * Inquisitor. * Indagator. Cursor. cinctum. Salicis. Noctis. 2. fasciatum. dispar. _P. Stenoc._ * clathratum. _signatum. P. Lept._ SAPERDA. Carcharias. scalaris. oculata. linearis. nigripes. cylindrica. erythrocephala. Cardui. * _suturalis._ ferrea. populnea. * Tremulae. _Seidlii._ virescens. coerulescens. _Sr._ Argus. _affinis. P. ferruginea._ brunnea. testacea. violacea. praeusta. _Ephippium._ marginella. _scutellata._ rufimana. Lineola. * CALLIDIUM· Bajulus. Fennicum. ebulinum. clavipes. _spinosum._ violaceum. _femoratum._ fulcratum. variabile. rusticum. * sanguineum. * testaceum. praeustum. luridum. fuscum. Hafniense. * rufipes. * striatum. aulicum. cyaneum· pusillum. CLYTUS. floralis. * semipunctatus. arcuatus. Arietis. Gazella. imperialis. _M._ plebejus. * Massiliensis. * detritus. Verbasci. ornatus. * mysticus. * c. var. Alni. LEPTURA. hastata. 2. punctata. tomentosa. maculicornis. melanura. * 2. fasciata. _Sr._ * laevis. * livida. sanguinolenta. * cincta. * meridiana. cantharoides. _H._ splendens. _Lai. villica._ rubra. testacea. virens. holosericea. rufipes. atra. * humeralis. Exclamationis. scutellata. Chamomillae· lurida. ruficornis. nigra. * praeusta. 4. guttata. * 4. maculata. 8. maculata. _Interrogationis._ 6. maculata. _strigillata._ 7. punctata. attenuata. calcarata. subspinosa. 4. fasciata. * aurulenta. 6. _guttata._ 3. _fasciata. Morio._ collaris. * virginea. NECYDALIS. thalassina. azurea. _M._ coerulescens. virescens. _aurata. M._ cyanea. sanguinicollis. flavicollis. _P._ ruficollis. _melanocephala._ nigra. _M._ ustulata. _melanura. adusta. P._ dispar. _M._ * fulvicollis. rufa. coerulea * Podagrariae. * flavescens. _L._ clavipes. * testacea. MOLORCHUS. abbreviatus. dimidiatus. * SPONDYLIS. buprestoides. SINODENDRON. cylindricum. * muricatum. APATE. capucina. _limbata. signata. Volvulus._ BOSTRICHUS. cylindrus. Stenographus. _Cr._ Typographus. Laricis. Chalcographus. Polygraphus. Dactyliperda. _Micrographus._ bidens. Orthographus. _Cr._ Calligraphus. _Cr._ HYLESINUS. Scolytus. Fraxini. varius. villosus. Piniperda. cylindricus. _P. Curc. testaceus._ Pygmaeus. _substriatus. M._ vittatus. BRUCHUS. Pisi. * granarius. Cisti. suturalis. _villosus. rufipes._ ANTHRIBUS. Albinus. * latirostris. * albirostris. _niveirostris._ planirostris. scabrosus. varius. * BRACHYCERUS. muricatus. ATTELABUS. Coryli. curculionoides. pubescens. Bacchus. rubens. _M._ * Betuleti. * c. var. * Populi. * Hungaricus. aequatus. * coeruleocephalus. * coeruleus. Germanicus. _H._ aeneus. _ruficornis._ Alliariae. Pisi. virens. _H._ Sorbi. _flavipes._ flavofemoratus. _H. Api._ frumentarius. _vernalis._ albovittatus. _H. Api._ Betulae. * RHINOMACER. curculioides * lepturoides. * CALANDRA. picea. _H. Rhynchoph._ abbreviata. granaria. RHYNCHÄNUS. Pineti. Pini. Jaceae. Sturnus. _H._ teres. _H. derasus. P._ Cynarae. Colon. * 2. maculatus. Punctum. * _Equiseti._ timidus. _R. Absynthii. P._ Artemisae. _P. Nigrinus. H._ coerulescens. _Sr. Chloris._ Rubi. _Pruni._ teter.

canus. _H._ Campanulae. nigrirostris. _Carpini._ Erysimi. Lythri. acridulus. _dorsalis._ Alauda. _Quercus. suturalis._ Crux. rubicundus. _H._ placidus. _H._ Plantaginis. Rumicis. Abietis. Lapathi. Germanus. Scrophulariae, _Thapsus._ affinis. _Sr._ Blattariae. Solani. 5. punctatus. Guttula. _abbreviatulus._ Echii. _Cardui. St._ didymus. _sulcicollis. M._ haemorrhoidalis. biguttulus. _Fr._ 3. maculatus Litura. _horridus. P._ villosus. _Troglodytes. carbonarius._ violaceus. Cerasi. Nucum. longirostris. _M._ gulosus. _rugulosus. H. avarus._ Nucleorum. _Cr._ Druparum. _flavipes. P._ pectoralis. _arcuatus._ Pomorum. villosulus. _M._ vorax. Tortrix. macropus. _Hl. taeniatus. Calcar. Ilicis._ viminalis. _Lonicerae._ Populi. COSSONUS. linearis. parallelepipedus. _H._ LIXUS. _paraplecticus._ pulverulentus. ferrugatus. gramicus. _H._ filiformis. angustatus. Ascanii. Atriplicis. Lxmexilon. CURCULIO. pollinosus. viridis. palliatus. * nebulosus. roridus. cinereus. * marmoratus. * sulcirostris. * distinctus. glaucus. * obliquus. * albidus. incanus. * costatus. micans. Polygoni. 3. guttatus. * planatus. * sulphurifer. * glabratus. orbicularis. gemminatus. Coryli. pilosus. undatus. hirsutulus. holosericeus. scabriculus. squamulatus. limbatus. parvulus. sericeus. _H._ multipunctatus. Silesiacus. _M. Armadillo. R._ raucus. punctatus. fasciculatus. _H._ obscurus. maxillosus. niger. * _costatus._ laevigatus. rodundatus. Pinastri. _H._ variolosus. fusco maculatus. * Ligustici. nubilus. gemmatus. chlorophanus. _M._ squamiger. _picipes._ Morio. fuscipes. _M._ conspersus. _H._ Zebra. Pyri. Alneti. * vespertinus. Mali. _pallidus._ Betulae. argentatus. oblongus. * muricatus. ovatus. * Picus. Perdix. _Cr._ Mastix. _Hl._ genniculatus. _M._ atomarius. _Cr._ squamosus. _Kn._ * Fruteti. _Cr._ lanuginosus. _Cr._ vulgaris. _Cr._ lineatus. contaminatus. _H._ nanus. _Fr._ sulcifrons. _M._ Scopolinus. _Kug._ 3. _sulcatus. H._ crinitns. _H._ cupreo- aeneus. _Hl._ squameus. _Cr._ COLYDIUM. sulcatum. HYPOPHLOEUS. castaneus. depressus. bicolor. LYCTUS. depressus. histeroides. crenatus. canaliculatus. pubescens. _P._ contractus. CATOPS. rufescens. tristis. _P. Hel. fuscus. P. Hel._ sericeus. cistelloides. _N. F. agilis._ MYCETOPHAGUS. 4. maculatus. dermestoides. atomarius. multi-punctatus. _sinuatus. fulvicolis._ piceus. castaneus. testaceus. TRITOMA. 2. pustulatum. conatum. collare. SCAPHIDIUM. 4. maculatum. agaricinum IPS. 4. _punctata. H._ 4. pustulata. punctata. 4. guttata. ferruginea. haemorrhoidalis. * TRIPLAX. nigripennis. aenea. ENGIS. humeralis. rufifrons. _sanguinicollis._ UPIS. _ceramboides._ DIAPERIS. Boleti. MELOE. Proscarabaeus. majalis. tecta. _P._ punctata. puncticollis. _M. brevicollis._ STRAPHYLINUS. hirtus. * nebulosus. murinus. pubescens. olens. similis. Morio. _Gra._ picipennis. maxillosus. * _cyaneus._ erythropterus. chalcocephalus. _Fossor. splendens._ politus. decorus. _Gra._ laminatus. f. _P._ varians. aeneocephalus. _Gra._ nitidus. _fulgidus._ rufipennis. _M._ impressus. _Gra._ fuscipes. _notatus. M._ 2. maculatus. _Gra. linearis._ canaliculatus. tenuis. _caraboides._ abbreviatus. _F. Carab._ Badius. _Z. Carab._ rivularis. _Pay._ rugosus. piceus. _carinatus. Gra. Oxit._ 3. _sulcatus. M._ STENUS. 2. guttatus.

clavicornis. *P. cicindeloides. Gra.* Oxyporus. rufus. maxillosus. lunulatus. marginatus. 3. maculatus. *analis. lateralis. Gra.* chrysomelinus. rufipes. sordidus. *Gra. Tachin.* tectus. *Pay. Staph. Hypnorum.* suturalis. *Gra. Tachin.* Päderus. riparius. ruficollis. elongatus. tricolor. *filiformis. orbiculatus.*

5	[illegible]	00
20	[illegible]	00
24	[illegible]	00
27	[illegible]	24
27	[illegible]	40
64	[illegible]	24
		36
80	[illegible]	00
88	[illegible]	20
89	[illegible]	20
112	[illegible]	10
132	[illegible]	00
140	[illegible]	20
154	[illegible]	—
		24
181	[illegible]	24
182	[illegible]	40
207	[illegible]	00
267	[illegible]	—
272	[illegible]	

[illegible] 9 [illegible] 42

CATALOGUS INSECTORUM,

QUAE

VIENNAE AUSTRIAE DIE XX. ET SEQUENTIBUS SEPTEMBRIS MDCCCIV. AUCTIONIS LEGE DISTRAHUNTUR.

Monenda.

1. Specimen cujus nomen *litteris cursivis* expressum, exoticum est.
2. Asteriscus * post nomen positus, denotat, quod specimen aliquo modo, ** quod magis sit laesum.
3. Linea recta horizontalis — in columna prima, denotat unum exemplar, p. significat duo specimina; et signa m. et f. marem et feminam conjunctim pro eodem pretio annotant.
4. Amatoribus exteris, qui ex hoc emtione aliquid sibi comparare cupiunt, ut magis inserviretur: Dnus *Carolus. Megerle de Mühlfeld*, Musei Caesarei historiae naturalis Inspector sese lubenter, ad suscipiendas commissiones offert, hac tamen lege, ut summa pretii una cum eo, quod quilibet super pretium annotatum solvere velit, pro sigillatim notatis numeris Catalogi huc retromissis, aut ad amicum quemdam hic Viennae degentem, aut ad Dnum. Pastorem *Herbst*, Berolini, vel ad D. Dnos *Vidal* et Consortes, Hamburgi, adhuc in tempore et in Valore Viennensi, id est floreno ad 16 grossos sanonicos computato, assignetur.

Nro.		Exemplaria.	Pretium Subhastationis. fl.	kr
	COLEOPTERA.			
	Adorium.			
1	2. *punctatum.* *	—	—	30
2	*concolor.*	—	—	30
	Aesalus.			
3	Scarabaeoides.	m. f.	—	51
	Akis.			
4	lineata.* *Ant. et P.*	—	1	12
5	orbiculata.	p.	1	20
6	— *latior, Elytr. substriat.*	p.	1	20
	Altica.			
7	*bicolor M.*	m. f.	—	40
8	Malvae. *Cr.*	p.	—	12
9	pallipes, *M.*	—	—	7
	Anobium.			
10	politum. *M,*	—	—	17
11	reticulatum.	p.	—	10
	Anthia.			
12	4. *guttata.*	—	—	51
13	6. *guttata.*	—	1	8
14	*tabida.*	—	—	51
	Anthicus.			
15	ater. *P.*	—	—	10
16	floralis.	p.	—	10
17	humeralis.	p.	—	17
18	pedestris.	p.	—	17
	Anthrenus.			
19	elongatulus.	—	—	40
20	glabratus.	p.	—	10
21	hirtus.	p.	—	10

			fl.	kr
	Anthribus.			
22	albinus.	m. f.	—	15
23	latirostris.	p.	—	15
24	planirostris.	p.	—	10
25	scabrosus.	p.	—	12
26	varius.	p.	—	10
	Apate.			
27	fronticornis. *Fr.*	m. f.	—	36
28	limbata.	—	—	10
29	*marginata.*	—	—	45
	Aphodius.			
30	2. punctatus.	—	—	20
31	caesus.	p.	—	10
32	centrolineatus. *P.*	—	—	10
33	contaminatus.	p.	—	10
34	elevatus.	—	—	20
35	fasciatus.	—	—	20
36	foetens. *Ol.*	—	—	12
37	foetidus.	—	—	7
38	globosus.	p.	—	40
39	rufus.	—	—	15
40	tessullatus. *St.*	p.	—	17
41	testudinarius.	p.	—	15
	Apion.			
42	aeneum.	p.	—	7
43	flavipes.	p.	—	7
44	flavofemoratum. *H.*	p.	—	8
45	frumentarium.	p.	—	8
46	Pisi. *F. Attel.*	p.	—	20
47	vernale.	p.	—	7
	Ateuchus.			
48	*cinctus.*	—	—	51
49	*Esculapius. Ol.*	—	1	20
50	flagellatus.	—	—	50
51	laticollis.	—	—	40
52	*miliaris.*	—	—	50
53	sacer.	—	—	15
54	schaefferi.	p.	—	15
55	semipunctatus.	—	—	15
56	*sinuatus.*	—	—	30
57	variolosus.	—	—	20
	Attelabus.			
58	cupreus.	p.	—	10
59	*gemmatus.*	—	—	30
60	Hungaricus.	p.	—	20
	Blaps.			
61	clypeata. *Hl.*	—	1	—
62	Gigas.	m. f.	1	8
	Bostrichus.			
63	bidens.	p.	—	20

			fl.	kr
64	Calygraphus.	p.	—	15
65	Chalcographus.	p.	—	12
66	Dactyliperda.	p.	—	27
67	polygraphus.	—	—	6
68	Stenographus. *Cr.*	p.	—	6
69	Typographus.	p.	—	7
70	villosus.	p.	—	12
	Brachinus.			
71	2. *maculatus.*	—	—	27
72	*— vid. Ol. fig. 16. a.* *	—	—	24
73	*— vid. Ol. fig. 16. c.*	—	—	30
74	mutilatus.	p.	—	30
	Brachycerus.			
75	*apterus.*	—	3	—
76	muricatus.	—	—	40
77	*obesus.*	—	—	50
	Brentus.			
78	*Anchoragc.* * *2. P.*	—	1	12
79	2. *sulcatus.*	—	1	20
80	*formicarius.*	—	1	40
81	*truncatus. M.*	m. f.	3	—
	Bruchus.			
82	suturalis.	p.	—	10
	Buprestis.			
83	Achileae. *Schr.*	—	—	24
84	*armata.*	—	1	12
85	aurulenta.	—	1	8
86	Austriaca. *Quercus. H.*	—	—	30
87	bicolor.	p.	—	12
88	calcarata.	—	—	20
89	candens.	—	2	—
90	Carniolica.	—	—	12
91	Chrysea. *Fr.*	—	—	17
92	*Chrysis.* **	—	1	20
93	chrysostigma.	—	—	15
94	Coryli. *A.*	—	—	40
95	cyanicornis.	p.	—	50
96	elata. *s. sinuata. P.*	p.	—	12
97	*fascicularis.*	—	—	40
98	Filum. *M.*	—	—	15
99	flavomaculata.	—	—	34
100	*gigantea.* **	—	1	30
101	haemorrhoidalis. *H.*	m. f.	—	7
102	*hirta. Var. absque faciis.*	—	—	40
103	Hyperici. *Cr.*	—	—	12
104	*imperialis.*	—	2	40
105	linearis.	p.	—	12

			fl.	kr
106	manca.	—	—	17
107	marginata. *H.*	—	—	30
108	Millefolii.	p.	—	24
109	moesta.	—	2	30
110	8. guttata.	—	—	24
111	ocellata. *	—	2	30
112	olivacea. *Schr.*	—	—	7
113	*pilosa. H.*	—	—	51
114	plebeja.	—	—	20
115	*punctatissima.*	—	4	—
116	*Pyrotis. H*	—	5	—
117	4. lineata. *H.*	—	3	—
118	Quercus. *Schr.*	—	—	40
119	taeniata.	p.	—	7
120	Tenebrionis.	p.	—	20
121	Trochilus.	p.	1	—
122	undata. *P.*	—	3	—
123	vittata. * *T.*	—	1	20
124	— * *Ant. et. T.*	m. f.	1	30
	Byrrhus.			
125	aeneus.	p.	—	10
126	ater.	—	—	17
127	cinctus.	—	—	15
128	— *Var. atra.*	—	—	17
129	Gigas.	—	—	45
130	Maurus. *M.*	—	—	24
131	murinus.	p.	—	24
132	ornatus. *P.*	—	—	10
	Calandra.			
133	*Gages. H. Rhynchoph.*	—	—	45
134	*ferruginea.*	—	—	50
	Callidium.			
135	cyaneum.	m. f.	1	—
136	pusillum.	p.	—	24
137	rusticum.	m. f.	—	10
138	testacèum.	—	—	7
	Calopus.			
139	testacaus. *Hop.*	m. f.	—	30
	Calosoma.			
140	reticulatum.	m. f.	1	—
141	*Scrutator.*	—	2	30
	Cantharis.			
142	2. guttata.	—	—	6
143	2. *maculata. Var.*	—	—	51
144	2. punctata.	m. f.	—	12
145	cincta. *M.*	p.	—	20
146	*nigricornis. M.*	—	—	50
	Carabus.			
147	abbreviatus.	p.	—	10

			fl.	kr
148	Aethiops.	m. f.	—	30
149	agrestis. *Cr.*	m. f.	—	10
150	*Asiaticus. M.* * *Ant. et. P. Aff. violac. sed. min.*	—	1	20
151	atricapillus. *Ill. var. δ.*	—	—	10
152	auronitens.	m. f.	—	30
153	auratus.	m. f.	—	24
154	Austriacus.	—	—	7
155	badius. *Z.*	p.	—	24
156	cassidius.	m. f.	—	20
157	catenatus. *P. s. Scopolii. M.*	m. f.	—	45
158	catenulatus.	p.	—	34
159	*chlorocephalus. Bl*	—	—	36
160	consitus. *Hoff.*	—	1	8
161	*— var. chalyb. virid.* * *Ant.*	—	1	—
162	convexus.	m. f.	—	20
163	Creutzeri. *M.*	—	2	—
164	cylindricus. *H.*	m f.	1	—
165	decorus. *P.*	p.	—	6
166	Doris. *P.*	—	—	10
167	exilis. *Hoff.*	p.	—	24
168	Fabricii. *M.*	—	1	45
169	femoralis. *Cr.*	p.	—	12
170	festivus.	m. f.	—	10
171	flammulatus. *Cr.*	p.	—	17
172	flavicornis.	m. f.	—	24
173	fossullatus. *Pr.*	m. f.	1	20
174	fulvipes.	p.	—	20
175	fumigatus. *Cr.*	p.	—	12
176	Gagates.	p.	—	7
177	gemmatus.	m. f.	—	24
178	gibbus.	m. f.	—	10
179	glabratus.	m. f.	—	36
180	Goldeggii. *M.*	—	3	—
181	haemorrhoidalis.	p.	—	20
182	Hellwigii. *M.*	m. f.	—	50
183	Hoffmannseggii. *P.*	—	—	40
184	hortensis.	m. f.	—	16
185	humeralis.	p.	—	6
186	ignavus. *Cr.*	p.	—	20
187	Illigeri. *M.*	m. f.	—	50
188	*impressus.*	—	—	48
189	impressus. *Ill.*	p.	—	16
190	irregularis.	m. f.	1	20
191	Jurine. *P.*	m. f.	—	50
192	*limbatus. M.*	—	—	45
193	lunulatus. *M.*	p.	—	12
194	megacephalus.	—	—	48
195	Melas. *Cr.*	m. f.	—	10

			fl.	kr
196	minimus.	p.	—	10
197	modestus. s. Cursor.	p.	—	20
198	monilis. *var. viola.*	—	1	20
199	niger.	—	—	7
200	Nigrita.	p.	—	12
201	*Pallasii.* M. * *Ant. et P. Aff. cyan. sed. 2. pl. min.*	—	1	30
202	Panzeri. *M.*	m. f.	—	48
203	peltoides. *Ill.*	—	—	40
204	picimanus. *Cr.*	—	—	12
205	picipes.	—	—	12
206	planus.	—	—	15
207	Preysleri.	—	1	—
208	pulchellus. *P.*	p.	—	10
209	punctato striat. *M.*	—	—	17
210.	4. mauclatus.	p.	—	20
211	4. striatus. *Sr.*	p.	—	6
212	rubens.	—	—	20
213	rubripes. *Cr.*	—	—	7
2 4	Sabulicola. *P.*	—	—	6
215	scabrosus.	m. f.	4	30
216	Scheidleri. *P.*	m. f.	—	30
217	Scrobiculator.	—	—	20
218	secalis. *Pay.*	—	—	6
219	silphoides.	—	—	24
220	spinibarbis. * *1/2. Ant.*	—	—	17
221	spinilabris.	—	—	10
222	strenuus. *P.*	—	—	6
223	striolatus.	m. f.	—	30
224	*sulcicollis.*	—	—	40
225	sylvestris.	m. f.	—	30
226	— *var. nigr.*	m. f.	—	40
227	tardus.	—	—	6
228	Tauricus. *Aff. scabros. sed eleg. cyan.*	—	6	40
229	tricolor. n. 81.	m. f.	—	40
230	unctulatus. *Cr.*	—	—	12
231	unifasciatus. *P.*	—	—	30
232	Vafer. *Cr.*	p.	—	40
233	Verbasci. *Cr.*	—	—	12
234	Ziegleri. *M.*	p.	—	48
	Cassida.			
235	atrata.	p.	—	12
236	Austriaca.	p.	—	20
237	azurea.	p.	—	30
238	*circumdata.*	—	—	48
239	*clavata.*	—	—	48
240	*Iamaicensis.*	—	—	30
241	Lineola. *Cr.*	p.	—	20
242	margaritacea.	p.	—	8

			fl.	kr
243	*marginata.*	—	—	30
244	*miliaris.*	—	—	30
245	prasina.	—	—	7
246	pulchella.	p.	—	12
247	4. *punctata.*	—	—	30
248	sanguinolenta.	p.	—	16
249	sanguinosa. *Cr.*	—	—	12
	Catops.			
250	rufescens.	—	—	10
	Cerambyx.			
251	alpinus.	m. f.	—	12
252	ambrosiacus. *ex Ross. Aff. moschato, sed Thor. rufo.* * *Ant. artic. 3. 4. des.*	—	2	30
253	Budensis.	m. f.	—	24
254	crinitus.	p.	—	24
255	*fasciatus.*	—	2	30
256	fasciculatus.	—	—	14
257	*festivus.*	—	2	30
258	hispidus.	p.	—	8
259	Kaehleri.	—	—	12
260	pilosus.	m. f.	—	20
261	*scriptus.* * 1. *Ant.*	—	1	30
262	*succinctus.*	m.	1	8
263	*vittatus.* * *Ant. Tibi. et T. 2. des.*	—	1	—
	Cerocoma.			
264	Schreberi.	—	—	10
265	Vahlii.	—	—	12
	Cetonia.			
266	affinis. *Hop.*	p.	—	12
267	angustata. *M.*	—	—	48
268	*Capensis.*	—	—	20
269	*Chrysis.*	—	1	12
270	*Gagates.*	—	1	12
271	*marginata. var. picea.* * 2. T.	—	1	12
272	*nitida.*	—	—	24
273	— *var. striga flava.*	—	—	30
274	obscura. *Hop.*	—	—	15
275	*versicolor.*	—	—	30
276	viridis.	p.	—	10
	Chrysomela.			
277	americana.	—	—	17
278	Banksii.	—	—	30
279	coerulea. *M.*	p.	—	24
280	*coerulipes. M.*	—	—	30
281	collaris.	—	—	20

			fl.	kr
282	decostigma. *A.*	—	—	30
283	globosa. *M.*	p.	—	34
284	graminicola. *P.*	p.	—	24
285	haemorrhoidalis.	m. f.	—	16
286	Hannoverana.	p.	—	7
287	Lusitanica.	—	—	40
288	marginalis. *M. aff. sanguin.*	—	—	24
289	*Sternicornis. Bl.*	—	1	20
290	tristis.	p.	—	10
291	varians.	p.	—	6
292	violacea.	p.	—	10
293	vulgatissima.	p.	—	6
	Cicindela.			
294	*bicolor.*	—	—	34
295	*Capensis.*	—	—	30
296	littoralis.	—	—	17
297	*repanda. M.*	—	—	45
298	6. *punctata.*	—	—	45
299	sinuata.	p.	—	6
300	sylvatica.	—	—	6
301	20. *guttata. M.*	—	—	50
	Cistella.			
302	laeta. *P.*	p.	—	6
303	Nigrita.	p.	—	6
304	thoracica.	p.	—	6
	Claviger.			
305	testaceus.	—	1	—
	Clerus.			
306	*abdominalis. M.*	—	1	20
307	unifasciatus.	—	—	12
	Clythra.			
308	bucephala.	p.	—	30
309	concolor.	m. f.	—	20
310	6. maculata.	m.	—	20
	Clytus.			
311	*bidens.*	—	1	—
312	*flexuosus.*	—	—	30
313	*Georgicus. M.*	—	1	48
314	hieroglyphicus. *M.*	—	—	12
315	*scabricollis. M.*	m. f.	2	—
316	semipunctatus.	—	—	17
317	3. *color. M.*	—	1	30
318	Verbasci.	—	—	6
	Coccinella.			
319	aurita.	—	—	12
320	chrysomelina.	—	—	15
321	*glacialis.*	—	—	20
322	lateralis. *Ill.*	—	—	7
323	— *Ill.* β.	—	—	10

			fl.	kr
324	9. punctata. *Ol.*	—	—	7
325	parvula.	—	—	6
326	renipustulata.	—	—	10
327	repensis. *H.*	p.	—	12
328	tigrina.	—	—	10
329	3. *cincta.*	—	—	24
330	11. *maculata.*	—	—	15
331	variabilis.	—	—	7
332	— *Ill.* γγ.	—	—	10
333	28. *punctata.*	—	—	15
	Collyris.			
334	*longicollis.*	—	1	—
	Colydium.			
335	bicolor.	—	—	30
	Copris.			
336	affinis.	—	—	24
337	*Bonasus.*	—	—	20
338	*Bucephalus.* * 1. P.	—	1	12
339	*Capucina.*	m. f.	1	12
340	*Carolina.*	m. f.	1	30
341	*flavicornis. M.*	—	—	45
342	fracticornis.	m. f.	—	8
343	*Gazella.*	—	—	30
344	*gracilicornis. M.*	m. f.	1	48
345	Hybneri.	p.	—	8
346	lucida.	m. f.	1	40
347	pallipes.	—	—	24
348	*Sabaeus.*	m.	—	36
349	*Sagittaria.*	m. f.	1	—
350	semicornis.	m. f.	—	40
351	*Seniculus.*	m. f.	1	30
352	*suturata. M.*	—	1	—
353	3. *cornis. M.*	m. f.	1	8
354	— *var. Cornub. brevior.*	m. f	1	8
355	*Tritton. M.*	m. f.	2	—
356	*viridicollis. M.*	—	1	12
	Corynetes.			
357	*rufipes.*	p.	—	24
	Cossyphus.			
358	*depressus.*	—	—	40
359	Hoffmannseggii.	—	—	34
	Crioceris.			
360	adusta.	p.	—	14
361	atra.	—	—	10
362	Pinicola. *A.*	p.	—	16
363	subspinosa.	p.	—	10
	Cryptocephalus.			
364	Bothnicus.	—	—	12
365	coloratus.	p.	—	12

No.	Name		fl.	kr
366	*congestus.*	—	—	48
367	flavilabris.	p.	—	12
368	frenatus.	—	—	12
369	*Herbstii. M.*	—	—	50
370	laetus.	—	—	20
371	8. guttatus.	—	—	12
372	*plagiatus. M.*	—	—	50
373	6. punctatus.	—	—	6
374	4. maculatus. R.	—	—	20
	Cucujus.			
375	monilis.	m. f.	—	6
376	testaceus.	—	—	6
	Curculio.			
377	*annulicornis. M. ex Asia. Nig. ped. ruf. Ant. annul. albo.*	—	2	30
378	Arborator. *H.*	p.	—	16
379	articulatus. *s. maxillos.*	—	—	20
380	Austriacus.	—	—	20
381	atomarius. *Cr.*	p.	—	10
382	*Brachyceroides M.*	—	1	40
383	caudatus. *R.*	—	—	15
384	chlorophanus. *M.*	p.	—	10
385	Chrysops. *H. ſ. carinat. M.*	—	—	40
386	*crenulatus ?* * 1. *P.*	—	1	30
387	crinitus. *H.*	p.	—	10
388	cupreo-aeneus. *Kn.*	p.	—	12
389	flabellipes. *M.*	m. f.	—	51
390	fossullatus. *M.*	—	—	24
391	Friulicus. *H.*	—	—	6
392	Fruteti. *Cr.*	p.	—	12
393	gemmatus.	p.	—	6
394	geniculatus. *M.*	p.	—	12
395	glabratus. *s. Dyrus. H.*	—	—	7
396	laevigatus.	p.	—	6
397	lanuginosus. *Cr.*	p.	—	10
398	*lateralis.*	—	—	30
399	limbatus.	p.	—	10
400	Lusitanicus.	m. f.	1	10
401	Mastix. *Hl.*	m. f.	—	6
402	Morio.	p.	—	24
403	niger.	m. f.	—	12
404	*nodulosus.* *	—	1	48
405	orbicularis.	p.	—	8
406	parvulus.	p.	—	6
407	Perdix. *Cr.*	p.	—	10
408	picipes.	p.	—	10
409	Picus.	p.	—	8
410	Pinnastri.	p.	—	16

No.	Name		fl.	kr
411	planatus.	m. f.	—	2[illegible]
412	planirostris. *P.*	—	—	10
413	pollinosus.	p.	—	6
414	prodigus.	—	—	51
415	punctatissimus. *M.*	p.	1	—
416	punctatus.	p.	—	6
417	Robiniae.	—	—	51
418	roridus.	p.	—	10
419	rotundatus.	p.	—	6
420	*rusticus.*	—	—	40
421	Silesiacus. M.	m. f.	—	3[illegible]
422	Simo. *H.*	p.	—	16
423	*spectabilis.*	—	1	30
424	squameus. *Cr.*	p.	—	10
425	squamiger.	p.	—	3[illegible]
426	squamosus. *Kn.*	p.	—	10
427	squamulatus.	p.	—	10
428	subrotundus. *M.*	—	—	24
429	sulphurifer.	m. f.	—	6
430	undatus.	m. f.	—	12
431	*unicolor.*	—	—	51
432	Zebra.	p.	—	8
	Cychrus.			
433	attenuatus.	—	—	15
434	rostratus.	p.	—	24
	Cyphon.			
435	griseus.	p.	—	6
436	haemisphericus.	p.	—	10
437	pubescens.	—	—	8
	Dasytes.			
438	aurarius. *Hl. Melyr.*	—	—	10
439	linearis.	—	—	6
	Dermestes.			
440	macellarius.	p.	—	6
441	Maegatoma.	—	—	6
442	Serra.	m. f.	—	12
443	6. dentatus.	p.	—	10
444	subterraneus.	—	—	24
445	3. fasciatus.	p.	—	50
	Diaperis.			
446	aenea.	—	—	17
447	*cornuta. M. ex Georg. Aff. bicor. Ol. sed Cornub. porrect.*	—	2	30
	Dircaea.			
448	barbata.	—	—	24
449	ruficollis.	—	6	—
	Donacia.			
450	clavipes.	m. f.	—	20

No.	Name		fl.	kr
451	gracilis. *Cr. simplex. P.*	p.	—	6
452	Hydrochacridis.	p.	—	6
453	impressa.	p.	—	12
454	linearis. *Hop.*	—	—	6
455	simplex.	p.	—	8
456	striata.	m. f.	—	30
457	Veneta. *Hoff.*	—	—	40
	Drypta.			
458	*lineola.*	—	—	40
459	*longicollis.*	—	—	40
	Dyticus.			
460	agilis.	p.	—	6
461	*Bengalensis. Bl.*	m. f.	—	50
462	collaris. *P.*	p.	—	16
463	confluens.	—	—	6
464	crassicornis.	—	—	5
465	erythrocephalus.	—	—	10
466	fenestratus.	p.	—	8
467	flavipes.	—	—	6
468	fusculus. *Ill.*	p.	—	6
469	gemminus.	p.	—	6
470	*griseus.*	p.	—	40
471	Hallensis.	p.	—	8
472	impressus.	p.	—	12
473	inaequalis.	p.	—	6
474	intermedius. *Iock.*	—	—	15
475	*limbatus.*	—	—	30
476	lituratus.	p.	—	8
477	maculatus.	p.	—	8
478	margine-punctat. *P.*	p.	—	10
479	notatus.	—	—	7
480	picipes.	p.	—	6
481	Roeselii.	m. f.	—	20
482	6. pustulatus.	—	—	6
483	stagnalis.	m.	—	17
484	transversalis.	p.	—	8
485	*variegatus. M.*	—	—	30
	Elaphrus.			
486	borealis. *A.*	—	—	34
487	picipes. *M.*	—	—	10
	Elater.			
488	aeruginosus.	m. f.	—	14
489	Aethiops. *Fr.*	—	—	20
490	affinis. *M. Rufomin.*	—	1	8
491	atomarius.	—	—	10
492	balteatus.	p.	—	10
493	brunneus.	—	—	7
494	castaneus.	m.	—	10
495	cruciatus.	—	—	12
496	cylindricus. *R.*	—	—	10

No.	Name		fl.	kr
497	deflexicollis. *M.*	p.	—	24
498	depressus. *M.*	m. f.	—	50
499	discicollis. *M.*	p.	—	24
500	elongatulus.	p.	—	16
501	equestris.	p.	—	8
502	Equiseti. *P.*	p.	—	10
503	fasciatus.	p.	—	36
504	ferrugineus.	—	—	20
505	filiformis.	p.	—	6
506	flavicornis.	—	—	6
507	fulvipennis. *M.*	—	—	17
508	fugax.	—	—	10
509	*fuscipes.*	—	—	48
510	linearis.	p.	—	20
511	marginellus. *M.*	—	—	20
512	Mesomelas.	—	—	17
513	nigricans. *Pay.*	—	—	10
514	nigricornis.	p.	—	8
515	nigripes. *Fr.*	p	—	8
516	Nigrita. *M.*	—	—	12
517	pilosus.	p.	—	6
518	pusillus.	p.	—	6
519	rufus,	—	—	30
520	signatus. *P.*	—	—	15
521	sinuatus. *M.*	—	—	15
522	*striatus. F. n.* 28.	—	1	48
523	3. fasciatus.	—	1	—
524	varius.	p.	—	24
525	variabilis.	p.	—	10
	Elophorus.			
526	grandis.	—	—	6
527	pygmaeus.	p.	—	12
	Endomychus.			
528	Bovistae.	p.	—	10
529	4. pustulatus.	—	—	10
	Engis.			
530	sinuata.	—	—	10
	Erodius.			
531	*testudinarius.* *	—	—	30
	Eumolpus.			
532	aneus.	p.	—	6
533	*Asiaticus.* *	—	2	—
534	*Bengalensis. Hl.*	—	—	30
535	*cupreus. M.*	—	—	30
536	*fastuosus. M.*	—	—	27
537	*metallicus.*	—	—	40
538	obscurus.	p.	—	6
539	praetiosus.	p.	—	12
	Eumorphus.			
540	*immarginatus?*	—	—	48
541	4. *maculatus. M.*	—	—	48

			fl.	kr
	Eurychora.			
542	*ciliata.*	—	1	—
	Forficula.			
543	2. lineata.	—	—	7
544	2. punctata.	m. f.	—	12
545	gigantea.	—	—	12
546	minor.	m. f.	—	6
	Gallerita.			
547	fasciolata.	—	—	24
	Galleruca.			
548	*Abdominalis.*	—	—	15
549	*Caroliniana.*	—	—	27
550	Crataegi. *Sch.*	p.	—	16
551	*impressa. M.*	—	—	27
552	nigricornis.	—	—	7
	Geotrupes.			
553	*Aloeus.*	m. f.	3	30
554	*Anteus.*	m.	2	30
555	*Dionysius.*	m. f.	5	—
556	*Hercules.* **	—	5	—
557	*Iuvencus.*	m.	1	12
558	Monodon.	—	—	12
559	*Oromedon.*	m. f.	1	30
560	*piceus.*	—	—	27
561	*Rhinoceros.*	m. f.	1	—
562	*Syrichtus.*	m.	1	20
	Gyrinus.			
563	minutus.	—	—	12
564	villosus.	—	—	27
	Helops.			
565	laevis.	—	2	30
566	*speciosus. M.*	—	1	12
	Heterocerus.			
567	laevigatus.	p.	—	10
568	marginatus.	p.	—	6
	Hispa.			
569	*flavicollis. M.*	—	1	30
570	*porcata. M. Aff. sulcatae, sangui. Elyt. porcat. nig. basi et apice sanguin.*	—	3	—
	Hister.			
571	2. *guttatus. M.*	—	—	40
572	2. pustulatus.	p.	—	6
573	bis 5. striatus. *M.*	—	—	17
574	— 6. —	p.	—	14
575	frontalis. *Pay.*	—	—	15
576	obscurus. *Cr.*	p.	—	12
577	planus.	p.	—	50
578	pygmaeus.	p.	—	10
579	striatus.	p.	—	12
580	virescens. *A.*	—	—	17
	Hydrachna.			
581	gibba.	p.	—	20
582	ovalis.	p.	—	20
	Hydrophylus.			
583	aeneus.	—	—	17
584	Globulus. *Pay.*	—	—	10
585	haemorrhoidalis.	p.	—	12
586	marginellus.	—	—	6
587	*olivaceus.*	—	—	27
588	orbicularis.	p.	—	6
589	pedicularius. *Fr.*	—	—	10
	Hylesinus.			
590	chloropus.	—	—	6
591	Fraxini.	p.	—	6
592	marginatus. *Fr.*	—	—	10
593	vittatus.	p.	—	6
	Ips.			
594	ferruginea.	p.	—	20
595	haemorrhoidalis.	p.	—	6
596	punctata.	—	—	15
597	4. pustulata.	—	—	6
	Lamia.			
598	atomaria.	m. f.	—	30
599	2. lineata. *Ill.*	—	1	40
600	carinata.	—	1	30
601	*Cylindrator.*	—	2	—
602	decipiens. *Koy.*	—	—	15
603	Fuliginator.	—	—	15
604	*Gladiator.*	—	2	—
605	holosericea. *M.*	m. f.	1	40
606	pedestris.	p.	—	40
607	*Tornator.*	—	—	36
608	*transversa. M.*	—	2	16
609	tristis.	p.	—	12
610	vittigera. *P.*	p.	—	24
	Lampyris.			
611	Italica.	m.	—	20
612	*laticornis.*	—	2	—
613	*marginata.*	—	1	40
	Leptura.			
614	auriflua. *M.*	m. f.	—	14
615	aurulenta.	m. f.	—	30
616	2. *lineata. M.*	—	1	12
617	cincta.	m. f.	—	14
618	hastata.	m. f.	—	50
619	holosericea.	p.	—	20
620	lurida.	p.	—	8
621	melanaria. *H.*	—	—	10
622	Morio.	—	—	17
623	praeusta.	p.	—	14
624	4. fasciata.	m. f.	—	20
625	4. guttata.	m. f.	—	14
626	scutellata.	m. f.	—	14
627	tomentosa.	p.	—	18
628	villica.	—	—	40
629	virens.	p.	—	6
	Lethrus.			
630	Cephalotes.	m. f.	—	45
	Lixus.			
631	pulverulentus.	p.	—	20
632	3. *color. M.*	—	—	36
	Lucanus.			
633	rufipes.	—	—	15
634	tenebrioides.	m. f.	—	24
635	Var. min. simillim. *fors-propr. Spec?*	m. f.	—	40
	Lycus.			
636	2, *fasciatus.* * 1/2 *Ant.*	—	1	20
637	*palliatus.*	—	—	50
638	*praeustus.*	—	1	—
639	*proboscideus.* *	—	—	30
640	reticulatus. *M.*	—	1	—
641	rubens. *M.*	—	—	15
	Lyctus.			
642	2. pustulatus.	p.	—	12
	Lymexylon.			
643	Morio.	—	—	12
644	proboscideum.	—	—	12
	Lytta.			
645	erythrocephala. *vera.* * *Ant. et.* 2. *P.*	—	—	12
646	*lineata. P.*	—	—	51
647	*ruficollis.* *	—	—	20
648	Syriaca.	p.	—	12
	Malachius.			
649	analis. *P.*	—	—	6
650	angulatus.	p.	—	8
651	*laetus.*	—	—	48
652	marginalis. *M.*	p.	—	16
	Mastigus.			
653	palpalis. *Hl.*	—	—	40
	Melandria.			
654	barbata.	—	—	51
	Melasis.			
655	flabellicornis.	m. f.	—	20
	Meloe.			
656	brevicollis.	p.	—	6
657	majalis.	p.	—	12
	Melolontha.			
658	aestiva. *Ol.*	—	—	12
659	aurata.	—	—	30
660	bombyliformis. * *P.*	—	1	8
661	— — **	—	—	40
662	brunnea.	m. f.	—	20
663	chrysomelina.	—	—	7
664	*elongata. H.*	—	1	8
665	errans.	—	1	—
666	*femoralis. M.*	—	1	12
667	*fervida.*	—	2	30
668	Graminicola.	—	—	20
669	*haemorrhoidalis. M.* Aff. rubripedi, sed ano rufo.	—	3	—
670	Hypocastani.	m. f.	—	12
671	hirta. * *P.*	m.	1	30
672	— **	f.	1	—
673	hirtula. *Ill.*	—	—	24
674	*immaculata. Ol.*	—	—	24
675	Junii. *Cr.*	—	2	16
676	*lanata.*	—	1	12
677	*nitidula. Ol.*	—	—	54
678	papposa. *Hl.*	m.	1	30
679	*plebeja.* Ol.	—	—	30
680	pulverulenta.	—	—	24
681	*rubripes. M.*	—	2	16
682	*tarsata. M.*	—	2	16
683	transversa.	—	1	12
684	*Ursus.* *	—	—	24
685	variabilis.	p.	—	8
686	*viridis.*	—	1	20
	Melyris.			
687	aenea. *Ol.*	—	—	30
688	*viridis.*	p.	—	30
	Molorchus.			
689	abbreviatus.	—	—	12
	Mordella.			
690	abdominalis.	p.	—	12
691	atomaria.	p.	—	12
	Mylabris.			
692	2. *punctata. M.*	—	—	30
693	*Capensis.* *	—	—	17
694	10. punctata. *	—	—	15
695	Hermanniae. *	—	—	20

			fl.	kr
696	*lunata.*	—	—	30
697	— **	—	—	15
698	*oculata. Ol.*	—	—	40
699	*Punctum.*	m. f.	—	36
700	*pustulata. Ol.*	—	—	30
701	4. punctata. *L.*	—	—	20
702	ruficollis. *Ol.*	—	3	—
	Odacantha.			
703	melanura.	—	1	—
	Omalysus.			
704	suturalis.	—	—	45
	Onitis.			
705	*Apelles.*	—	1	—
706	*Aygulus.*	—	—	30
707	Bison.	m. f.	—	54
708	*Corydon. ex Rossia * 2. T.*	—	2	30
709	*Inuus.*	m. f.	1	8
710	Menalcas.	—	2	30
711	— * 2. *T.*	—	2	12
712	*thoracicornis. M.*	m.	2	30
713	*— s. sulcosus antea. M.*	f.	1	—
714	Vandellii.	m. f.	1	12
	Opatrum.			
715	*arenarium.*	p.	—	20
716	gibbum.	p.	—	24
717	Lusitanicum.	-	—	20
718	*orientale.*	—	1	—
	Oxyporus.			
719	lunulatus.	—	—	6
720	marginatus.	p.	—	6
721	maxillosus.	p.	—	16
722	rufus.	p.	—	10
723	3. maculatus.	—	—	10
	Paederus.			
724	angustatus. *Gr.*	p.	—	10
725	elongatus.	p.	—	10
726	orbiculatus. *Gr.*	—	—	15
727	testaceus. *Ol.*	—	—	15
	Parnus.			
728	auriculatus.	p.	—	12
	Passalus.			
729	*barbatus.*	—	1	20
730	*cornutus.*	—	1	8
731	*interruptus.*	—	1	8
	Pimelia.			
732	*grossa. * Ant.*	—	1	8
733	pygmaea.	p.	—	20

			fl.	kr
734	*scabra.*	—	1	—
735	*striata.*	—	—	40
	Prionus.			
736	*castaneus. M.*	—	2	30
737	depsarius.	—	—	50
738	Faber.	—	—	24
739	scabricornis.	m. f.	—	24
740	Serrarius. *P.*	—	—	30
	Psellaphus.			
741	3. punctatus. *Fr.*	—	—	20
	Psoa.			
742	Viennensis.	p.	—	24
	Ptilinus.			
743	pallidus. *M. ex Rossia.*	—	—	30
744	pectinicornis.	m. f.	—	6
745	serratus.	p.	—	20
	Pytho.			
746	coeruleus. * *Ant. et. P.*	—	—	40
	Rhagium.			
747	2. fasciatum.	m. f.	—	12
748	cinctum.	m. f.	1	20
749	— *var. nigra.*	—	2	—
750	clathratum.	m. f.	1	8
751	Cursor.	p.	—	30
752	dispar. *s. Stenoc. Sc.*	m. f.	—	30
753	Noctis.	p.	—	30
754	Salicis.	p.	—	16
	Rhynchaenus.			
755	*alboguttatus. M.*	—	1	—
756	arcticus. *Sc.*	—	1	—
757	Artemisiae. *P.*	p.	—	10
758	attenuatus. *M.*	—	—	40
759	avarus.	—	—	10
760	2. *spinosus.*	m. f.	4	30
761	canus. *H.*	p.	—	1[illegible]
762	Crux.	p.	—	1[illegible]
763	Cynarae.	—	—	[illegible]
764	Druparum.	p.	—	10
765	*Famulus.*	—	—	30
766	haemorrhoidalis.	p.	—	1[illegible]
767	*Hebes.*	—	—	24
768	Hellwigii. *M.* *	—	—	24
769	fatuus. *R.*	—	—	34
770	maculatus. *M.*	p.	—	50
771	melaraphus. *Hl.*	—	—	4[illegible]
772	nigrirostris.	p.	—	1[illegible]
773	Nucleorum. *Cr.*	—	—	[illegible]
774	Pinneti.	p.	—	2[illegible]

			fl.	kr
775	Pseudacori.	p.	—	14
776	rugulosus. *H.*	p.	—	10
777	Salicis.	—	—	7
778	Styriacus. *M.*	—	—	50
779	suspiciosus. *H.*	p.	—	10
780	teres. *H.*	p.	—	20
781	timidus. *R.*	p.	—	10
782	Troglodytes.	p.	—	20
783	villosulus. *M.*	p.	—	2[illegible]
784	villosus.	p.	—	20
785	viminalis.	p.	—	[illegible]
	Rhynomacer.			
786	Leptuloides.	m. f.	—	30
787	Necydaloides *Lept. rostrat. F.*	—	—	36
	Rhyncolus.			
788	tenuirostris. *Cr.*	p.	—	14
	Ripiphorus.			
789	*dimidiatus.* **	—	1	—
	Saperda.			
790	affinis.	—	—	30
791	Argus.	—	—	30
792	*bicolor. M. ex Georg. Aff. oculat. nigra. Cap. Thorace, Abdomine et femoribus ruf.*	—	2	16
794	brunnea.	p.	—	14
795	coerulescens. *Sr.*	p.	—	10
796	dubia. *A.*	p.	—	30
797	ferrea.	p.	—	6
798	ferruginea.	—	—	12
799	marginella.	p.	—	24
800	rufimana.	p.	—	40
801	scutellata.	—	—	17
802	Seidlii.	—	—	45
803	testacea.	p.	—	20
804	3. *punctata. * ½ Ant.*	—	1	45
805	violacea.	—	—	15
806	virescens.	p.	—	6
	Sarrotrium.			
807	sulcicolle. *A.*	—	—	50
	Scaphidium.			
808	agaricinum.	p.	—	20
	Scarabaeus.			
809	laevigatus.	—	—	40
810	mobilicornis.	m. f.	—	16
811	quadridens.	m. f.	—	12

			fl.	kr
812	testaceus.	m. f.	1	—
	Scarites.			
813	*depressus.*	—	2	—
814	*emarginatus. M.*	—	—	50
815	Gigas.	—	1	45
816	littoralis. *Cr.*	—	—	40
817	sulcatus. *Ol. ex Rossia.*	—	2	—
	Sepidium.			
818	*elongatum.*	—	1	—
819	*reticulatum.*	—	1	—
	Silpha.			
820	*Americana.* *	—	1	—
821	minuta.	p.	—	6
822	Nigrita. *Cr.*	p.	—	40
	Synodendron.			
823	cylindricum.	m. f.	—	24
824	muricatum.	p.	—	34
	Sphaeridium.			
825	Colon.	—	—	12
	Staphylinus.			
826	antennatus. *M.*	—	—	20
827	2. maculatus. *Gr.*	p.	—	14
828	chalcocephalus.	p.	—	12
829	chloropterus.	m. f.	—	48
830	cyaneus.	—	—	12
831	Fossor.	—	—	7
832	impressus. *P.*	—	—	10
833	rufipennis. *M.*	p.	—	24
834	tectus. *Pay.*	—	—	6
835	tenuis.	p.	—	12
836	terminatus. *Gr. Latrob.*	p.	—	20
	Stenocorus.			
837	*festivus.*	—	1	8
838	— * 1. *P.*	—	—	50
839	*undatus. * Ant.*	—	1	30
	Stenosis.			
840	atra. *H.*	—	—	27
841	unicolor. *H.*	—	—	27
	Tenebrio.			
842	culinaris.	p.	—	12
843	ferrugineus.	p.	—	12
844	purpurascens. *H.*	—	—	40
	Tillus.			
845	ambulans.	p.	—	24
846	2. *lineatus. M.*	—	4	—
847	elongatus.	—	—	10

			fl.	kr
	Trachys.			
848	pygmaea.	—	—	24
849	*tessellata.*	—	—	48
	Trichius.			
850	nobilis.	m. f.	—	10
851	8. punctatus.	m. f.	—	14
	Trichodes.			
852	Amios.	—	—	40
853	alvearius.	—	—	10
	Triplax.			
854	aenea.	p.	—	10
	Tritoma.			
855	collaris. *Cr.*	—	—	10
856	*striata. M.*	—	—	24
	Trogosita.			
857	Calcar.	m. f.	1	—
858	coerulea.	p.	1	8
	Trox.			
859	*suberosus.*	—	—	24
	Zonitis.			
860	clavipes. *M.*	m. f.	1	48
861	— *var. ped. nig.*	m. f.	2	—
862	mutica.	p.	—	34
863	*vittata.*	—	1	30

HEMIPTERA.

			fl.	kr
	Acheta.			
1	*monstrosa.*	—	2	30
	Aelia.			
2	acuminata.	p.	—	6
	Aradus.			
3	annulicornis.	—	—	10
4	depressus.	—	—	6
	Blatta.			
5	*Petiveriana.*	—	—	30
	Capsus.			
6	flavo-maculatus.	p.	—	6
	Centrotus.			
7	Genistae.	p.	—	8
	Cercopis.			
8	2. fasciata.	p.	—	6
9	haemorrhoa.	p.	—	10

			fl.	kr
	Cicada.			
10	interrupta.	p.	—	[illegible]
	Cimex.			
11	agathinus.	p.	—	[illegible]
12	Custos.	p.	—	[illegible]
13	haemorrhoidalis.	p.	—	[illegible]
	Coreus.			
14	capitatus.	p.	—	[illegible]
15	*dentipes. M.*	—	—	[illegible]
16	hirticornis.	p.	—	[illegible]
17	quadratus.	—	—	[illegible]
18	tibialis. *M.*	—	—	[illegible]
	Cydnus.			
19	tristis.	—	—	[illegible]
	Edessa.			
20	*Ianus.*	—	—	[illegible]
21	*nigripes.*	—	—	[illegible]
22	*obscura.*	—	—	[illegible]
	Flata.			
23	Cynosbatis.	p.	—	[illegible]
24	nervosa.	p.	—	[illegible]
25	*Phalaenoides.* *	—	—	[illegible]
	Fulgora.			
26	*candellaria.*	—	—	[illegible]
27	Europaea.	p.	—	[illegible]
28	*hyalinata.*	—	1	[illegible]
	Gryllus.			
29	cothurnatus. *Cr.*	—	—	[illegible]
	Halys.			
30	*dentata.* *	—	—	[illegible]
31	*nubilus.*	—	—	[illegible]
	Jasus.			
32	Lanio.	p.	—	[illegible]
	Issus.			
33	coleoptratus.	p.	—	[illegible]
	Ledra.			
34	aurita.	p.	—	[illegible]
	Lygaeus.			
35	apterus. *var. alata.*	p.	—	[illegible]
36	*bicolor. M.*	—	—	[illegible]
37	*Capensis. M.*	—	1	[illegible]
38	Echii.	p.	—	[illegible]
39	Fraxini.	—	—	[illegible]
40	*Koenigii.* *	—	—	[illegible]
41	leucocephalus.	—	—	[illegible]
42	*nigricornis. M.*	—	—	[illegible]
43	*pictus. M.*	—	1	[illegible]

			fl.	kr
	Mantis.			
44	pagana.	m. f.	—	30
	Membracis.			
45	*picicornis. M.*	—	—	40
	Nepa.			
46	*grandis.*	—	1	20
47	*rustica.*	—	—	40
	Notonecta			
48	*nivea.*	—	—	24
	Reduvius.			
49	*flavipes. M.*	—	—	50
50	stridulus.	—	—	6
	Syrtis.			
51	crassipes.	m. f.	—	10
	Tettigonia.			
52	haematodes.	—	—	12
53	obscura.	—	—	30
54	sanguinea.	—	—	18
55	*sanguinolenta.*	—	—	50
	Tetyra.			
56	12. *pustulata. M.*	—	—	40
57	Globus.	p.	—	6
58	Nigellae.	—	—	12
59	*nobilis.*	—	—	34
60	pictus.	p.	—	14
61	quadratus.	—	—	34
62	*Stockerus.*	—	—	34
	Tingis.			
63	Echii.	p.	—	10

LEPIDOPTERA.

			fl.	kr
	Bombyx.			
1	*Acria. Sm.*	—	3	—
2	*albifrons. Sm.*	m. f.	4	30
3	*Alcifron. C.*	—	1	30
4	Anastomosis. *var.*	f.	—	30
5	antiqua.	m. f.	—	24
6	argentina.	m. f.	1	40
7	Arundinis. *Hyb.*	m. f.	9	—
8	*Atlas.* *	m.	9	—
9	aulica.	m. f.	—	24
0	aureola.	—	—	30
1	*Aurora. Sm.*	—	2	—
2	*Bela. C.*	—	1	45
3	Betulifolia.	m.	1	8
4	*bicolora. C.*	—	1	30
15	bicoloria.	m. f.	2	30
16	Camelina. *var.*	m. f.	—	40
17	*Capensis.*	—	4	30
18	Cassinia.	m. f.	—	40
19	Chaonia.	m. f.	—	30
20	— *var.*	m.	—	28
21	*Cecropia.*	m.	8	—
22	— *	m.	5	—
23	Communimacula.	—	—	30
24	Crataegi.	m.	—	15
25	crenosa. *Hyb.* *	f.	—	45
26	*cribraria. C.*	—	1	8
27	cruciata. *Kn.*	—	—	20
28	*Cynthia. Dr.*	m. f.	6	—
29	Dodonea. *Hyb.*	m. f.	1	—
30	Dominula.	m. f.	—	24
31	Dromedarius.	—	—	20
32	Dumeti. *E.*	—	—	50
33	Everia. *E.*	m. f.	—	45
34	Falcula.	p.	—	50
35	Flina. *Hyb.*	—	—	24
36	Franconica.	f.	2	16
37	*gibbosa.* Sm.	m.	1	30
38	gramica.	—	—	10
39	Hama. *Hyb.*	m. f.	—	40
40	Hamula.	—	—	24
41	Harpagula. *Hyb.*	m.	1	—
42	Hebe.	m. f.	—	40
43	hecta. *Hyb.*	f.	—	20
44	helvola.	m. f.	—	48
45	Hera.	f.	—	24
46	*Hesperus. Corpo. compress.*	m.	4	—
47	Hospita.	m.	—	40
48	*Illicifolia. Sm.*	—	—	30
49	*impudens. Zi. Aff. et Magnit. Salicis.*	—	1	30
50	irrorea.	m.	—	10
51	*lanigera. Zi. Aff. et Magn. Phillirae.*	—	2	—
52	*Leucophea. Sm.*	m. f.	3	—
53	luctifera.	m. f.	—	45
54	*Luna.*	m.	5	—
55	lunigera.	m. f.	1	20
56	luteola.	—	—	10
57	maculosa.	m. f.	1	—
58	Matronula.	—	2	30
59	mendica.	m. f.	—	30
60	Monacha.	f.	—	20
61	Mori.	m. f.	—	30
62	Morio.	m. f.	—	20
63	mundana.	—	—	15

			fl.	kr
64	*Neustria. Sm.*	f.	—	34
65	Oleagina.	m. f.	—	48
66	Pavonia Pyri.	m. f.	1	—
67	— Spini.	m. f.	—	50
68	*pellucida. Sm.*	—	1	20
69	— *Paul. derasa.*	m.	1	—
70	plumbeola. *Hyb.*	—	—	15
71	plumifera. *Zi.*	m.	—	20
72	plumigera.	m. f.	—	40
73	*Polyphemus.*	m. f.	5	—
74	*Promethea.*	f.	2	—
75	Pruni.	m. f.	1	20
76	*Pytiocampa. C.*	m. f.	4	—
77	Querna.	m.	1	—
78	Rimicola.	m. f.	1	—
79	roscida.	m. f.	—	24
80	rubicunda.	—	—	24
81	rubricollis.	f.	—	24
82	Selenitica.	m. f.	3	30
83	Sphinx. *Hyb.*	m. f.	1	40
84	Spinula.	m. f.	—	30
85	*Stigma. Sm.*	—	1	30
86	Taraxaci.	m. f.	2	30
87	Tau.	m. f.	—	40
88	— *var.*	f.	—	40
89	*tenera. Zi. Min. impudente.*	—	1	30
90	Tritophus.	—	1	20
91	Torva. *Hyb.*	f.	—	48
92	Tremula. *Hyb.*	—	—	20
93	Trifolii.	m. f.	—	30
94	Ulmi.	m. f.	—	40
95	Uncula. *Hyb.*	—	—	40
96	Unguicula. *Hyb.*	f.	—	30
97	versicolora.	m. f.	—	48
98	villica.	m. f.	—	40

Geometra.

			fl.	kr
99	aceraria.	—	—	36
100	achatinata.	—	—	36
101	advenaria.	—	—	15
102	Aescularia.	m. f.	—	15
103	albulata.	—	—	12
104	alchemillata.	—	—	10
105	alpinata.	—	—	15
106	apicaria.	—	—	24
107	*aproximaria. Zi. ex Gerog. Aff. rhomboidar.*	m. f.	2	—
108	arenacearia.	—	—	15
109	*atomistaria. Zi. ex Georg. Aff. pectinar.*	f.	1	40
110	aurantiaria.	—	—	20
111	aureolaria.	—	—	7
112	aurorarìa.	—	—	20
113	aversaria.	—	—	12
114	badiata.	—	—	10
115	bajaria.	m. f.	—	24
116	bajularia.	—	—	24
117	berberata.	—	—	10
118	betularia.	m. f.	—	20
119	*bifilaria. Zi. ex Georg. Magnit. Ochreatae.*	—	1	—
120	*bipartaria. Zi. ex Georg. Aff. Petrariae.*	m. f.	2	—
121	*bistrigaria. Zi. ex Georg. Aff. Palumbariae.*	—	—	50
122	caesiata.	—	—	45
123	carbonaria.	—	—	30
124	centaureata.	—	—	7
125	chenopodiata.	—	—	15
126	cinctaria.	—	—	7
127	cineraria.	—	—	10
128	*clemataria. Sm.*	m. f.	3	—
129	coarctata.	—	—	12
130	consignata.	—	—	10
131	conspersaria.	m.	—	36
132	conspicuaria.	—	—	30
133	cordiaria.	—	—	30
134	*crassipedaria. Zi. ex Georg. Aff. Lituratae.*	—	—	45
135	crepuscularia.	—	—	10
136	cruentaria. *B.*	m. f.	—	24
137	decussaria.	—	—	30
138	defoliaria.	—	—	20
139	degeneraria.	—	—	20
140	dilutata.	—	—	20
141	*dissimilaria. Zi. ex Georg. Aff. Calabrariae.*	—	1	[illegible]
142	*diversilinaria. Zi. ex Georg. Aff. marmoratae.*	—	1	30
143	dolabraria.	—	—	20
144	elinguaria.	—	—	12
145	emarginaria.	—	—	10
146	emutaria.	—	—	30
147	extersaria.	m. f.	1	20
148	fasciaria.	—	—	15
149	flameolaria. *B.*	—	—	[illegible]
150	flavicaria.	p.	1	[illegible]
151	furvaria.	—	—	[illegible]
152	galiata.	—	—	[illegible]
153	gemata.	—	—	30
154	gilvaria.	—	—	12
155	grisearia.	—	—	10
156	hastata.	—	—	30
157	hexapterata.	—	—	10
158	hispidaria.	m. f.	—	40
159	illunaria.	—	—	15
160	illustraria.	—	—	15
161	impluviata.	—	—	10
162	imutaria.	—	—	10
163	*inspersaria. Zi. ex Georg. Atomistariae var?*	—	1	40
164	laevigaria.	—	—	20
165	leucophearia.	—	—	24
166	lignata.	—	—	30
167	ligustrata.	—	—	15
168	linearia.	—	—	24
169	*liriodendraria. Sm*	m.	2	30
170	lituraria.	—	—	20
171	lunaria.	—	—	15
172	lutearia.	—	—	10
173	margaritaria.	—	—	24
174	mensurata.	—	—	15
175	miata.	—	—	30
176	moniliaria.	—	—	15
177	montanata.	—	—	15
178	*multilinearia. Zi. ex Georg. Magn. bilineatae.*	—	—	40
179	murinaria.	—	—	10
180	naevaria.	—	—	20
181	nivearia.	—	—	20
182	notataria.	—	—	24
183	nubilaria.	—	3	—
184	obeliscata.	—	—	30
185	obfuscaria.	—	—	30
186	obscuraria.	—	—	20
187	parallelaria.	—	—	30
188	pendularia.	—	—	15
189	pennaria.	—	—	20
190	pinetaria.	—	—	24
191	piniaria.	—	—	40
192	plumaria.	—	—	18
193	polycomata.	—	—	24
194	polygramata.	—	—	24
195	populata.	—	—	10
196	procellata.	—	—	10
197	prodromaria.	—	—	20
198	progemaria.	—	—	15
199	propugnata.	—	—	12
200	prunaria.	—	—	10
201	pulveraria.	—	—	20
202	punctularia.	—	—	15
203	pupillaria.	—	—	30
204	*pustularia. Zi. ex Georg. Magn. sparsariae.*	—	1	30
205	4 fasciata.	—	—	12
206	*quernaria. * Sm.*	f.	1	30
207	rhamnata.	—	—	15
208	rhomboidaria.	—	—	10
209	rivulata.	—	—	15
210	rubidata.	—	—	10
211	rupicapraria.	—	—	34
212	russata.	—	—	15
213	rusticata.	—	—	10
214	sacraria.	f.	—	28
215	sambucaria.	m. f.	1	—
216	scripturata.	—	—	24
217	scutellaria.	—	—	15
218	secundaria.	f.	—	40
219	silaceata.	—	—	24
220	*soraria. Zi. Magn. punctulariae.*	—	—	45
221	syringaria.	—	—	15
222	tersata.	—	—	15
223	tristata.	—	—	15
224	ulmaria.	m. f.	1	—
225	*umbrosaria. Zi. ex Georg. Aff. cinctariae.*	m. f.	2	—
226	variata.	—	—	20
227	vespertaria.	—	—	36
228	vetulata.	m. f.	—	30
229	*vibicaria. C.*	m. f.	2	16
230	viduaria.	m.	—	20
231	vitalbata.	—	—	24
232	zonaria.	m. f.	—	40

Noctua.

			fl.	kr
233	Abrotani.	p.	1	—
234	Absynthii.	m. f.	—	24
235	Aceris. *var.*	—	—	20
236	Acetosellae.	m. f.	1	20
237	Advena.	—	—	20
238	affinis.	m. f.	—	20
239	Algae.	—	1	10
240	Alsines. *B.*	—	—	20
241	ambigua. *Hyb.*	m. f.	1	8
242	*Amica. Zi. ex Georg. Aff. et Magnit. Hymeneae.*	—	2	30
243	*anilis. Dr.*	—	3	—
244	aprilina.	p.	—	50
245	aquilina. *Hyb.*	—	—	40
246	Artemisiae.	—	—	50

			fl.	kr
247	Asclepiadis.	—	—	30
248	*atomaris. Zi. ex Georg. Magn. et aff. Acetosellae.*	—	1	30
249	atratula.	—	—	15
250	Atriplicis.	m. f.	1	—
251	Augur. *Hyb.*	—	1	—
252	Aurago. *Hyb.*	—	—	20
253	— *var.*	—	—	30
254	*auricoma. ex Geo.*	—	—	30
255	*aurita. Zi. ex Georg. Aff. calvariali, sed min.*	—	1	20
256	basilinea.	—	—	20
257	Batis.	—	—	20
258	*bella.*	—	1	40
259	*bellicula. Zi. Aff. venustulae*	—	1	20
260	bilinea. *Hyb.* *	—	—	40
261	2. maculosa.	m. f.	—	45
262	birivia. *	—	—	45
263	*bistria. Zi. ex Georg. Magn. Ononis.*	—	1	40
264	blanda. *Hyb.*	—	—	20
265	bractea.	—	1	30
266	brunnea. *Hyb.*	—	—	51
267	caecimacula.	—	—	24
268	Caesia.	—	—	40
269	Calcedonica. *Hyb.*	—	1	30
270	*calciptera?* B. ex Cap. *bon. Sp. Aff. Chrysitis.*	—	2	30
271	Calcites.	—	2	—
272	Caloris. *Hyb.*	—	1	40
273	candidula.	—	—	20
274	caracterea. *Hyb.*	—	—	48
275	candelisequa? *Hyb. aut nov. Sp.*	—	1	20
276	Cardui.	—	—	45
277	Cespitis.	—	—	40
278	Chamomillae. *Hyb.*	—	—	45
279	*chloropha. Zi. ex Georg. Magn. dypsaceae.*	—	1	30
280	cinerea. *Hyb.*	—	—	30
281	circumflexa.	—	—	20
282	Citrago.	—	—	30
283	coecimacula.	m. f.	—	48
284	Coma. *Hyb.*	m. f.	—	48
285	combusta. *Hyb.*	—	—	45
286	*Comelinae. Sm.*	—	2	16
287	communimacula.	p.	1	—
288	concinna. *Hyb.*	—	—	40

			fl.	kr
289	conformis.	—	—	20
290	*confusa. Zi. ex Georg. Magn. Brassicae.*	—	1	30
291	conigera.	—	—	20
292	consequa.	—	1	—
293	*Consors. Sm.*	—	2	—
294	convergens.	—	—	20
295	Croceago.	—	—	15
296	cruda. *Hyb.*	—	—	45
297	cubicularis.	—	—	15
298	culta.	f.	—	40
299	cuprea. *Hyb.*	—	—	40
300	*cuspidea. Zi. ex Georg. Aff. et maj. glyphicae.*	—	2	—
301	Deceptricula. *Hyb.*	—	—	24
302	decora.	—	—	40
303	*decora. C.*	—	1	20
304	Delphinii.	—	—	50
305	derasa.	—	—	36
306	didyma. *B.*	—	—	45
307	diffinis.	m. f.	—	40
308	diluta.	—	—	40
309	*distincta. Zi. Aff. convergenti.*	m. f.	2	30
310	Ditrapezium. *Hyb.*	—	—	40
311	divergens.	—	2	—
312	dyssodea. *Hyb.*	—	—	40
313	electa.	—	—	20
314	— *var.*	—	—	30
315	*Elonympha. Zi. ex Georg. Aff. et Magn. Nymphagogae.*	—	2	30
316	exoleta.	—	—	10
317	*facilis. Zi. ex Georg. Mag. perspicillaris.*	—	2	—
318	favilacea.	—	—	40
319	Festucae.	—	—	30
320	ferruginea. *Hyb.*	m. f.	—	30
321	Fimbria.	—	—	24
322	Flavago.	f.	—	30
323	flavicincta.	—	1	—
324	flavicornis.	f.	—	12
325	Fraudatricula. *Hyb.*	—	—	20
326	Fraxini.	—	—	30
327	fumosa. *Hyb.*	—	—	30
328	furva. *Hyb.*	—	1	20
329	glabra. *Schif.*	—	—	45
330	*grata. Zi. ex Georg. Aff. Alsines.*	—	1	—
331	*hastulifera. Sm.*	—	2	—

			fl.	kr
332	heliophila. *Hyb.* *	—	—	45
333	*Hermonia. C.* *	—	2	—
334	hepatica. *B.*	—	—	30
335	humilis. *Hyb.*	—	—	30
336	Hymenea.	—	1	30
337	Hyperici.	—	—	30
338	Iantina.	—	—	20
339	I. intactum. *Hyb.*	—	1	8
340	Ilia. *C.* *	—	1	40
341	Interrogationis *Hyb*	—	1	—
342	Iota.	—	1	—
343	*jucunda. Zi. ex Georg. Aff. Leucomelas, sed maj.*	—	2	16
344	Lactucae. *Hyb.*	—	—	30
345	laevis. *Hyb.*	—	1	8
346	leporina.	m. f.	1	—
347	leucographa. *Hyb.*	—	1	—
348	leucostigma. *E.*	—	—	40
349	lignosa. *Hyb.*	—	—	30
350	Ligustri.	—	—	24
351	*lunifera. Zi. ex Georg. Magn. Alchimistae.*	—	1	40
352	lithoxylea.	m. f.	1	20
353	Litura.	—	—	20
354	livida.	—	1	20
355	lota. *E.*	—	—	30
356	lucifuga.	—	—	30
357	lucipara.	—	—	24
358	lunaris.	m. f.	1	20
359	lusoria.	—	—	30
360	lutulenta. *Hyb.*	—	—	48
361	*Macrops. C.* *	f.	6	—
362	*margaritigera. Zi. ex Georg. Magn. Acetosellae.*	—	2	—
363	*materna.* *	—	2	30
364	*Mauritanea. Zi. ex Georg. Magn. Alchimistae.*	—	1	30
365	*Melicerta.*	—	1	30
366	megacephala. *var.*	—	—	20
367	mendosa. *Hyb.*	—	1	8
368	meticulosa.	m. f.	—	45
369	*moesta. Zi. ex Georg. Maj. triangularis.*	—	2	—
370	*monilis.*	—	1	—
371	*mosaica. Zi.*	m.	3	—
372	*nana. Zi. ex Georg.* Min. *Venustulae*	—	—	45
373	neglecta. *Hyb*	—	—	45
374	*Neonympha. M.*	—	2	30

			fl.	kr
375	nitida. *Hyb.*	—	—	20
376	*notata Zi. Aff. petrificosae.*	—	1	20
377	nupta. *Hyb.*	—	—	24
378	*obliquistria. Zi. ex Georg. Magn. purpurina.*	—	1	30
379	obsoleta. *Hyb.*	—	—	20
380	oculta.	—	—	40
381	— *var.*	—	—	50
382	ochroleuca. *B.*	—	—	30
383	olivea.	—	—	12
384	Ononis.	—	—	17
385	Oo.	m. f.	—	24
386	ostrina. *Hyb.*	—	—	45
387	oxalina. *Hyb.*	—	—	50
388	Oxyacanthae.	m. f.	—	40
389	Paleago.	—	—	20
390	Paranympha.	m. f.	1	—
391	peltigera.	—	1	—
392	perplexa. *Hyb.*	—	—	40
393	perspicillaris.	—	—	30
394	*perspicillaris. var. ex Georg.*	—	1	—
395	Phragmitidis. *Hyb.*	—	1	30
396	Pisi.	m. f.	—	40
397	pistacina. *Hyb.*	—	—	40
398	plecta.	—	—	20
399	polygona.	—	—	24
400	polymita. *Hyb.*	—	—	40
401	porphyrea.	m. f.	2	30
402	promissa.	—	—	20
403	prospicua. *Hyb.*	—	2	16
404	Protea.	m. f.	—	45
405	Puella.	—	—	10
406	punctularis. *Hyb.*	—	3	—
407	*pygmaea. Zi. ex Georg. Magn. Furunculae.*	—	1	30
408	Pyralina.	—	—	40
409	pyramidea. *var.*	—	—	20
410	Pyrophila.	—	—	30
411	ravida. *Hyb.*	—	—	30
412	Receptricula. *Hyb.*	—	—	24
413	respersa. *Hyb.*	—	—	40
414	retusa. *Hyb.*	—	—	30
415	*Rexiae. Sm.*	—	2	16
416	ridens. *Hyb.*	—	2	—
417	rubiginea.	—	—	30
418	rubricosa. *Hyb.*	—	—	40
419	*Rufago. Zi. ex Georg. Aff. Rutilago.*	—	1	30
420	*rufimargo Zi. ex*			

			fl.	kr.
	Georg. Magn. Coecimaculae.	—	1	40
421	rufina. *Hyb.*	—	—	30
422	Rutilago.	—	—	30
423	Saucia. *Hyb.*	—	2	—
424	scripta. *Hyb.*	—	1	—
425	scutosa.	m. f.	2	—
426	secalina.	—	—	12
427	Sepii. *Hyb.*	—	—	50
428	serena.	—	—	20
429	Sigma. *Hyb.*	—	—	48
430	signifera. *Hyb.*	—	—	45
431	Silago. *Hyb.*	—	—	30
432	splendens. *Hyb.*	—	—	40
433	Spoliatricula. *Hyb.*	—	—	30
434	Sponsa.	—	—	24
435	spuria. *Hyb.*	—	—	15
436	Suasa. *Hyb.*	—	—	36
437	subsequa.	—	—	15
438	Tanaceti. *Hyb.*	—	—	30
439	testacea. *Hyb.*	—	1	8
440	tetra.	—	—	20
441	texta.	—	—	40
442	triangularis. *Hyb.*	—	1	40
443	*eadem.*	—	1	40
444	triquetra.	—	—	30
445	*trifascia. Zi. ex Georg. Aff. Ononis.*	—	1	40
446	Tritici.	—	—	45
447	*Trittona. Zi. ex Georg. Aff. tridenti.*	—	1	30
448	*turbulenta. Zi. ex Georg. Magn. Protheae.*	—	1	—
449	Typhae.	—	1	—
450	— *var.*	—	1	20
451	typica.	—	—	20
452	Unca.	—	—	20
453	Uxor. *Hyb.*	—	—	30
454	venosa. *Hyb.*	—	—	30
455	*venusta. Zi. Aff. Cardui.*	—	1	40
456	*Vidua. Sm.*	f.	4	—
457	virens.	—	—	30
458	V. punctatum. *B.*	—	—	40
459	Xanthographa. *Hyb*	—	—	40

Papilio.

			fl.	kr.
460	*Accius. Sm.*	—	1	20
461	*Aceris. F.*	—	1	—
462	Actea.	m.	2	30
463	*Acontheа. C.*	—	1	30
464	Acteon.	—	—	20
465	Aesculi. *Hyb.*	—	1	8
466	*Agamemnon.* *	—	2	—
467	*Agatha. C.* * *Antdes.*	—	1	—
468	*Ajax.*	—	1	12
469	*Alcander. M.*	—	2	—
470	Alcyone.	m. f.	—	30
471	*Alcyonia. C.*	—	1	—
472	*Alcythoe.*	f.	3	—
473	*Alimena.* *	—	3	—
474	*Alinde. Zi.*	m. f.	5	—
475	Alionia.	m.	1	—
476	— —	f.	1	20
477	*Almana.*	—	1	—
478	Alveolus. *Hyb.*	—	—	24
479	Alveus. Hyb.	—	—	20
480	*Amor.* *	—	—	45
481	*Andromacha. M.*	—	2	—
482	*Ancaea.* *	—	3	—
483	Aphirape.	m.	—	45
484	Apollo.	m. f.	—	24
485	Arachne. *Hyb.*	m.	—	40
486	— —	f.	1	8
487	*Arbates. H.*	—	1	40
488	*Archippus. F.*	—	1	40
489	*areolatus. Sm.*	—	1	30
490	Arethusa.	m. f.	—	30
491	*Argante. C.*	—	1	30
492	*Argiolus. Sm.*	—	—	40
793	*Aristeus.* *	—	1	40
494	Artemis. *Hyb.*	—	—	20
495	*Asterie.*	—	—	45
496	*Atymus. C.*	—	—	30
497	*Aurora. C.*	—	1	30
498	Ausonia. *Hyb.* *	—	—	45
499	*Baliston. Zi. Aff. Boetici.*	—	—	54
500	*Banksii.* H.	—	1	20
501	*Batyllus. Sm.*	—	1	20
502	Bellidice. *Zi. Aff. Daplidice.*	—	1	30
503	*Beroe. C.*	m. f.	3	30
504	Beon. *C.*	m. f.	2	—
505	Boeticus.	—	1	—
506	Bolina. *C.*	—	1	30
507	Bubastus? *C.*	—	—	36
508	*Calais. C.*	m. f.	1	30
509	*Calcas.*	—	1	30
510	*Caraibea. Zi. Daplidice. C.*	—	1	30
511	*Catilla.*	—	1	30
512	*Catullus. Sm.*	—	1	—
513	*C. aureum.*	—	2	—
514	*celsus. Zi. Aff. et Magn. Egon.*	—	—	45
515	*Cephea.*	—	1	—
516	Cerasi.	—	—	15
517	Ceronus. H*yb.*	m. f.	—	40
518	Chloris.	—	—	12
519	*Chora.* H.	—	1	30
520	*Chrisippus. C.*	—	—	40
521	Chrysotheme.	m. f.	2	—
522	*Clarissa. C.*	m. f.	3	20
523	*Claudia. C.*	—	2	—
524	Cleodoxa.	m. f.	1	8
525	Cleopatra.	m.	2	—
526	— —	f.	2	30
527	*Clyton.* H.	—	—	45
528	*Clytus.*	—	1	—
529	*Colanus. Zi. Aff. et Magn. Lincei.*	—	2	—
530	*Columbina. C.*	—	1	8
531	*Cortina.* H.	—	1	20
532	*Corus.*	—	—	30
533	Corythalia. *Hyb.*	—	—	30
534	*Cyrus. F.*	—	1	40
535	Dejanira.	—	—	10
536	*Demoleus. F.*	—	1	8
537	*dissimilis.*	—	1	30
538	*Druida. Zi. Aff. Valeriae. C.*	—	3	—
539	— *var.*	—	3	40
540	*Echerius. C.*	—	1	20
541	*Eduarda. Zi. Aff. Chorae.*	—	2	30
542	*Elea. C.*	—	1	20
543	*Eleusina.*	—	1	20
544	*Ephestion C. Suppl.*	—	3	—
545	*Epius. F.*	—	1	—
546	*Errippus. F.*	—	2	16
547	*Erosine.* *	—	1	—
548	*Eucharis.*	—	1	8
549	*Euripilus.* *	—	1	30
550	*Eubule.*	—	1	30
551	Europome.	m.	1	—
552	*Evagete. C.*	m. f.	2	16
553	*Ferronia. C.* *	—	1	30
554	Fidia.	—	3	—
555	Freya.	f.	1	—
556	*Gema. Zi. ex Georg. Aff. areolati.*	—	2	—
557	*Genutia. C.*	—	1	—
558	*Gorgonia. Zi. ex Georg. Aff. Tharos. C.*	—	2	—
559	*Gretan. Zi. Aff. Phinei.*	—	1	20
560	*Hecabe.*	—	—	40
561	*Hector.*	—	4	30
562	Helle. *Hyb.*	m. f.	1	—
563	*Helenor.* *	—	3	30
564	*Heraldus. Zi. Aff. Accio.*	—	1	8
565	Hermione.	m. f.	—	20
566	Herse.	m. f.	1	—
567	*Hierte. Zi. Simill. Hyparete et Antonoe. C. sed distint.*	m.	2	16
568	*Hilaria. H.*	—	1	8
569	Hylas.	m.	—	50
570	*Hiparete.*	m. f.	3	20
571	*Horta.*	—	—	45
572	*Huntera. F.*	—	1	30
573	Hylas. *Hyb.*	m.	—	36
574	*Hyperia. C.*	—	1	40
575	Hypothoe.	—	—	10
576	*Iatrophe.*	—	1	—
577	Ida.	m. f.	1	40
578	Ino. *B.*	m. f.	1	8
579	Iris Ilia.	m. f.	—	40
580	— junonia.	m.	—	20
581	— lutea.	m.	—	17
582	Isis. *Hyb.*	f.	—	48
583	*Iuvenalis. F.*	m. f.	2	40
584	*Ladon. C.*	—	—	45
585	L. album.	—	1	—
586	*Lalage.*	—	1	—
587	Lampetie.	—	—	20
588	*Laomedia.*	—	1	—
589	Lavatherae.	—	—	30
590	*Leda.*	—	1	—
591	*Leilus.* *	—	1	8
592	*Lemonias.*	—	1	8
593	Leucomelas.	—	1	—
594	Ligea.	f	—	24
595	*Limniace.*	—	1	—
596	*Litura. Zi. Aff. Sinapis.*	—	1	30
597	Lucilla. *Hyb.*	—	1	15
598	*Lycidas. Sm.*	—	2	16
599	*Lysander. H.*	—	1	8
600	— *C.* *	—	1	20
601	*macropus. Zi. ex Georg. Aff. Iuvenali.*	—	1	30
602	*Mamerta. C.*	—	—	48
603	*marmorea. Zi. Aff. Cardamines.*	m. f.	3	—

			fl.	kr
604	Melanippus. C. *	—	1	20
605	Meleander. H. * Ant. des.	—	1	8
606	melinus. Zi. ex Georg. Aff. W. latino.	—	1	30
607	Memnon. C. *	—	1	30
608	Melpomene.	—	—	50
609	Merione. **	—	—	24
610	Mesentina.	—	1	30
611	Metis.	—	—	45
612	Minna. H.	m. f.	1	40
613	Mnemosine.	m. f.	1	—
614	Mutius. F.	—	2	30
615	Napi. Hyb. var.	m.	—	40
616	— — —	f.	1	—
617	Nelo. Hyb. *	f.	1	8
618	Nicipe.	f.	2	—
619	Niphon. Zi. ex Georg. Magn. Lincei.	—	2	16
620	Oenone.	—	1	—
621	Orythia.	m. f.	2	30
622	Otreus. C.	—	1	20
623	Pamon.	—	1	—
624	Pamphila. Hyb.	—	—	24
625	Pandora.	—	—	34
626	Panope. *	—	1	8
627	Parhasus. Dr.	—	8	—
628	Pasiphae.	—	1	—
629	Passiflorae. F. *	—	2	—
630	Petalus. C.	—	1	8
631	Phalantha. *	—	—	30
632	Phetusa. C. *	—	1	—
633	Phicomone.	—	1	30
634	Philenor.	—	2	30
635	Phileus. Dr.	—	1	20
636	Philippina. H.	m. f.	2	40
637	Philomela. Hyb.	m. f.	1	16
638	Phlegia. C. * Ant. des.	f.	1	30
639	Phoebe.	—	—	24
640	Piera. * Ant. des.	—	1	40
641	Plexippus.	—	—	34
642	Polydamas. C.	—	2	16
643	Polydorus.	m. f.	2	30
644	Polymeda. var. Arete Sc.	—	—	36
645	Polysperchon.	m. f.	—	40
646	Polytes.	—	1	40
647	Polyxena.	—	—	24
648	Polyxenes. F.	—	2	—
649	Populi. var. absqu. fascia alb.	m.	—	36

			fl.	kr
650	eadem.	f.	—	40
651	Priamus. * Ant. des.	—	9	—
652	Proserpina.	—	—	10
653	Protesilaus.	—	2	30
654	Proteus.	—	1	30
655	Protogenia. C.	—	2	30
656	Puer. Zi. Aff. Acteon.	—	1	10
657	Pyrrha. Hyb.	m.	—	40
658	—	f.	1	—
659	Quercus.	m. f	—	24
660	— var. macul. flav.	—	—	36
661	Quirina. C.	—	1	—
662	Remus. * Ant. des.	—	4	—
663	Roxane. * Ant. des.	—	1	20
664	Rumina.	—	2	—
665	Sao.	—	—	15
666	Sesia. F.	—	1	—
667	Sessonia. C. Suppl.	—	2	30
668	Steropes.	—	—	20
669	Syrichtus. F.	—	—	48
670	Telicanus.	m.	1	8
671	Tersamon.	—	—	20
672	Tessellum. Hyb.	—	—	24
673	Teucer. * Ant. des.	—	3	—
674	Tharos. C.	—	1	30
675	Trax. F.	—	1	—
676	Troilus.	—	2	16
677	Tulbalchius. H. * Ant. des.	—	1	20
678	Tullia. Hyb.	—	—	24
679	Turnus. * Ant. des.	—	2	30
680	Ulisses.	—	6	—
681	— ** Ant. des.	—	4	30
682	undularis. C.	—	2	30
683	V. album.	—	1	—
684	Valeria. C. antea Xenophon. M.	—	1	30
685	Vanillae.	—	—	40
686	Violae.	—	—	40
687	Vitellius. F.	—	1	—
688	Vulcanus. C.	—	—	45
689	W. latinum.	—	—	24
690	Xantomelas.	—	1	30
691	Zelinde. Zi. Aff. Clyto. * Ant. des.	—	2	30
692	Zelopius. Zi. ex Georg. Aff. et Magn. Tages.	—	1	30
	Pyralis.			
693	albidalis.	—	—	20

			fl.	kr
694	alpestralis.	—	—	15
695	alpinalis.	—	—	20
696	anguinalis.	—	—	20
697	angustalis.	—	—	12
698	argyralis. M.	—	1	30
699	bicoloralis. Zi. ex Georg.	—	1	40
700	calvarialis.	—	—	36
701	chlatralis. Zi. ex Georg.	—	1	30
702	cineralis.	—	—	12
703	crassalis.	—	—	40
704	decoralis. Zi. ex Georg.	—	1	30
705	diversalis.	—	—	40
706	emortualis.	—	—	15
707	fascialis.	—	—	20
708	flamealis.	—	—	12
709	forficalis.	—	—	10
710	glabralis.	—	—	20
711	guttalis.	—	—	15
712	hyalinalis.	—	—	15
713	illibalis. Zi. ex Georg.	—	1	30
714	leucophealis.	—	—	15
715	lividalis.	—	—	30
716	lituralis. Zi. ex Georg.	—	1	20
717	lucernalis.	—	1	—
718	nigralis.	—	—	12
719	normalis.	—	—	15
720	nubilalis.	—	—	20
721	pallealis.	—	—	20
722	palliolalis.	—	—	10
723	phaleralis. Zi.	—	—	24
724	pollinalis.	—	—	10
725	porphyralis.	—	—	15
726	potamogalis.	—	—	15
727	repandalis.	—	—	15
728	rubidalis.	—	—	15
729	rubiginalis.	—	—	20
730	salicalis.	—	—	12
731	silacealis.	—	—	12
732	sophialis.	—	—	15
733	stratialis.	—	—	10
734	Tarsiplumalis.	—	—	24
735	trinalis.	—	—	15
736	venustalis. Zi. ex Georg. Magn. repandalis.	—	1	8
737	vitralis. Zi. ex Georg.	—	1	40

			fl.	kr
	Sphinx.			
738	Alecto. *	—	1	30
739	Anthraciformis.	—	—	34
740	appendiculata.	m. f.	1	12
741	Asiliformis.	—	—	30
742	Astragali.	—	—	30
743	Belis. C.	—	1	30
744	Brizae.	—	1	—
745	Carolina.	—	2	30
746	Celerio.	—	4	30
747	Cerberus. C.	—	1	30
748	Chrysitiformis.	—	—	30
749	Conopiformis.	—	—	30
750	Creusa. C.	—	—	48
751	Culiciformis. Hyb.	—	—	30
752	Cynipiformis.	—	—	30
753	Cysseus. C.	—	—	48
754	Eas. C.	—	2	16
755	Empiformis.	—	—	12
756	Eson. * C.	—	2	—
757	fausta.	—	—	40
758	fenestrina.	—	—	7
759	Gordius. *	—	1	30
760	Ichneumoniformis. Hyb.	—	—	24
761	Iuglandis. Sm.	m. f.	5	—
762	laeta.	—	4	30
763	lineata.	—	4	30
764	Loti. B.	—	—	20
765	marginata. M.	—	2	40
766	Morpheus. C. *	—	1	50
767	Nerii.	—	8	—
768	8. maculata. Sm. * 1/2. Ant.	—	2	30
769	Oestriformis.	—	—	30
770	Peneus. C.	—	3	—
771	Phegea.	—	—	10
772	Picus. C.	—	1	20
773	Polymena.	—	1	30
774	Prini. Sm.	—	3	—
775	Pylas.	—	1	40
776	Scabiosae.	p.	—	24
777	Spheciformis.	—	—	40
778	Sireciformis.	—	—	30
779	Thyelia. C.	—	2	—
780	transalpina.	—	1	—
781	Veronicae.	—	1	20
782	Vespiformis. Hyb.	—	—	40
783	Viciae. W. V.	—	—	30
	Tinea.			
784	aenella.	—	—	15
785	albicostella. Zi.	—	—	34
786	Anthracinella.	—	—	20

No.			fl.	kr
787	Carmelitella.	—	—	12
788	Colonella.	—	—	20
789	Conchella.	—	—	10
790	Consortella.	—	—	30
791	Cribrella.	—	—	10
792	criptella.	—	—	12
793	cristella.	—	—	15
794	Cultrella.	—	—	24
795	cuspidella.	—	—	20
796	disparella, *Zi.*	m. f.	1	20
797	Fagella.	—	—	7
798	fissella.	—	—	10
799	Friganella.	—	—	12
800	gilvella.	—	—	15
801	illustrella.	—	—	15
802	liturella.	—	—	30
803	lobella.	—	—	10
804	Lythospermella.	—	—	15
805	Masculella.	—	—	10
800	Margaritella.	—	—	20
807	Marmorella. *Zi.*	—	—	20
808	Merianella.	—	—	10
809	ornatipenella.	—	—	15
810	palumbella.	—	—	10
811	perlella.	—	—	10
812	petrificella.	—	—	18
813	plumella.	p.	—	20
814	Pontificella.	p.	—	50
815	Procerella.	—	—	12
816	pterodactylella.	—	—	20
817	Pyralella.	—	—	15
818	Radella.	p.	1	—
819	Schlemerella.	—	—	24
820	Schwammerdamella. *W. V.*	—	—	20
821	sequella.	—	—	12
822	sociella.	—	—	20
823	Strobilella. *Zi.*	—	—	20
824	Sulzella.	—	—	10
825	Taurella.	m.	—	15
826	Tigrella. *Zi.*	—	—	24
827	transversella. *Zi.*	—	—	15
828	Verucella.	—	—	15
829	vinetella.	—	—	20
830	Wenzellidella. *Zi.*	—	—	15
	Tortrix.			
831	clorana.	—	—	15
832	*cultana. Zi. ex Georg. Magn. Spoliat.*	—	1	40
833	degenerana.	—	—	36
834	Literana. *var.*	—	—	20
835	*nitidana. Zi. ex Georg.*	—	1	40
836	prasinana.	m. f.	—	20
837	quercana.	—	—	15
838	ramosana.	—	—	24
839	Strobilana. *Zi.*	—	—	20
840	undulana.	—	—	15

NEUROPTERA.

No.			fl.	kr
	Ascalaphus.			
1	barbarus.	m. f.	—	48
2	*pallidus.*	—	1	—
	Dyptila.			
3	Lusitanica. *Ill.*	—	2	—
	Hemerobius.			
4	maculatus.	p.	—	10
	Libellula.			
5	*equestris.*	—	—	40
6	*Indica.*	—	—	45
7	*lineata.*	—	—	24
8	4. *notata.*	—	—	40
9	*vibrans.*	—	—	30
	Myrmeleon.			
10	formicarium.	m. f.	1	—
11	Libelluloides.	—	—	50
	Phryganea.			
12	reticulata.	—	—	10

HYMENOPTERA

No.			fl.	kr
	Andrena.			
1	lobata. *P.*	m. f.	—	12
2	marginalis. *M.*	p.	—	10
3	minuta. *M.*	—	—	6
4	plumipes.	—	—	12
5	4. fasciata. *M.*	—	—	10
6	vulpina. *M.*	—	—	6
	Apis.			
7	*aestuans.*	—	—	24
8	Alpina.	—	—	30
9	2. maculata *P.*	—	—	10
10	*Caffra.*	—	—	30
11	Laponica.	m. f.	—	30
12	*Morio.*	—	—	48
13	punctata.	—	—	7
14	4. dentata.	p.	—	10
15	rotundata.	p.	—	10
	Banchus.			
16	pictus.	p.	—	17
17	Viridator. *F.*	—	—	12
	Bembex.			
18	rostrata.	m. f.	—	30
	Chrysis.			
19	*splendida.*	—	—	24
	Crabro.			
20	vexillatus. *P.*	p.	—	10
	Cynips.			
21	adscendens.	m. f	—	40
	Ichneumon.			
22	Arundinis. *F.*	—	—	7
23	Dubitator. *P.*	p.	—	14
24	Manducator. *P.*	—	—	7
	Mellinus.			
25	campestris.	—	—	7
26	sabulosus.	p.	—	14
	Mutilla.			
27	Maura.	—	—	15
28	Nigrita. *P.*	—	—	20
	Myrmosa.			
29	atra. *P.*	—	—	15
	Oryssus.			
30	Vespertilio.	m. f.	—	20
	Pompilus.			
31	2. punctatus.	p.	—	7
32	bicolor. *G.*	—	1	30
33	femoratus. *G.*	—	—	48
34	variegatus.	—	—	30
	Scolia.			
35	Prisma.	—	—	7
36	4. punctata.	—	—	12
37	*5.* —	—	—	12
	Sirex.			
38	Dromedarius.	f	—	12
39	Magus.	—	—	15
	Sphex.			
40	atra.	—	—	7
41	*lobata.*	—	—	40
42	Spirifex.	p.	—	14
43	*violacea.*	—	—	24
	Tenthredo.			
44	Carpini. *P.*	—	—	7
45	erythrocephala.	p.	—	10
46	haematopus, *F.*	m. f.	—	20
47	livida.	—	—	6
48	lutea.	m. f.	—	7
49	marginata.	p.	—	10
50	rufiventris.	—	—	6
51	ustulata.	m. f.	—	7
	Vespa.			
52	*affinis.*	—	—	40
53	*conica.*	—	—	24
54	Gallica.	p.	—	6
55	*hebraea.*	—	1	30

DYPTERA.

No.			fl.	kr
	Anthrax.			
1	Lar.	—	—	40
2	rosata. *G.*	p.	1	—
3	variegata. *M.*	—	—	10
4	vitripennis. *G.*	p.	1	20
	Asilus.			
5	argyrifer. *G.*	p.	—	54
6	cristatus. *G.*	—	1	—
7	Sabaudus.	—	—	40
8	Spectrum. *G.*	—	—	45
	Bombylius.			
9	concolor. *Mik.*	p.	—	40
10	discolor. *Mik.*	m. f.	—	40
11	undatus. *Mik.*	p.	1	—
	Ceria.			
12	clavicornis.	—	—	12
13	conopsea.	p.	—	24
	Hippobosca.			
14	*variegata. M.*	—	1	24
	Mulita. G.			
15	flava. *G.*	—	—	30
16	Pratorum. *G.*	—	—	30
	Musca.			
17	Bryoniae. *M.*	—	—	12
18	grossa.	—	—	7
19	Leptogaster. *P.*	p.	—	12
20	lobata.	—	—	10
21	rivularis.	—	—	7
	Myopa.			
22	femorata. *F.*	p.	—	24

			fl.	kr
23	*undata. M.*	—	—	40
	Nemotellus.			
24	marginatus.	p.	—	7
25	uliginosus.	p.	—	7
	Oestrus.			
26	Jubarum. *G.*	—	2	—
	Rhingia.			
27	cingulata. *G.*	—	1	30
	Sicus.			
28	errans.	—	—	10
29	ferruginea.	—	—	10
	Stratiomys.			
30	Ephippium.	—	—	6
31	viridula.	m. f.	—	10
	Syrphus.			
32	apicalis. *M.*	—	—	10
33	coarctatus. *P.*	—	—	7
34	elongatus.	p.	—	7
35	fallax.	p.	—	40
36	femoratus. *P.*	p.	—	7
37	flavicans.	—	—	7
38	inflatus.	p.	—	10
39	rupestris. *P.*	—	—	10
40	3. color.	—	—	7
41	varius.	p.	—	10
	Tabanus.			
42	Austriacus. *F.*	—	—	12
43	*cinctus. M.*	—	1	8
44	Graecus.	m. f.	—	10
45	*guttatus. M.*	—	1	—
46	Italicus.	—	—	7
47	Vituli.	—	—	24

APTERA.

			fl.	kr
	Julus.			
1	*Indus.*	—	1	—
	Scolopendra.			
2	*morsitans.*	—	1	—
	Scorpio.			
3	*Capensis. M.*	—	1	8
4	*Caspicus. Marschalii.*	—	1	20
5	*longicaudus. M.*	—	1	45

ADDENDA.

		fl.	kr
Bupr. Morio.	—	—	40
Carab. borealis.	—	—	30
— Calydonius.	m. f.	1	20
Chrysom. Laponica	—	—	20
Coccin. hyperborea.	—	—	20
— 3. fasciata.	—	—	40
Dytic. arcticus.	p.	—	20
— dolabratus.	—	—	45
— serricornis.	—	—	30
Hispa. testacea.	—	—	40
Lept. Interrogationis.	—	—	51
— Lamed.	—	1	—
— Smaragdula.	—	—	51
— 3. fasciata.	—	—	51
Zonit. praeusta.	—	1	—

APPENDIX

AD

CATALOGUM INSECTORUM, QUAE MENSE SEPTEMBRIS MDCCCIV. VIENNAE AUSTRIAE AUCTIONIS LEGE VENDITA FUERE.

Monenda.

I. Die 27. et sequentibus Decembris 1804. 14ta Insectorum auctio erit, in qua non solum illa, hisce pagellis enumerata, sed — deletis absentibus speciebus Catalogi primarii-nempe *Coleopt.* 4. 14. 17. 19. 21. 32. 34. 37. 39. 41. 52. 79. 84. 91. 98. 104. 115. 116. 141. 150. 168. 180. 186. 194. 201. 209. 210. 220. 221. 232. 233. 235. 239. 243. 250. 255. 257. 288. 293. 295. 301. 313. 315. 317. 348. 349. 353. 355. 358. 359. 364. 372. 377. 382. 383. 386. 390. 412. 420. 423. 431. 445. 447. 449. 457, 461. 463. 465. 467. 474. 476. 482. 483. 484. 486. 490. 496. 511. 522. 529. 553. 554. 555. 556. 560. 562. 563. 564. 566. 583. 585. 589. 592. 596. 600. 601. 607. 608. 612. 630. 636. 638. 639. 640. 645. 646. 660. 675. 677. 732. 736. 744. 746. 755. 757. 758. 784. 788. 789. 792. 804. 812. 813. 815. 817. 818. 819. 826. 828. 837. 849. 855. *Lepidopt.* 2. 25. 27. 28. 36. 43. 51. 54. 74. 83. 91. 95. 100. 109. 131. 132. 136. 138. 146. 148. 153. 159. 164. 165. 169. 174. 180. 184. 190. 191. 198. 201. 303. 205. 210. 211. 214. 216. 218. 219. 230. 246. 260. 262. 264. 269. 271. 273. 275. 280. 285. 292. 306. 311. 328. 332. 333. 345. 347. 348. 360. 361. 367. 375. 379. 381. 386. 387. 403. 418. 423. 424. 432. 433. 434. 441. 444. 459. 462. 465. 468. 475. 476. 482. 483. 498. 526. 535. 542. 551. 562. 573. 604. 614. 617. 624. 627. 637. 644. 545. 650. 680. 681. 694. 702. 706. 708. 709. 715. 717. 718. 720. 722. 723. 728. 730. 731. 732. 734. 738. 743. 756. 775. 784. 785. 787. 788. 795. 796. 797. 798. 801. 803. 804. 807. 810. 812. 815. 816. 822. 826. 827. 828. 833. 834. 836. 838. *Addenda.* 1. 2. 3.

II. Exponitur hac vice Collectio Eleuteratorum Europaeorum, quae 1710 Individua, 1334 Species constituentia continet, et pro 130 florenis pronunciabitur.

III. Dominus Megerle de Mühlfeld Musei Caesarei historiae naturalis Inspector etiam in hac auctione commissiones amicorum, in se suscipiendi munus magno sibi ducturus erit oblectamento.

Nro.		Exemplaria.	Pretium Subhastationis.		Nro.		Exemplaria.	Pretium Subhastationis.	
			fl.	kr				fl.	kr
	COLEOPTERA.					Altica.			
					3	fulvipes.	p.	—	12
	Akis.				4	marginella.	—	—	40
1	reflexa.	—	1	8	5	Modeeri.	p.	—	14
2	spinosa.	—	—	51	6	4. pustulata, *Pay.*	—	—	17

No.			fl.	kr
7	tabida.	—	—	10
8	testacea. *Exempl. max.*	p.	—	20
	Anisotoma.			
9	corticalis.	—	—	15
10	testacea. *Ill.*	—	—	12
	Anobium.			
11	Abietis.	p.	—	14
	Anthicus.			
12	bicolor. *Ol.*	—	—	15
13	humeralis. *Fr.*	—	—	8
	Anthribus.			
14	Sepicola.	—	—	20
15	undulatus.	—	—	30
16	varius. *Var. min.*	—	—	10
	Apate.			
17	signata.	—	—	12
18	sinuata.	—	—	30
	Aphodius.			
19	Anachoreta.	—	—	12
20	bicolor.	p.	—	40
21	constans. *M.*	—	—	30
22	serotinus. *Cr.*	—	—	15
23	sulcicollis. *Ill.*	—	—	24
	Apion.			
24	Malvae.	—	—	30
	Ateuchus.			
25	*Koenigii.*	—	—	45
26	*minutus.*	—	1	8
27	pillularius.	—	—	30
28	*signatus. M.* * *T.*	—	1	30
	Attelabus.			
29	globosus.	—	—	24
	Blaps.			
30	emarginata.	—	1	30
31	fatidica. *Cr.*	—	—	12
32	femoralis.	p.	—	8
33	lata. *M.*	—	—	24
34	polita. *M.*	—	—	30
	Bostrichus.			
35	cylindrus.	p.	—	7
36	thoracicus. *P.*	—	—	24
	Brachycerus.			
37	*barbarus.*	—	1	30
	Bruchus.			
38	rufipes.	p.	—	24

No.			fl.	kr
	Buprestis.			
39	aurulans. *M.* min. lineari.	—	—	24
40	metallica.	—	1	30
41	sinuata. *Ol.*	—	—	15
	Byrrhus.			
42	oblongus.	—	—	30
	Calandra.			
43	*velutina. A. Min. Gagat. atro holos.*	—	1	30
	Callidium.			
44	Alni.	—	—	20
45	aulicum.	p.	—	20
46	femoratum.	—	—	30
47	fulcratum.	p.	—	14
48	Hungaricum.	—	—	50
49	longipes. *Fr.*	—	—	40
50	luridum.	p.	—	14
51	Russicum.	—	2	30
52	spinosum.	—	—	50
53	undatum.	—	—	20
	Calosoma.			
54	sericeum.	—	1	10
	Carabus.			
55	aquaticus. *P.*	—	—	20
56	armiger. *Z.*	m. f.	—	50
57	articulatus.	—	—	17
58	aterrimus.	m. f.	—	34
59	aulicus. *Ill.*	p.	—	20
60	borealis.	m. f.	—	40
61	— ped. ruf.	—	—	25
62	brunipes.	—	—	12
63	cinctus.	m.	2	—
64	clathratus.	—	1	40
65	complanatus.	—	1	30
66	cupreoides. *A.*	—	—	20
67	devius. *Z.*	—	—	24
68	dimidiatus.	—	—	30
69	— *P.*	—	—	12
70	Doris. *P.*	p.	—	20
71	elatus.	—	—	30
72	eyrinotus. *P.*	—	—	12
73	familiaris. *Cr.*	—	—	17
74	foveolatus. *M. maj. Jurine.*	—	—	30
75	linearis. *Ol.*	—	—	12
76	Linnaei. *M. med. inter arvens. et sylvestr.*	m. f.	2	16
77	monilis.	—	1	8

No.			fl.	kr
78	nobilis. *Cr.*	—	—	20
79	oblongo punctatus.	p.	—	12
80	opacus. *Brah.*	—	—	17
81	patricius. *Cr.*	—	—	20
82	piger. *Cr.*	—	—	17
83	Quadrillum. *Cr.*	p.	—	20
84	4. pustulatus.	—	—	12
85	serripes. *Cr.*	—	—	7
86	spilotus. *Ill.*	—	—	15
87	spinibarbis.	—	—	24
88	spoliatus.	m. f.	—	30
89	subfasciatus.	—	—	30
90	velox.	—	—	30
91	zonatus. *P.*	p.	—	45
	Cassida.			
92	pallida. *Pay.*	—	—	15
	Catops.			
93	cistelloides. *N. F. Luper.*	—	—	15
94	sericeus.	—	—	10
95	tristis. *P. Helops.*	—	—	15
96	truncatellus.	—	—	24
	Cerambyx.			
97	balteatus.	p.	—	36
	Cetonia.			
98	squalida. *L. Scarab.*	—	—	15
	Chrysomela.			
99	cerealis. *var. violac.*	—	—	20
00	fulgida.	p.	—	40
01	haemoptera. *Var. violac.*	p.	—	12
02	Islandica.	—	—	30
03	lamina.	—	—	30
04	Lapponica.	—	—	24
05	— *Var. coerul.*	—	—	30
06	marginella.	p.	—	20
07	Salicis.	—	—	12
08	tagara.	—	1	30
09	20. punctata.	p.	—	12
10	viridis. *M. min. bifronti.*	—	—	30
	Cicindela.			
11	*affinis. M. aff. sinuatae.*	—	1	—
12	flexuosa.	—	—	30
13	*micans.*	—	—	30
	Cistella.			
14	bicolor.	—	—	20
15	2. pustulata. *Hl.*	p.	—	12

No.			fl.	kr
116	ceramboides.	—	—	15
117	testacea.	p.	—	16
	Clerus.			
118	4. punctatus.	—	1	8
119	8. —.	—	—	50
	Clytra.			
120	3. punctata.	—	—	24
	Clytus.			
121	Massiliensis.	p.	—	14
122	6. punctatus. *Var.*	—	—	40
123	*tuberculatus. M.*	—	2	16
124	unifasciatus.	—	1	—
	Coccinella.			
125	Abietis.	—	—	12
126	*bis 5. punctata. M. tomentos. rufa, punct. 2. 2. 1.*	—	—	30
127	flavipes.	p.	—	12
128	hieroglyphica.	—	—	40
129	hyperborea.	—	—	15
130	*iridea. H.*	—	—	30
131	M. nigrum.	—	—	15
132	*micans. M. rufa, Elyt. virescent.*	—	—	30
133	5. punctata.	p.	—	20
134	*suturata. M. subrot. rufa, thor. posti. et sutu. nig.*	—	—	34
135	tomentosa. *Hl.*	—	—	30
136	3. fasciata.	—	—	30
	Colaspis.			
137	*fulvipes.*	—	1	30
	Copris.			
138	*Catta.*	—	—	54
139	*Gazella.*	—	—	30
140	hirta. *Ill.*	p.	—	36
141	Hispana.	m.	—	48
142	*Molossus.*	m.	1	12
143	*notata. M.*	—	1	30
144	*viridis. M.*	—	1	8
	Corynetes.			
145	cyanellus. *A.*	—	—	15
	Cossyphus.			
146	depreſsus. *s. Hoffm.*	—	—	40
147	*planus. s. depress. antea.*	—	—	34
	Crioceris.			
148	Cerasi.	—	—	10
149	glabrata.	—	—	15

No.			fl.	kr.
	Cryptocephalus			
150	Boehmeri.	p.	1	30
151	elegantulus.	—	—	40
152	flavoguttatus.	—	—	30
153	gracilis.	—	—	20
154	nitens. * *Ant.*	p.	—	20
155	pictus. *M.*	p.	—	40
156	Pini.	p.	—	24
157	6. notatus.	—	—	30
	Curculio.			
158	aurulentus. *M.*	—	—	30
159	conspersus. *H.*	—	—	20
160	declivis. *K.*	—	—	20
161	maculosus. *H.*	—	—	24
162	*Punctum.*	—	—	48
163	repandus.	—	—	34
	Cyphon.			
164	haemorrhoidalis. *Fr*	—	—	24
165	limbatus. *Fr.*	—	—	24
166	lividus.	p.	—	24
167	melanurus.	p.	—	10
168	minutus. *Vogt.*	—	—	24
	Dasytes.			
169	aeneus.	—	—	6
170	nigricornis.	p.	—	14
171	nitidus. *M.*	—	—	6
	Dermestes.			
172	carnivorus.	—	—	30
173	pedicularius.	p.	—	12
174	rufitarsis. *P.*	—	—	12
175	Urticae.	—	—	17
176	20. guttatus.	p.	—	30
	Diaperis.			
177	violacea.	—	1	—
	Dircaea.			
178	discolor.	—	—	45
179	4. guttata.	—	—	45
	Donacia.			
180	acuminata.	—	3	—
181	borealis. *A.*	—	—	40
182	melanocephala. *M.*	—	1	—
183	obscurata. *A.*	—	—	30
184	pallipes.	—	1	—
185	praetiosa. *A.*	—	1	—
186	Silesiaca. *A.*	—	—	30
187	Typhae.	—	1	30
	Dorcatoma.			
188	Dresdense.	—	—	12
	Dyticus.			
189	alpinus.	m. f.	—	5
190	arcticus. *Pay.*	p.	—	1
191	dispar. *A.*	—	1	—
192	dolabratus. *Pay.*	m. f.	1	—
193	dorsalis.	—	—	2
194	elevatus. *P.*	—	—	3
195	femoralis. *Ill.*	p.	—	1
196	niger. *Ill.*	—	—	2
197	nitidus. *Ill.*	—	—	4
198	serricornis. *Sc.*	m. f.	1	—
199	tessullatus. *A.*	—	—	2
200	Thunbergii. *A.*	m. f.	4	3
201	trifidus. *P.*	p.	—	1
	Elaphrus.			
202	brevis.	—	—	2
203	gemellatus.	—	—	2
	Elater.			
204	castanipes.	—	—	3
205	cuneiformis. *A.*	—	—	3
206	denticollis.	—	1	3
207	lepidopterus. *P.*	—	1	40
208	melancholicus. *Pay*	—	—	4
209	minimus.	—	—	1
210	*noctilucus.*	—	1	30
211	riparius.	—	—	20
212	ruficollis.	p.	—	48
213	tristis.	—	—	5
	Elophorus.			
214	nubilus.	—	—	12
	Engis.			
215	2. pustulata.	—	—	12
	Erodius.			
216	2. lineatus. *H.*	—	—	45
217	gibbus.	—	—	51
	Eumolpus.			
218	*nitidus.*	—	—	50
	Galleruca.			
219	Fagi. *A.*	—	—	30
220	haematidea. *A.*	—	—	30
221	sanguinea.	p.	—	10
	Geotrupes.			
222	Aries. *Iabl.*	m. f.	1	30
	Halomenus.			
223	flexuosus. *P.*	—	—	17
224	micans. *F. Dircea.*	—	—	24
	Helodes.			
225	Phellandrii.	p.	—	1
226	violaceus.	p.	—	[illegible]
	Helops.			
227	2. *punctatus. M. aff. micanti, thor. punct. 2. impr.*	—	1	30
228	pygmaeus.	—	—	48
	Hispa.			
229	*cyanea.*	—	1	8
230	*sulcicollis. M.*	—	1	—
231	testacea.	—	—	30
	Hister.			
232	coerulescens. *Var. semip.*	—	—	45
233	conjungens. *Pay.*	—	—	10
234	*cyaneus.*	—	1	30
235	10. striatus. *R.*	p.	—	24
236	*giganteus. M.*	—	1	20
237	picipes.	—	—	7
238	*punctatus. M.*	—	—	45
239	4. *dentatus.* *	—	—	50
240	rufipes. *Pay.*	—	—	10
241	semistriatus. *H.*	—	—	20
242	*specularis. M.*	—	2	—
243	sulcatus.	—	—	15
	Hylesinus.			
244	Piniperda.	p.	—	15
	Hypophloeus.			
245	Boros. *H.*	—	—	50
246	fasciatus.	—	—	30
	Ips.			
247	4. notata.	p.	—	14
	Lamia.			
248	cruciata.	—	4	—
	Lema.			
249	Oxyacanthae. *Schott.*	p.	—	30
	Leptura.			
250	exclamationis.	p.	—	20
251	humeralis.	p.	—	20
252	*interrogationis.*	—	—	40
253	— *Var.*	—	—	51
254	6. guttata. *Var.*	p.	—	24
255	strigillata.	—	—	20
256	suturalis.	—	—	40
	Lixus.			
257	angustatus.	—	—	40
258	Ascanii.	—	—	6
259	bicolor. *P.*	—	—	12
260	ferrugatus.	—	—	15
261	filiformis.	p.	—	7
262	indigenus. *H. Curc.*	—	—	30
263	violaceus. Vogt.	—	—	30
	Lycus.			
264	minutus.	p.	—	24
	Lyctus.			
265	Juglandis.	p.	—	20
266	4. pustulatus. *Fr.*	—	—	15
	Lytta.			
267	crassicornis.	—	—	50
268	verticalis. *Ill. erythro. P.*	p.	—	10
	Malachius.			
269	pedicularius.	p.	—	14
	Melolontha.			
270	atra.	—	—	51
271	2. maculata. *H.*	—	—	17
272	farinosa.	—	1	—
273	Fullo.	m. f.	—	14
274	humeralis.	—	—	48
275	marginata.	p.	—	45
276	occidentalis.	—	1	30
277	strigosa. *Hl.*	—	—	34
	Mordella.			
278	brunnea.	—	—	12
	Mycetophagus.			
279	castaneus.	p.	—	7
280	multipunctatus.	p.	—	16
281	Populi.	—	—	20
282	sinuatus.	p.	—	14
	Mylabris.			
283	crocata. *Pal.*	—	1	8
	Necrophorus.			
284	Germanicus.	—	—	17
285	Humator.	p.	—	20
286	Mortuorum.	p.	—	20
	Necydalis.			
287	clavipes.	—	—	7
288	collaris. *P.*	—	—	12
289	melanocephala.	—	—	12
290	sanguinicollis.	p.	—	14
291	ustulata.	p.	—	7
	Nitidula.			
292	10. guttata.	p.	—	24
293	emarginata.	—	—	20
	Notoxus.			
294	mollis.	p.	—	20
	Onitis.			
295	Sphinx.	m. f.	1	—
296	— *	—	—	24

No.	Name		fl.	kr
	Opatrum.			
297	pictum.	p.	—	30
298	pusillum.	p.	—	24
299	*strigatum.*	p.	—	24
300	Ulyssiponense. *Hl.*	—	—	30
	Oxyporus.			
301	brevis. V*ogt.*	—	—	36
302	pubescens. *V.*	p.	—	30
	Paederus.			
303	filiformis.	—	—	15
304	melanocephalus. V.	p.	—	30
	Pausus.			
305	*denticornis. M.*	—	2	30
	Peltis.			
306	dentata.	—	1	—
	Pimelia.			
307	glabrata.	—	—	12
	Psellaphus.			
308	Dresdensis.	p.	—	36
309	Heissei. *H.*	—	—	15
310	impressus.	—	—	30
311	sanguineus. *F. Anthic.*	—	—	20
	Ptinus.			
312	rufipes.	p.	—	17
	Pyrochroa.			
313	pectinicornis.	—	—	20
	Pytho.			
314	coeruleus.	—	1	—
	Rhagium.			
315	signatum. *P. Lept.*	—	1	8
	Rhamphus.			
316	flavicornis. *Clairv.*	—	—	17
	Rhinomacer.			
317	attelaboides.	—	—	45
318	fulvicornis. *Ill.*	—	1	—
	Rhynchaenus.			
319	Absynthii. *P.*	—	—	6
320	Aethiops.	—	—	20
321	acridulus.	p.	—	10
322	Andropoginis.	p.	—	40
323	Atriplicis.	—	—	15
324	contaminatus. *H.*	—	—	24
325	Creutzeri. *M.* * *P.*	—	1	—
326	didymus.	p.	—	12
327	dorsalis.	—	—	20
328	fasciculatus. *H.*	—	—	15
329	Fossarum. *Reich.*	p.	—	30

No.	Name		fl.	kr
330	horridus. *P.*	—	—	30
331	Lamii.	p.	—	14
332	Litura.	p.	—	7
333	*Onopordinis.*	—	1	—
334	Oxalis. *H.*	—	—	30
335	pectoralis.	—	—	8
336	Pericarpius.	p.	—	20
337	piperatus. *M.*	—	—	30
338	Pomorum.	p.	—	10
339	punctatus.	p.	—	10
340	Punctum.	—	—	24
341	5. sulcatus.	—	—	24
342	Rhamni. *H.*	—	—	30
343	taeniatus.	p.	—	12
344	3. maculatus.	—	—	8
	Saperda.			
345	*alboguttata. M.*	—	1	12
346	hirsutula.	—	—	24
347	Lima. *Fr.*	—	1	30
348	scutellata.	—	—	24
349	Squallus. *Hl.*	—	1	20
350	suturalis.	—	—	40
	Sarrotrium.			
351	muticum.	—	—	40
	Scaphidium.			
352	Punctum.	—	—	30
	Scarabaeus.			
353	dispar.	m. f.	1	30
354	Momus.	m.	2	—
355	*testaceus.*	—	—	45
	Scaurus.			
356	punctatus.	—	1	—
357	sulcatus.	—	1	12
	Silpha.			
358	fusca. *H.*	p.	—	48
	Sphaeridium.			
359	*5. punctatum. M.*	—	—	40
	Staphylinus.			
360	aeneocephalus.	—	—	6
361	2. pustulatus.	—	—	15
362	fulgidus.	p.	—	20
363	olens.	p.	—	8
364	picipennis.	—	—	15
365	porcatns.	p.	—	30
366	rufus. V*ogt.*	—	—	24
367	3. pustulatus. V*ogt.*	—	—	30
368	tristis.	p.	—	20
	Strongylus.			
369	ater. *A.*	—	—	30

No.	Name		fl.	kr
	Synchita.			
370	axillaris. *A.*	—	—	40
371	picta. *M.*	—	—	50
	Tenebrio.			
372	loripes. *Ill.*	—	—	12
373	pallens. *Pay.*	—	—	30
374	rufipes. *A.*	—	—	51
	Trichodes.			
375	8. punctatus.	—	1	12
	Upis.			
376	ceramboides.	—	—	40
	Zonitis.			
377	atrata. *Kay.*	—	1	48
378	2. fasciata. *Koy.*	—	2	—
379	fulvipennis.	—	2	—
380	ruficollis.	—	2	30

LEPIDOPTERA.

No.	Name		fl.	kr
	Bombyx.			
1	Aesculi.	f.	1	20
2	argentina.	m. f.	1	—
3	asella. *B.*	—	—	20
4	austera. *Hyb.*	f.	1	—
5	bicoloria.	f.	1	—
6	bifida. *Hyb.*	m. f.	—	30
7	Bombycella. *B.*	m.	—	15
8	Capucina. *Hyb.*	—	3	—
9	cassinia.	m. f.	—	20
10	castrensis.	m. f.	—	20
11	celsia.	—	1	20
12	chaonica.	m. f.	—	20
13	civica. *Hyb.* *	m.	—	45
14	Coenobita.	f.	4	30
15	communimacula.	—	—	20
16	crenosa. *Hyb.*	f.	1	—
17	Cribrum.	m. f.	6	30
18	Cucula.	m.	2	—
19	cuculatella. *B.*	—	—	15
20	dictaea.	m. f.	—	40
21	Dromedarius.	—	—	15
22	eborina.	m. f.	—	24
23	Erminea.	m.	1	30
24	— *	f.	1	20
25	everia.	m. f.	—	30
26	Fagi.	f.	1	—
27	Falcula.	m. f.	—	30
28	flina.	m. f.	—	30

No.	Name		fl.	kr
29	fuscinula. *Hyb.*	—	1	—
30	gonostigma.	m. f.	—	30
31	griseola.	—	—	30
32	Hamula.	m. f.	—	40
33	hecta.	m.	—	20
34	helvola. *Hyb.*	—	—	30
35	hepialica. *B.*	—	1	—
36	Humuli.	f.	—	30
37	illicifolia.	m. f.	—	25
38	imbuta. *Hyb.*	m.	1	—
39	Lacertula.	—	—	20
40	Limax. *B.*	m. f.	—	25
41	lubricipeda.	m. f.	—	15
42	luctifera.	m. f.	—	30
43	lunigera.	m. f.	—	50
44	luteola.	p.	—	15
45	maculosa.	m. f.	—	45
46	marginea. *B.*	—	—	20
47	Matronula.	m. f.	4	—
48	mundana.	—	—	15
49	muscerda.	—	—	15
50	nivosa.	m.	—	40
51	nubeculosa.	m. f.	1	20
52	oblitterata. *B.*	m. f.	—	40
53	Oleagina.	m. f.	—	40
54	paleola. *Hyb.*	—	—	40
55	Pantherina. *Hyb.*	—	2	—
56	plumigera.	m. f.	—	30
57	processionea.	m. f.	—	30
58	Pruni.	m.	—	40
59	pudibunda.	m. f.	—	30
60	pudica. *	—	2	—
61	*pulchella.*	—	—	45
62	pulchra.	—	1	30
63	reclusa.	m. f.	—	20
64	roscida.	—	—	10
65	rubicunda. *W. V.*	—	—	10
66	rubricollis.	—	—	15
67	scoriacea.	—	—	30
68	selenitica.	m. f.	3	—
69	sericina. *Hyb.*	—	—	30
70	Sicula. *Hyb.*	—	1	—
71	— *B.*	m.	—	20
72	Sphinx. *Hyb.*	—	—	50
73	terrifica.	f.	1	40
74	Thalictri.	—	6	30
75	Taraxaci.	m. f.	2	—
76	Tau.	m. f.	—	30
77	Torva. *Hyb.*	m. f.	1	20
78	trepida.	m. f.	—	50
79	Tritophus.	f.	1	—
80	Ulmi. *W. V.*	m. f.	—	24
81	velitaris.	f.	1	—

			fl.	kr
82	Viciae.	m.	—	30
83	villica.	m. f.	—	30
84	Ziczac.	m. f	—	30
	Geometra.			
85	abietaria.	m.	—	30
86	aceraria.	—	—	20
87	achatinata.	—	—	30
88	advenaria.	p.	—	20
89	albulata.	p.	—	15
90	alpinata.	—	—	12
91	apiciaria.	—	—	12
92	aurantiaria.	—	—	15
93	aureolaria.	p.	—	10
94	auroraria.	—	—	15
95	aversaria.	—	—	10
96	badiata.	—	—	10
97	bajaria.	m.	—	12
98	bajularia.	—	—	20
99	Betularia.	m. f.	—	15
100	Candidata.	—	—	7
101	capreolaria.	—	—	30
102	carbonaria.	—	—	15
103	chaerophylata.	p.	—	15
104	chenopodiata.	—	—	10
105	coarctata.	—	—	12
106	consignata.	—	—	10
107	conspicuaria.	—	—	25
108	cribraria. *Hyb.*	—	3	—
109	cruentaria. *Hyb.*	—	2	30
110	defoliaria.	m. f.	—	30
111	dentaria.	—	—	30
112	derivata.	—	—	20
113	dilectaria.	—	—	15
114	diversaria.	m. f	—	40
115	dolabraria.	—	—	10
116	elinguaria.	m. f.	—	20
117	elutata.	—	—	12
118	extersaria.	—	—	34
119	flavicaria.	—	—	15
120	fulvata.	p.	—	12
121	gilvaria.	—	—	10
122	grisearia.	—	—	10
123	hastata.	—	—	15
124	hexapterata.	—	—	10
125	hispidaria.	m. f.	—	30
126	honoraria.	m. f.	1	—
127	illunaria.	m. f.	—	20
128	illustraria.	f.	—	10
129	impluviata.	p.	—	15
130	leucophearia.	—	—	12
131	lichenaria.	—	—	5
132	ligustrata.	—	—	15
133	lituraria.	—	—	15

			fl.	kr
134	luctuata.	—	—	[illegible]
135	lutearia.	p.	—	15
136	montanata.	—	—	10
137	murinaria.	p.	—	15
138	oeellaria.	—	—	30
139	obeliscata.	—	—	20
140	olivata.	—	—	15
141	omicronaria.	m. f.	—	15
142	parallelaria.	—	—	20
143	pendularia.	m. f.	—	20
144	pennaria.	—	—	[illegible]
145	petraria.	m. f.	—	[illegible]
146	petrificata. *Hyb.*	—	—	40
147	pinetaria.	—	—	[illegible]
148	piniaria.	—	—	[illegible]
149	plumaria.	—	—	[illegible]
150	plumistaria.	m. f.	4	[illegible]
151	polycomata.	—	—	[illegible]
152	polygramata.	—	—	[illegible]
153	pomonaria.	m. f.	—	[illegible]
154	populata.	—	—	[illegible]
155	prasinaria.	—	—	[illegible]
156	procellata.	p.	—	[illegible]
157	progemaria.	—	—	[illegible]
158	pulveraria.	—	—	[illegible]
159	rectangulata.	—	—	[illegible]
160	rivulata.	—	—	10
161	rufaria.	—	—	10
162	russata.	—	—	12
163	sacraria.	—	—	20
164	—	m. f.	—	50
165	scripturaria.	—	—	20
166	secundaria.	m,	—	40
167	spartariaria.	m. f.	—	30
168	spartiata.	—	—	30
169	taminaria.	—	—	20
170	temeraria.	—	—	20
171	tersata.	—	—	10
172	ulmaria.	—	—	20
173	undulata.	—	—	20
174	variata.	—	—	[illegible]
175	vespertaria.	—	—	20
176	vetulata.	m. f.	—	20
177	viduaria.	—	—	15
178	vitalbata.	—	—	12
179	zonaria.	m. f.	—	30
	Noctua.			
180	Acetosellae.	—	—	30
181	affinis.	—	—	12
182	Ain. *Hyb.*	—	2	30
183	albimacula. *B.*	p.	—	[illegible]
184	albulata. *Hyb.*	—	2	—
185	Alchymista.	—	—	[illegible]

			fl.	kr
186	Algae.	m. f.	1	20
187	Alsines. B.	p.	—	25
188	ambigua. *Hyb.*	m.	—	20
189	aprilina.	m. f.	—	30
190	aquilina. *Hyb.*	—	—	30
191	Artemisiae.	—	—	30
192	Asteris.	—	1	15
193	atratula.	—	—	12
194	Atriplicis.	—	—	10
195	Baja.	—	—	40
196	basilinea.	—	—	12
197	Batis.	—	—	15
198	bicoloria. B.	—	—	15
199	bilinea. *	f,	1	8
200	2. maculosa.	m. f.	—	30
201	coecimacula.	m. f.	—	30
202	Caesia.	—	—	30
203	Calcites.	—	1	30
204	Caloris.	—	2	—
205	Calvariae. B.	—	—	20
206	Capsincola.	m. f.	—	40
207	caracterea. *Hyb.*	—	—	30
208	Cardui.	—	—	30
209	Cespitis.	m. f.	—	45
210	Chi.	p.	—	25
211	Chrysographa.	—	—	48
212	Chrysozona. B.	—	—	15
213	Cinamomae.	—	1	40
214	cinerea. *Hyb.*	f.	—	45
215	Circumflexa.	—	—	15
216	Citrago.	—	—	15
217	combusta. *Hyb.*	—	—	30
218	communimacula.	—	—	20
219	compta. B.	—	—	15
220	— *Hyb.*	m. f.	1	20
221	Concubina. *Hyb.*	—	—	45
222	conformis.	—	—	15
223	connexa. B.	—	—	30
224	connigera.	p.	—	20
225	consobrina. B.	—	—	20
226	conspersa. B.	—	—	25
227	— *Hyb.*	m. f.	1	20
228	contigua. *Hyb.*	—	—	36
229	convergens.	p.	—	25
230	corticea. *W. V.*	—	—	20
231	Craccae.	—	—	30
232	Croceago.	p.	—	15
233	— *Var.*	—	—	30
234	Cucubalis.	—	—	20
235	culta. B.	—	—	30
236	degener.	—	—	15
237	Delphinii.	—	—	35
238	derasa.	—	—	25
239	didyma. B.	—	—	40

			fl.	k
240	diffinis.	p.	—	30
241	dilecta. B.	—	2	30
242	diluta.	—	—	20
243	divergens.	—	1	20
244	Domiduca.	m. f.	5	20
245	Echii.	—	—	40
246	elocata.	—	—	50
247	Euphorbiae.	—	—	20
248	favilacea.	—	—	30
249	Festucae.	—	—	20
250	Fimbria.	—	—	20
251	Flammatra.	—	—	20
252	Flavago.	m. f.	—	50
253	flavescens. B.	—	—	30
254	flavicincta.	—	—	40
255	Fraxini.	—	—	20
256	fumosa. *Hyb.*	—	—	20
257	furra. *Hyb.*	—	1	—
258	glabra. *Schif.*	—	—	30
259	Gothica.	—	—	15
260	gracilis. B?	—	—	30
261	Graminis. *Hyb.*	f.	—	34
262	herbida.	—	—	50
263	Hyperici.	—	—	25
264	janthina.	—	—	15
265	J. cinctum.	m.	2	30
266	J. intactum. *Hyb.*	—	—	56
267	interjecta.	—	2	30
268	Interrogationis.	—	—	50
269	Lactucae. *Hyb.*	—	—	30
270	laevis. *Hyb.*	—	—	15
271	Lalii.	m. f.	—	30
272	levis. *Hyb.*	m. f.	2	10
273	lepida. B.	—	—	50
274	leporina.	—	—	20
275	leucographa. *Hyb.*	—	—	40
276	Leucomelas.	—	—	20
277	Lichenis.	—	—	25
278	Ligustri.	—	—	20
279	Linariae.	p.	—	30
280	Linea. B.	m. f.	—	50
281	linogrisea.	—	—	40
282	Lithoxylea.	—	—	30
283	Litura.	—	—	10
284	livida.	—	1	20
285	lota. *E.*	—	—	20
286	lucifuga.	—	—	20
287	lucipara.	—	—	15
288	lucipeta. *Hyb. eleg.*	f.	2	30
289	—	—	1	—
290	lunaris.	m. f	1	—
291	lusoria.	—	—	25
292	lutulenta. *Hyb.*	—	—	30
293	Maura.	—	—	34

			fl.	kr
294	melaleuca.	—	2	—
295	Menyanthidis.	m. f.	—	50
296	meticulosa.	p.	—	20
297	miniosa.	—	—	20
298	munda.	m. f.	—	40
299	multangulata. *Hyb.*	—	1	30
300	Myrtili.	—	—	20
301	N. atrum. B.	p.	—	40
302	nebulosa. *Hyb.*	—	2	—
303	nervosa. B.	—	—	40
304	Ni. *Hyb.*	—	2	—
305	nigricans. B.	—	—	20
306	nitida. *Hyb.*	—	—	15
307	Nota. *Hyb.*	m.	—	36
308	Nymphagoga.	—	—	40
309	Nymphaea.	—	1	30
310	oculta.	—	—	30
311	ochroleuca. B.	—	—	20
312	octuagesima. *Hyb.*	—	1	15
313	olivea.	—	—	10
314	Ononis.	—	—	12
315	Paranympha.	—	—	15
316	Parthenias.	m. f.	—	28
317	Perla. *Hyb.*	m. f.	—	30
318	Petroriza. B.	—	—	15
319	Pharetra. *Zi. aff. et Magn. signifer.*	—	1	30
320	Phragmitidis.	—	1	20
321	Pinastri.	—	—	20
322	Piniperda. B.	—	—	25
323	Pisi.	m. f.	—	30
324	pistacina. *Hyb.*	—	—	20
325	plebeja. *Hyb.*	p.	—	25
326	plecta.	—	—	15
327	polygona.	—	—	15
328	polymita.	—	—	30
329	Polyodon. *Hyb.*	—	1	20
330	praeceps.	—	1	20
331	promissa.	—	—	15
332	Protea.	p.	—	30
333	Pteridis. *Hyb.*	—	1	30
334	Puella.	p.	—	15
335	pulmonaria. *Hyb.*	—	—	40
336	pulverulenta.	—	—	15
337	purpurina.	—	—	30
338	putris.	—	—	15
339	pyralina.	—	—	20
340	pyrophila.	—	—	20
341	rectangula.	—	—	30
342	rectilinea.	—	1	30
343	respersa. *Hyb.*	—	—	30
344	retusa. *Hyb.*	—	—	20
345	ridens.	—	2	—
346	rubiginea.	—	—	15

			fl	kr
347	rubricosa. *Hyb.*	—	—	30
348	rufina. *Hyb.*	—	—	25
349	rurea. B.	—	—	20
350	Saponariae.	p.	—	25
351	scripta. *Hyb.*	—	—	40
352	scutigera.	—	—	50
353	scutosa.	m. f.	1	20
354	secalina.	p.	—	20
355	serena.	p.	—	20
356	sigma. *Hyb.*	—	—	30
357	signifera. *Hyb.*	—	—	30
358	Silene. B.	—	—	24
359	— *Hyb.*	—	—	40
360	Sponsa.	m. f.	—	48
361	Suasa *Hyb.*	—	—	30
362	Sulphurago. *Hyb.*	—	—	30
363	Tanaceti.	—	—	20
364	tenebrosa.	—	—	40
365	tetra.	—	—	15
366	texta.	—	—	30
367	tincta. *B.*	—	1	30
368	*Tineoides. Zi. Mag Ostrinae.*	—	1	—
369	triangularis. *Hyb.*	—	1	30
370	tricuspis.	—	1	20
371	triquetra.	—	—	25
372	Tritici.	m.	—	40
373	Turca.	—	1	—
374	Typhae.	—	—	40
375	Umbra. *B.*	—	—	20
376	Unca.	—	—	15
377	Vaccinii.	—	—	20
378	Valigera. *Hyb.*	m.	—	40
379	venosa. *Hyb.*	—	—	20
380	virens.	—	—	15
381	V. punctatum.	—	—	20
382	Xanthographa. *Hyb*	—	—	20
383	Ypsilon.	p.	—	30

Papilio.

			fl	kr
384	Actea.	—	2	—
385	— *	f.	1	40
386	Admetus	—	—	40
387	Aelo. *	—	1	20
388	Alcon. *Hyb.*	m.	—	20
399	Alcyone. *B.*	m. f.	—	30
390	Alionia.	—	1	12
391	Arachne. *Hyb.*	—	—	30
392	Athalia. *Hyb.*	—	—	10
393	Belemia.	—	1	30
394	Belgicus. *Bl.*	—	3	—
395	Belia.	—	1	20
396	Bellidice.	—	—	40
397	Boeticus.	f.	—	50

			fl.	kr
398	Bore. *ex Lapp.*	—	2	—
399	Brycae.	—	2	30
400	Callidicae.	m.	3	30
401	Celtis.	—	3	—
402	Cerasi.	—	—	12
403	Cetosia. *Hyb.*	m.	1	10
404	— *	f.	—	40
405	Chrysotheme.	m. f.	1	20
406	Cleo. *Hyb.*	—	—	50
407	Cleopatra.	m.	1	40
408	Clotho. *Hyb.*	—	2	—
409	Daphne. *Hyb.*	—	—	15
410	dictinna. *Hyb.*	m. f.	1	8
411	Dorilis.	—	1	—
412	Dorion. *Hyb.*	m.	1	20
413	Dorylas. *Hyb.*	—	—	15
414	Egea. *Kn.*	—	1	—
415	Erebus. *Hyb.*	—	1	8
416	Eupheno.	m. f.	2	40
417	—	m.	—	48
418	Europome.	m. f.	1	20
419	Fauna. *Hyb.* t. 100 *f.* 507.	—	—	36
420	— — — *f.* 510.	m.	—	48
421	— — — —	f.	1	—
422	—* — t. 32. f. 146	m.	1	8
423	Fidia.	—	1	40
424	Freya.	m. f.	1	40
425	Friga.	m. f.	1	40
426	Geticus.	—	1	40
427	Gorge. *Hyb.*	—	1	20
428	Griella.	m. f.	4	30
429	Hecate.	—	—	15
430	*Helenor.* *	—	3	—
431	Helle. *Hyb.*	f.	—	30
432	Hellice. *Hyb.* *	f.	—	36
433	Herse.	m. f.	—	40
434	Hylas. *Hyb.*	m. f.	1	20
435	Janthe. *Hyb.*	—	—	34
436	Ida.	m. f.	1	20
437	Illicis.	—	—	24
438	*Illioneus.*	—	4	—
439	Iris junonia.	m. f.	1	20
440	— —	—	—	20
441	— Illia.	m. f.	—	30
442	— lutea.	m. f.	—	36
443	Isis. *Hyb.*	m. f.	2	40
444	— Var.	f.	1	40
445	L. album.	—	—	50
446	Lachesis. *Hyb.*	—	2	—
447	Lampetie.	m. f.	—	40
448	Lappona.	m. f.	1	30
449	Lavatherae.	—	—	25
450	Lucilla.	m. f.	1	30

			fl.	kr
451	Manto. *Hyb.* Castor. *E.*	—	1	45
452	maturna. Hyb.	—	—	12
453	Melampus.	—	1	—
454	Melas.	m.	3	—
455	— *	—	1	30
456	*Menelaus.* *	—	4	30
457	Meone. *Hyb.*	—	—	50
458	Mnemosine.	m. f.	—	30
459	Nelo. *Hyb.*	m.	2	30
460	Norna.	—	1	20
461	Oeme. *Hyb.*	—	1	—
462	Optilete.	—	1	—
463	Pales. *Hyb.*	—	—	45
464	— *W. V.*	—	—	50
465	Pandora.	m. f.	1	—
466	Pasiphae.	m. f.	1	20
467	Pharte. *Hyb.*	—	1	30
468	Phicomone.	—	1	20
469	Philea. *Hyb.*	—	1	—
470	Philomene. *aff. Europom. ex Lapp.*	—	1	30
471	Phoebus. *Hyb.* Delius. *E.*	—	5	30
472	Plautilla. *Hyb.*	—	—	48
473	Polyxena.	m. f.	—	40
474	Psodea. *Hyb.*	m.	1	20
475	Psyche. *Hyb.*	—	1	30
476	Pylarge. *Hyb.*	—	1	30
477	Pyrene. *Hyb.*	—	1	40
478	Pyrrha. *Hyb.*	—	—	30
479	Pytho. Hyb.	—	2	—
480	Rhea. Hyb. *	—	2	30
481	Rumina.	—	1	40
482	Steropes.	—	—	12
483	Sylvius.	—	—	40
484	Telicanus.	—	1	—
485	Thersamon.	m. f.	—	30
486	Titania. Hyb.	—	2	—
487	Tiresias. Hyb.	m. f.	—	40
488	Trivia. Hyb.	—	—	18
489	V. album.	—	1	—
490	Xanthe. Hyb.	—	—	24
491	Xanthomelas.	—	1	—

Pyralis.

			fl.	kr
492	achatalis.	—	—	30
493	angulalis.	—	1	—
494	*gumalis. Zi. Mag. porphyral.*	—	—	36
495	*lacertulalis. Zi. Magn. sericeal.*	—	—	45
496	*leucostigmalis. Zi. Magn. lividal.*	—	—	40

			fl.	kr.
497	*levigalis. Zi. Aff. et Magn. angulal.*	—	1	8
498	lucernalis. *	—	—	36
499	*lustralis. Zi. Mag. griseal.*	—	1	—
500	*lythargiralis. Zi. Aff. et Magn. vertical.*	—	1	8
501	*monilialis. Zi. Aff. et Magn. lemnal.*	—	1	8
502	nemoralis.	—	—	20
503	*obscuralis. Zi. Aff. et Magn. gläbral.*	—	—	45
504	*ruficostalis. Zi. Magn. lividal.*	—	1	12
505	*straminalis. Zi. Aff. et Magn. paleal.*	—	1	—
506	*virginalis. Zi. Magn. fimbrial.*	—	1	—

Sphinx.

			fl.	kr.
507	Aeacus.	—	1	—
508	Andrenaeformis. *Lasp.*	m.	1	8
509	Asiliformis.	—	—	20
510	Astragali.	—	—	20
511	Bibioniformis.	—	—	20
512	Brizae.	—	1	—
513	Chrysidiformis.	—	—	20
514	Cynarae.	—	—	50
515	Cynipiformis.	—	—	15
516	Ephialtes.	—	—	15
517	exulans.	m f	2	—
518	fausta.	—	—	25
519	Formicaeformis.	—	—	20
520	Galii.	m. f.	—	40
521	infausta.	—	—	50
522	Koechlinii. s. lineata. F.	—	4	—
523	laeta. Hy*b*.	—	4	—
524	Lavandulae. Hy*b*. *	—	—	30
525	Loti. Hy*b*.	—	—	30
526	Nerii.	m. f.	20	—
527	Oenotherae.	p.	—	30
528	Quercus.	m. f.	20	—
529	— *eleg.*	f.	9	—
530	Rhadamantus.	—	2	30
531	Scabiosae.	p.	—	20
532	transalpina.	—	—	40
533	Trifolii.	—	—	20
534	Veronicae.	—	—	30
535	Vespertilio.	m f.	20	—
536	Viciae.	—	—	20

Tinea.

			fl.	kr.
537	*decussella. Zi. Mag palumbel.*	—	—	40
538	*nubeculella. Zi.*	—	1	—

Tortrix.

			fl.	kr.
539	*aculeana. Zi. Mag. teneranae.*	—	—	34
540	*contextana. Zi. Magn. textanae*	—	—	45
541	*florana. Zi. Magn. croceanae.*	—	—	40
542	*fuscimaculana. Zi. Magn. festivanae.*	—	—	48
543	*Stütziana. Zi. Mag Gentianae.*	—	1	—
544	*trimammilana. Zi. Aff. et Magn. praeced.*	—	1	—

HYMENOPTERA

Mutilla.

			fl.	kr.
1	6. *guttata. M.*	—	1	8

ADDENDA.

			fl.	kr.
	Cistella.			
1	murina.	—	—	12
	Dyticus.			
2	congener.	p.	—	48
	Hister.			
3	carbonarius. *Ent. Häft.*	—	—	24
	Papilio.			
4	Cynthia.	—	—	48
5	Epiphron.	p.	1	20
6	glacialis.	—	3	—
7	Gorge.	m. f.	3	20
8	Tagis. *	—	2	—

CATALOGUS INSECTORUM,

QUAE

VIENNAE AUSTRIAE DIE JUNII MDCCCV. AUCTIONIS LEGE DISTRAHUNTUR.

M o n e n d a.

I. Specimen cujus nomen *litteris cursivis* expressum, exoticum est.

II. Asteriscus * post nomen positus, denotat, quod specimen aliquo modo sit laesum; si vero laesio, praesertim apud Lepidopt. major esset, tunc duo **, et si alae solummodo paululum deplumatae fuerint, tunc per † indicatur.

III. Quoad explicationem laesionis Antennae per *Ant.*; Pedes per *P.* seu vel sive per s; et Tarsi per *T*, subintelliguntur.

IV. Nomina Authorum sic abbreviata sunt: *A.* Andersch; *B.* Borkhausen; *Bl.* Block; *Br.* Brahm; C. Cramer; *Cr.* Creutzer; *D.* Duftschmidt; *Dr.* Drury; *E.* Esper; *F.* Fabricii Suppl. ined.; *Fr.* Fröhlich; *Gr.* Gravenhorst; *H.* Herbst; *Hl.* Hellwig; *Hof.* Hofmannsegg; *Hop.* Hoppe; *Hyb.* Hybner; *Jabl.* Jablonsky; *Jock.* Jockisch; *Kn.* Knoch; *Ko.* Koch; *L.* Linne; *M.* Megerle; *Ol.* Olivier; *P.* Panzer; *Pall.* Pallas; *Pay.* Paykull; *Pr.* Preysler; *R.* Rossi; *Sc.* Schneider; *Schr.* Schreibers; *Sr.* Schrank; *Sm.* Smith; *St.* Sturm; *V.* Vogt; *W. V.* Wiener Verzeichniss; *Z.* Zenker; *Zi.* Ziegler.

V. Linea recta horizontalis in Columna prima, denotat unum Exemplar, p. significat duo specimina; et signa m. et f. marem et foeminam conjunctim pro eodem praetio annotant.

Nro.		Exemplaria.	Pretium Subhastationis. fl.	kr.
	COLEOPTERA.			
	Adorium.			
1	2. *punctatum.* *	—	—	36
2	*concolor.*	—	—	24
	Aesalus.			
3	scarabaeoides.	m.f	—	51
	Akis.			
4	glabra.	p.	1	20
5	orbiculata.	p.	1	20
6	spinosa.	—	1	30
	Aleochara.			
7	minutissima. *V.*	—	—	12
	Altica.			
8	*bicolor. M.*	m. f	—	40
9	Erucae.	—	—	24
10	globosa.	—	—	40
11	Malvae. *Cr.*	p.	—	12
12	mercurialis.	p.	—	12
13	pallipes. *M.*	—	—	7
14	4. pustulata. *Pay.*	—	—	24
15	testacea. *Exempl. max.*	p.	—	16
	Anaspis.			
16	4. guttata. *M.*	—	—	24
	Anisotoma.			
17	corticalis.	—	—	15

No.	Name		fl.	kr
18	testacea. *Ill.*	—	—	12
	Anobium.			
19	Abietis.	p.	—	14
20	politum. *M.*	—	—	15
21	reticulatum.	p.	—	8
	Antherophagus			
22	castaneus. *Kn.*	—	—	30
23	ferrugineus. *Kn.*	—	—	30
24	pallidus. *V.*	—	—	30
	Anthia.			
25	10. *guttata.*	—	—	30
26	4. *guttata.*	—	—	51
27	6. *guttatta.*	—	1	—
	Anthicus.			
28	ater. *P.*	—	—	20
29	bicolor. *Ol.*	—	—	14
30	hirtellus.	—	—	16
31	humeralis. *Fr.*	—	—	8
32	pedestris.	p.	—	16
33	4. pustulatus. *Fr.*	—	—	24
	Anthrenus.			
34	elongatulus.	—	—	40
35	glabratus.	p.	—	10
	Anthribus.			
36	albinus.	m. f	—	10
37	brevirostris. *P.*	—	—	30
38	latirostrris.	p.	—	12
39	planirostris.	p.	—	10
40	Sepicola.	p.	—	24
41	scabrosus.	p.	—	12
42	undulatus. *D.*	—	—	30
43	varius.	p.	—	10
44	idem *minim.*	—	—	30
	Apate.			
45	fronticornis. *Fr.*	m. f	—	30
46	limbata.	—	—	10
47	*marginata.*	—	—	40
48	signata.	—	—	12
49	sinuata.	—	—	24
	Aphodius.			
50	Anachoreta.	—	—	12
51	bicolor.	p.	—	40
52	2. punctatus.	—	—	20
53	caesus.	p.	—	10
54	centrolineatus. *P.*	—	—	10
55	contaminatus.	p.	—	8
56	constans. *M.*	—	—	30
57	elevatus.	—	—	20
58	fasciatus.	—	—	20
59	foetens. *Ol.*	—	—	10

No.	Name		fl.	kr
60	globosus.	p.	—	34
61	plagiatus.	—	—	30
62	4. *tuberculatus.*	—	—	30
63	scyballarius. *var. nig.*	—	—	10
64	serotinus. *Cr.*	—	—	15
65	sulcicollis. *Ill.*	—	—	24
66	tessullatus. *St.*	p.	—	18
	Apion.			
67	aeneum.	p.	—	6
68	flavo femoratum.	p.	—	10
69	Malvae.	—	—	30
70	Pisi. *F. Attel.*	p.	—	20
71	puncticolle. *M.*	—	—	12
72	punctirostre. *M.*	—	—	12
73	vernale.	p.	—	6
	Ateuchus.			
74	*cinctus.*	—	—	48
75	*Esculapius. Ol.*	—	1	12
76	flagellatus.	—	—	50
77	*Koenigii.*	—	—	40
78	laticollis.	—	—	40
79	*miliaris.*	—	—	48
80	*minutus.*	—	1	8
81	pillularius.	—	—	24
82	sacer.	—	—	15
83	Schaefferi.	p.	—	14
84	semipunctatus.	—	—	20
85	*signatus. M.*	—	1	30
86	*sinuatus.*	—	—	30
87	variolosus.	—	—	24
	Attelabus.			
88	*gemmatus.*	—	—	30
89	globosus.	—	—	24
90	Hungaricus.	p.	—	20
91	intermedius. *P.*	—	—	48
	Blaps.			
92	clypeata. *Hl.* *	—	1	—
93	Gigas.	m. f	1	—
94	lata. *M.*	—	—	24
95	Lusitanica.	—	—	40
96	polita. *M.*	—	—	30
	Bostrichus.			
97	atomarius. *Fr.*	p.	—	20
98	bidens.	p.	—	16
99	Chalcographus.	p.	—	14
100	Cylindrus.	p.	—	6
101	Dactyliperda.	p.	—	24
102	decumanus. *Ill. Stenogr. Cr*	p.	—	20
103	Monographus.	—	—	12

No.	Name		fl.	kr
104	thoracicus. *P.*	—	—	24
105	villosus.	p.	—	10
	Brachinus.			
106	2. *maculatus.*	—	—	27
107	mutillatus.	p.	—	30
	Brachycerus.			
108	*apterus.*	—	—	40
109	muricatus.	—	—	40
110	*obesus.*	—	—	50
	Brentus.			
111	*Anchorago.* * 2. *P*	—	1	—
112	*formicarius.*	—	1	20
113	*truncatus. M.*	m. f	2	30
	Bruchus.			
114	Andropoginis. *V.*	—	—	15
115	rufipes.	p.	—	24
116	suturalis.	p.	—	10
	Buprestis.			
117	Achileae. *Schr.*	—	—	24
118	*armata.*	—	1	12
119	aurulans. *M.*	—	—	24
120	aurulenta.	—	1	8
121	Austriaca *Querc. H*	—	—	30
122	bicolor.	p.	—	12
123	calcarata.	—	—	20
124	candens.	—	3	—
125	Carniolica.	—	—	12
126	*Chrysis.* * *	—	1	20
127	chrysostigma.	—	—	15
128	Coryli. *A.*	—	—	40
129	cyanicornis.	p.	—	40
130	elata.	p.	—	12
131	*fascicularis.*	—	—	40
132	Filum. *M.*	—	—	18
133	flavo maculata.	—	—	30
134	*gigantea.* * *	—	1	8
135	hamorrhoidalis. *H.*	m. f	—	7
136	*hirta.*	—	—	40
137	Hyperici. *Cr.*	—	—	12
138	*imperialis.*	—	3	—
139	manca.	—	—	15
140	metallica.	—	1	48
141	Millefolü.	p.	—	24
142	moesta.	—	2	30
143	8. guttata.	—	—	24
144	*ocellata.* *	—	2	30
145	olivacea. *Schr.*	—	—	7
146	*pilosa. H.*	—	—	45
147	plebeja.	—	—	24
148	4. lineata. *H.*	—	3	—
149	Quercus. *Schr.*	—	—	40

No.	Name		fl.	kr
150	sinuata. *Ol.*	—	—	15
151	taeniata.	p.	—	6
152	Tenebrionis.	p.	—	20
153	Trochilus	p.	1	—
154	undata.	—	3	—
155	eadem *	—	2	16
156	vittata. * T.	—	1	—
	Byrrhus.			
157	arenarius. *Schott.*	—	—	24
158	ater.	—	—	17
159	cinctus.	—	—	15
160	—*var. nig.*	—	—	15
161	Gigas.	—	—	40
162	minutus	p.	—	20
163	nitens.	p.	—	30
164	oblongus. *V.*	—	—	30
165	ornatus.	—	—	10
	Calandra.			
166	*Gages.*	—	—	40
167	*ferruginea.*	—	—	48
168	*Palmarum.*	—	1	30
	Callidium.			
169	Alni.	—	—	20
170	aulicum.	p.	—	16
171	cyaneum.	m. f	—	59
172	femoratum.	—	—	24
173	fulcratum.	p.	—	10
174	luridum.	p.	—	10
175	pusillum.	p.	—	20
176	spinosum.	—	—	45
177	undatum.	—	—	20
	Calopus.			
178	serraticornis.	—	—	40
179	testaceus. *Hop.*	m. f	—	24
	Calosoma.			
180	reticulatum.	m. f	1	—
181	sericeum.	—	1	8
	Cantharis.			
182	2. guttata.	—	—	6
183	2. *maculata.*	—	—	40
184	2. punctata.	m. f	—	10
185	lateralis.	p.	—	12
186	*nigricornis. M.*	—	—	40
	Carabus.			
187	abbreviatus.	p.	—	10
188	Aethiops.	m. f	—	20
189	agrestis. *Cr.*	m. f	—	12
190	aquaticus. *P.*	p.	—	24
191	articulatus. *P.*	p.	—	20
192	aterrimus.	m. f	—	26

			fl.	kr
193	aulicus. *Ill.*	p.	—	16
194	auratus.	m. f	—	20
195	auronitens.	m. f	—	30
196	Austriacus.	p.	—	14
197	axillaris.	—	—	20
198	badius. *Z.*	p.	—	20
199	2. striatus. *M.*	—	—	15
200	borealis.	m. f	—	40
201	brunnipes. *Cr.*	—	—	12
202	Calydonius.	m. f	—	40
203	cassidius.	m. f	—	20
204	catenatus. *P.*	m. f	—	48
205	catenulatus.	p.	—	30
206	*chlorocephalus. Bl*	—	—	36
207	cinctus.	m.	2	—
208	clathratus.	—	1	30
209	complanatus.	—	1	20
210	consitus. *Hof.*	m. f	2	—
211	idem *coerul.*	—	1	8
212	convexus.	m. f	—	16
213	Creutzeri.	—	2	16
214	cylindricus. *H.*	—	—	30
215	decorus. *P.*	p.	—	6
216	devius. *Z.*	—	—	20
217	dimidiatus.	—	—	30
218	— — *P.*	—	—	12
219	Doris. *P.*	—	—	10
220	dorsiger.	—	—	48
221	elatus *Scarit. Gagat. P.*	p.	—	10
222	emarginatus. *Pay.*	p.	—	36
223	exilis. *Hof.*	p.	—	24
224	eyrinotus. *P.*	—	—	12
225	Fabricii. *M.*	—	1	45
226	familiaris. *Cr.*	—	—	17
227	femoralis. *Cr.*	p.	—	10
228	festivus.	m. f	—	10
229	flamulatus. *Cr.*	p.	—	14
230	flavicornis. *P.*	—	—	24
231	fossullatus. *Pr.*	—	—	40
232	foveolatus. *M.*	—	—	30
233	fulvipes.	p.	—	16
234	fumigatus. *Cr.*	p.	—	12
235	gemmatus.	m.	—	20
236	gibbus.	p.	—	10
237	glabratus.	—	—	15
238	haemorrhoidalis.	p.	—	16
239	Hellwigii. *P.*	m. f	—	40
240	Hoffmannseggii. *P.*	—	—	40
241	hortensis.	m. f	—	16
242	humeralis.	p.	—	6
243	ignavus. *Cr.*	p.	—	20
244	Illigeri. *P.*	m. f	—	50

			fl.	kr
245	*impressus.*	—	—	40
246	— — *Ill.*	p.	—	16
247	infimus. *Kn.*	p.	—	36
248	irregularis.	m. f	1	20
249	*limbatus. M.*	—	—	40
250	linearis. *Ol.*	—	—	10
251	Linnei. *M.*	—	1	—
252	lutescens. *P.*	p.	—	36
253	Melas. *Cr.*	p.	—	10
254	minimus.	p.	—	10
255	modestus.	p.	—	16
256	monilis.	—	1	—
257	idem *viola.*	—	1	8
258	Nigrita.	p.	—	10
259	nobilis. *Cr.*	—	—	17
260	nodulosus.	—	1	—
261	opacus. *Br.*	—	—	12
262	Panzeri. *M.*	—	—	24
263	patricius. *Cr.*	—	—	17
264	peltatus. *Ill.*	—	—	15
265	peltoides. *Ill.*	—	—	40
266	picimanus. *Cr.*	—	—	10
267	piger. *Cr.*	—	—	12
268	planus.	—	—	12
269	Preysleri.	—	1	—
270	pulchellus.	p.	—	10
271	pumicatus.	p.	—	30
272	quadrillum. *Cr.*	p.	—	16
273	4. maculatus.	p.	—	16
274	4. pustulatus.	—	—	10
275	4. striatus.	p.	—	6
276	rubens.	—	—	16
277	rufescens.	p.	—	16
278	Sabulicola. *P.*	—	—	7
279	scabrosus.	m. f	4	30
280	Scheidleri.	m. f	—	24
281	Scrobiculator.	—	—	20
282	secalis. *Pay.*	—	—	6
283	serripes. *Cr.*	—	—	6
284	silphoides.	—	—	24
285	Spilotus. *Ill.*	—	—	12
286	spinibarbis.	—	—	30
287	spinilabris.	—	—	8
288	spoliatus.	—	—	12
289	strenuus. *P.*	—	—	6
290	striolatus.	p.	—	24
291	Sturmii. *P.*	p.	—	20
292	*sulcicollis.*	—	—	34
293	sylvestris.	m. f	—	30
294	idem *niger.*	m. f	—	40
295	taeniatus.	p.	—	24
296	tardus.	—	—	6
297	Tauricus.	—	6	—

			fl.	kr
298	Terricola. *P.*	—	—	24
299	tricolor. F. *sp.* 81.	p.	—	30
300	unctulatus. *Cr.*	—	—	10
301	unifasciatus. *P.*	—	—	30
302	velox.	—	—	30
303	ventralis. *M.*	—	—	24
304	vespertinus. *P.*	—	—	24
305	Ziegleri. *M.*	—	—	24
306	Zonatus. *P.*	p.	1	—
	Cassida.			
307	Austriaca	p.	—	14
308	azurea.	p.	—	20
309	*circumdata.*	—	—	48
310	*Jamaicensis.*	—	—	24
311	Lineola. *Cr.*	p.	—	16
312	margaritacea.	p.	—	6
313	*miliaris.*	—	—	24
314	pallida. *Pay.*	—	—	15
315	pulchella.	p.	—	10
316	4. *punctata.*	—	—	24
317	sanguinolenta.	p.	—	12
318	sanguinosa. *Cr.*	—	—	10
	Catops.			
319	cistelloides. *N. F. Luperus.*	—	—	10
320	sericeus.	—	—	8
321	tristis. *P. Helops.*	—	—	12
322	truncatellus. *V.*	—	—	24
	Cerambyx.			
323	alpinus.	m. f	—	15
324	ambrosiacus *ex Russia.*	—	2	—
325	balteatus.	p.	—	20
326	Budensis.	m. f	—	24
327	fasciculatus.	—	—	12
328	hispidus.	p.	—	8
329	Koehleri.	—	—	12
330	pilosus.	p.	—	16
331	*scriptus.* * 1. *Ant.*	—	1	—
332	*succinctus.*	—	1	—
333	*vittatus.* **	—	—	50
	Cerocoma.			
334	Schreberi.	—	—	7
335	Vahlii.	—	—	12
	Cetonia.			
336	affinis. *Hop.*	p.	—	10
337	angustata. *M.*	—	—	34
338	*Capensis.*	—	—	20
339	*Chrysis.*	—	1	8
340	*Gagates.*	—	1	8
341	*marginata.* *	—	1	8

			fl.	kr
342	*nitida.*	—	—	20
343	*eadem, c. striga flava.*	—	—	24
344	obscura. *Hop.*	—	—	12
345	*versicolor.*	—	—	24
346	viridis.	p.	—	8
	Chrysomela.			
347	Americana.	p.	—	20
348	*aurata. M. vir. aen. vage punct.*	—	—	34
349	Banksii.	—	—	30
350	cerealis.	p.	—	8
351	eadem *coerul.*	—	—	12
352	coerulea. *M.*	p.	—	24
353	*coerulipes. M.*	—	—	30
354	collaris.	—	—	20
355	decostigma. *A.*	—	—	30
356	fulgida.	p.	—	30
357	globosa. *M.*	p.	—	24
358	gramminicola. *P.*	p.	—	20
359	grossa.	—	—	51
360	haemorrhoidalis.	p.	—	12
361	Hanoverana.	p.	—	7
362	Islandica.	—	—	30
363	Lapponica.	—	—	24
364	eadem *coerul.*	—	—	36
365	Litura.	p.	—	14
366	Lusitanica.	—	—	40
367	marginalis. *M.*	—	—	24
368	marginella.	p.	—	16
369	pectoralis.	p.	—	16
370	Salicis.	—	—	12
371	Sophiae.	—	—	20
372	Tagara.	—	1	30
373	tristis.	p.	—	8
374	20. punctata.	p.	—	10
375	vicolacea.	p.	—	8
	Cicindela.			
376	*affinis. M.*	—	1	—
377	*bicolor.*	—	—	30
378	flexuosa.	—	—	30
379	littoralis.	—	—	15
380	*micans.*	—	—	30
381	*repanda. M.*	—	—	40
382	6. *punctata.*	—	—	40
383	sinuata.	p.	—	6
384	sylvatica.	—	—	6
385	20. *guttata. M.*	—	—	45
	Cistella.			
386	bicolor.	—	—	16
387	brevis. *P.*	—	—	17
388	2. pustulata. *Hl.*	p.	—	10

			fl.	kr
389	ceramboides.	—	—	10
390	fulvipes.	—	—	6
391	fusca.	—	—	24
392	Morio.	—	—	7
393	sulphurea.	—	—	7
394	testacea.	p.	—	12
	Claviger.			
395	testaceus. *Pr.*	—	1	—
	Clerus.			
396	*abdominalis. M.*	—	1	20
397	4. maculatus.	—	1	30
398	scutellaris.	p.	—	24
399	unifasciatus.	—	—	12
	Clythra.			
400	bucephala.	p.	—	24
401	concolor.	—	—	10
402	*cyanocephala. M. min. pallenti.*	—	—	30
403	*pallens.*	—	—	30
404	6. mauclata.	m.	—	15
405	3. punctata.	—	—	24
	Clytus.			
406	*bidens.*	—	—	48
407	*flexuosus.*	—	—	24
408	hieroglyphicus. *M.*	—	—	10
409	*scabricollis. M.*	—	1	—
410	semipunctatus.	—	—	17
411	*tricolor. M.*	—	1	12
412	*tuberculatus. M.*	—	2	—
413	unifasciatus.	—	1	30
	Coccinella.			
414	Abietis.	—	—	12
415	aurita.	—	—	10
416	*bis 5 punctata. M.*	—	—	30
417	chrysomelina.	—	—	12
418	*glacialis.*	—	—	20
419	hieroglyphica.	—	—	24
420	hyperborea.	—	—	20
421	impustulata.	—	—	20
422	*irridea. H.*	—	—	30
423	lateralis. *Ill.*	—	—	6
424	eadem. *Ill. β.*	—	—	7
425	*micans. M.*	—	—	30
426	9. punctata. *Ol.*	—	—	6
427	obsoleta.	p.	—	16
428	parvula.	—	—	6
429	5 punctata.	p.	—	12
430	renipustulata.	—	—	20
431	repensis.	p.	—	10
432	rufipes.	—	—	10
433	*suturata. M.*	—	—	34

			fl.	kr
434	tigrina. *Var. rufa*	—	—	20
435	tomentosa. *Hl.*	—	—	30
436	3. *cincta.*	—	—	24
437	3. fasciata.	—	—	30
438	*punctata.*	—	—	15
	Colaspis.			
439	*fulvipes.*	—	1	20
	Collyris.			
440	*longicollis.*	—	1	—
	Colydium.			
441	bicolor.	—	—	30
442	elongatum.	—	—	12
	Copris.			
443	affinis. *St.*	—	—	20
444	*Bonasus.*	—	—	20
445	*Bucephalus.* * 1. *P.*	—	1	—
446	*Capucina.*	m. f	1	—
447	*Carolina.*	m. f	1	12
448	*Catta.*	—	—	54
449	*flavicornis. M.*	—	—	40
450	fracticornis.	m. f	—	7
451	*Gazella.*	—	—	30
452	*gracilicornis. M.*	m. f	1	30
453	Hispana.	—	—	48
454	Hybneri.	p.	—	12
455	lucida.	m. f	1	20
456	*Molossus.*	—	1	—
457	*notata. M.*	—	1	12
458	pallipes.	—	—	24
459	*Sabaeus.*	m.	—	30
460	*Sagittaria.*	m. f	1	—
461	semicornis.	m. f	—	30
462	*Seniculus.*	m. f	1	12
463	*suturata. M.*	—	—	50
464	*tricornis. M.*	m. f	1	—
465	*eadem, cornub. brevior.*	m. f	1	8
466	*Triton M*	—	1	—
467	*viridicollis. M.*	—	1	—
468	*viridis. M.*	—	1	8
	Corynetes.			
469	cyanellus. *A.*	—	—	15
470	rufipes.	p.	—	24
	Cossyphus.			
471	depressus.	—	—	34
472	*planus.*	—	—	30
	Crioceris.			
473	adusta.	p.	—	12
474	Cerasi.	—	—	10
475	glabrata.	—	—	15

			fl.	kr
476	Pinicola. *A*	p.	—	16
477	subspinosa.	p.	—	10
478	Xanlhopus. *Hl.*	—	—	36
	Cryptocephalus			
479	Boehmii.	—	—	48
480	Bothnicus.	—	—	12
481	Chlorodius. *Kn.*	—	—	24
482	coloratus.	p.	—	10
483	*congestus.*	—	—	40
484	*Creutzeri. M. ruf elytr. punct. 1. 2. nig.*	—	—	40
485	*cyanipennis. M.*	—	—	40
486	elegantulus. *Koy.*	—	—	40
487	frenatus.	—	—	12
488	*Herbstii. M*	—	—	36
489	leatus.	—	—	20
490	marginatus.	m. f	—	36
491	nitens. *	p.	—	14
492	8. gattatus.	—	—	10
493	pictus. *M*	—	—	24
494	Pini.	p.	—	16
495	*plagiatus. M.*	—	—	40
496	4. maculatus. *R*	—	—	17
497	6. notatus.	—	—	30
498	6. punctatus.	—	—	6
499	*Ziegleri. M. ruf. thor. punct. 2. elytr. 4—6. et podice 1. nig.*	—	—	40
	Cryptophagus.			
500	testaceus. *V.*	p.	—	24
	Cucujus.			
501	2. pustulatus.	p.	—	6
502	monilis.	p.	—	6
503	paniceus. *Fr.*	—	—	20
504	testsceus.	—	—	6
	Curculio.			
505	aeratus.	—	—	15
506	Arborator. *H.*	p.	—	12
507	articulatus.	—	—	17
508	aurulentus. *M.*	—	—	30
509	Austriacus.	—	—	20
510	——— *H.*	p.	—	10
511	atomarius. *Cr.*	p.	—	10
512	*brachyceroides. M.*	—	1	20
513	caudatus. *R.*	—	—	17
514	chlorophanus. *M.*	p.	—	14
515	Chrysops. *H.*	—	—	40
516	conspersus. *H.*	—	—	17
517	Corruptor. *Jacquin Miscell.* *	—	1	—

			fl.	kr
518	crinitus. *H.*	p.	—	6
519	cupreo eaneus. *Kn*	p.	—	12
520	declivis. *Koy.*	—	—	20
521	flabellipes. *M.*	m. f	—	48
522	fossullatus. *M.*	—	—	24
523	Friulicus. *H.*	—	—	6
524	Fruteti. *Cr.*	p.	—	10
525	gemmatus.	p.	—	6
526	genniculatus. *M.*	p.	—	14
527	glabratus.	—	—	10
528	inflatus. *Kn.*	—	—	36
529	laevigatus.	p.	—	6
530	lanuginosus. *Cr.*	p.	—	10
531	*lateralis.*	—	—	30
532	limbatus.	p.	—	8
533	Lusitanicus.	m. f	1	0
534	maculosus. *H.*	—	—	20
535	Mastix. *Hl.*	p.	—	10
536	Morio.	p.	—	20
537	niger.	m. f	—	10
538	*nodulosus.* *	—	1	20
539	orbicularis.	p.	—	8
540	Perdix. *Cr.*	p.	—	8
541	picipes.	p.	—	8
542	Picus.	p.	—	12
543	Pinastri. *H.*	p.	—	16
544	planatus.	m. f	—	16
545	planirostris. *P.*	—	—	10
546	pollinosus.	p.	—	6
547	Punctum.	—	—	48
548	prodigus.	—	—	51
549	punctatissimus. *M.*	—	—	36
550	punctatus.	p.	—	6
551	repandus.	—	—	34
552	Robiniae.	—	—	51
553	roridus.	p.	—	10
554	rotundatus.	p.	—	6
555	*rusticus.*	—	—	30
556	Silesiacus. *M.*	p.	—	24
557	Simo. *H.*	p.	—	16
558	*spectabilis.*	—	1	30
559	squameus. *Cr.*	p.	—	10
560	squamiger.	p.	—	24
561	squamosus. K*n.*	p.	—	8
562	sqamulatus.	p.	—	8
563	subrotundus. *M.*	—	—	20
564	fulphurifer.	p.	—	6
565	undatus.	p.	—	8
566	*unicolor.*	—	—	40
567	viridicollis.	p.	—	30
568	Zebra.	p.	—	12
	Cychrus.			
569	attenuatus.	—	—	20

			fl.	kr
570	rostratus.	p.	—	24
	Cyphon.			
571	griseus.	p.	—	10
572	haemisphaericus.	p.	—	10
573	hæmorrhoidalis. *Fr*	—	—	20
574	limbatus. *Fr.*	—	—	20
575	lividus.	p.	—	20
576	melanurus.	p.	—	8
577	minutus. *V.*	—	—	30
578	pubescens.	—	—	6
579	splendens. *V.*	—	—	24
	Dasytes.			
580	aeneus.	—	—	6
581	aurarius. *Hl. Melyr*	—	—	7
582	linearis.	p.	—	10
583	nigricornis.	p.	—	10
584	nitidus. *M.*	—	—	6
	Dermestes.			
585	carnivorus.	—	—	30
586	pedicularius.	p.	—	10
587	rufitarsis. *P.*	—	—	8
588	6. dentatus.	p.	—	8
589	fubterraneus.	—	—	17
590	3. fasciatus.	—	—	25
591	Urticae.	—	—	17
592	20. guttatus.	p.	—	30
	Diaperis.			
593	aenea.	—	—	17
594	bicolor.	—	—	16
595	*cornuta. M.*	—	2	30
596	violacea.	—	1	—
	Dircaea.			
597	barbata.	—	—	20
598	Discolor.	—	—	45
599	4. guttata.	—	—	45
	Donacia.			
600	acuminata. *Hof.*	—	3	—
601	borealis. *A.*	—	—	40
602	gracilis. *Cr.*	p.	—	10
603	Hydrochaeridis.	p.	—	6
604	linearis. *Hop.*	—	—	6
605	melanocephala. *M.*	—	1	—
606	Menyanthidis.	p.	—	20
607	pallipes. *V**	p.	—	16
608	simplex.	p.	—	8
609	striata.	m. f	—	30
610	Typhae. *Br*	—	—	48
611	Veneta. *Hof*	—	—	40
	Dorcatoma.			
612	Dresdense.	—	—	10

			fl.	kr
	Doriphora. *Ill.*			
613	*Blockii MChryso. sternicorn. Bl. antea.*	—	1	8
	Drypta.			
614	*Lineola. M.*	—	—	36
615	*longicollis.*	—	—	40
	Dyticus.			
616	abbreviatus.	p.	—	12
617	alpinus.	m. f	—	50
618	arcticus. *Pay.*	p.	—	20
619	areolatus. *Ill.*	p.	—	10
620	chalconatus. *Ill.*	p.	—	36
621	collaris. *P.*	p.	—	12
622	confluens.	p.	—	20
623	congener. *Pay.*	p.	—	48
624	crassicornis.	m. f	—	30
625	depresus.	—	—	48
626	Dispar. *A.*	—	1	—
627	Dolabratus. *Pay.*	—	—	45
628	dorsalis.	—	—	30
629	elegans. *P.*	—	—	48
630	elevatus.	—	1	—
631	erythrocephalus.	—	—	15
632	femoralis. *Pay.*	—	—	30
633	flavipes.	—	—	6
634	fuscus.	p.	—	12
635	gemminus.	p.	—	6
636	grammicus. K*n.*	—	—	48
637	*griseus.*	p.	—	36
638	gattatus. *Pay.*	—	—	12
639	Halensis.	—	—	24
640	impressus.	p.	—	12
641	idem *minut.*	—	—	24
642	inaequalis.	p.	—	16
643	intermedius. *Jock.*	—	—	15
644	*limbatus.*	—	—	24
645	lineatus.	p.	—	10
646	lituratus.	p.	—	8
647	maculatus.	p.	—	14
648	margine punctat. *P.*	p.	—	8
649	niger. *Ill.*	—	—	48
650	nitidus.	—	—	40
651	— — *Ill.*	—	—	48
652	4. guttatus. K*n.*	—	—	20
653	notatus.	—	—	6
654	palustris.	p.	—	14
655	picipes.	p.	—	6
656	Poecillus. *Hl.*	p.	—	40
657	reticulatus.	p.	—	20
658	Roeselii.	m. f	—	20
659	serricornis.	m. f	1	—

			fl.	kr
660	6. pustulatus	—	—	6
661	stagnalis.	—	—	20
662	Thunbergii. *A.*	m. f	4	30
663	transversalis.	p.	—	8
664	trifidus. *P.*	p.	—	10
665	unilineatus. *Ill.*	p.	—	20
666	*variegatus. M.*	—	—	24
	Elaphrus.			
667	aeneus.	p.	—	12
668	borealis. *A.*	—	—	30
669	orychalceus. K*oy.*	p.	—	24
670	picipes. *M.*	—	—	10
	Elater.			
671	aeruginosus.	m. f	—	14
672	Aethiops. *Fr.*	—	—	20
673	atomarius.	—	—	10
674	balteatus.	p.	—	10
675	brunneus.	—	—	7
676	castaneus.	m.	—	10
677	cruciatus.	—	—	12
678	cupreus.	m.	—	20
679	deflexicollis. *M.*	p.	—	24
680	depressus. *M.*	—	—	24
681	discicollis. *M.*	p.	—	24
682	elongatulus.	—	—	16
683	Equiseti.	p.	—	10
684	fasciatus.	p.	—	36
685	ferrugineus.	—	—	20
686	filiformis.	p.	—	6
687	flavicornis.	—	—	6
688	fulvipennis.	—	—	17
689	fugax.	—	—	10
690	*fuscipes.*	—	—	40
691	linearis.	p.	—	20
692	livens.	p.	—	24
693	Mesomelas.	—	—	17
694	minimus.	—	—	12
695	nigricans. *Pay,*	—	—	10
696	nigricornis.	p.	—	8
697	nigripes. *Fr.*	p.	—	8
698	Nigrita. *M.*	—	—	12
699	*noctilucus.*	—	1	12
700	obscurus.	p.	—	30
701	ochropus. *Pay.*	—	—	30
702	pilosus.	p.	—	6
703	pusillus.	p.	—	6
704	4. pustulatus.	—	—	30
705	ruficollis.	—	—	24
706	rufus.	—	—	24
707	signatus. *P.*	f.	—	15
708	sinuatus. *M.*	—	—	20
709	*striatus.*	—	1	30

			fl.	kr
710	3. fasciatus.	—	1	—
711	variabilis.	p.	—	6
712	varius.	p.	—	20
	Elophorus.			
713	brevis. *H.*	p.	1	—
714	elongatus.	p.	—	20
715	gemellatus. K*n.*	—	—	36
716	grandis.	—	—	6
717	minimus.	p.	—	10
718	pygmaeus.	p.	—	12
	Endomychus.			
719	Bovistae.	p.	—	10
	Engis.			
720	2. pustulata.	—	—	10
721	sinuata.	—	—	7
	Erodius.			
722	2. lineatus. *H.*	—	—	45
723	gibbus.	—	—	51
724	*testudinarius.* *	—	—	30
	Eumolpus.			
725	aeneus.	p.	—	6
726	*Bengalensis. Hl.*	—	—	30
727	*cupreus. M.*	—	—	30
728	*fastuosus. M.*	—	—	24
729	*metallicus.*	—	—	34
730	*nitidus.*	—	—	45
731	*obscurus.*	p.	—	6
732	praetiosus.	p.	—	10
	Eumorphus.			
733	*immarginatus.*	—	—	45
734	4. *maculatus. M.*	—	—	45
	Eurychora.			
735	*ciliata.*	—	—	51
	Forficula.			
736	2. punctata.	m. f	—	12
737	gigantea.	—	—	12
738	minor.	m. f	—	6
	Galerita.			
739	fasciolata.	—	—	24
	Galleruca.			
740	*abdominalis.*	—	—	15
741	*Caroliniana.*	—	—	25
742	Crataegi. *Schott.*	p.	—	16
743	Fagi. *A.*	—	—	30
744	haematidea. *A.*	—	—	30
745	*impressa. M.*	—	—	25
746	nigricornis.	—	—	6
747	sanguinea.	p.	—	8

No.			fl.	kr
	Geotrupes.			
748	*Anteus.*	m.	2	30
749	Aries. *Jabl.*	m. f	1	30
750	*Hercules.* * *	m.	4	30
751	*Juvencus.*	m.	1	—
752	Monodon.	—	—	12
753	*Oromedon.*	m. f	1	30
754	*Rhinoceros.*	m. f	1	—
	Halominus.			
755	flexuosus. *P.*	p.	—	24
756	micans. *F. Dircaea*	—	—	20
	Helodes.			
757	Phellandrii.	p.	—	12
	Helops.			
758	2. *punctatus. M.*	—	1	30
759	laevigatus. *P.*	—	—	12
760	laevis.	—	2	16
	Hispa.			
761	*flavicollis. M.*	—	1	20
762	*cyanea.*	—	1	8
763	*porcata. M.*	—	3	—
764	*sulcicollis. M.*	—	1	—
765	testacea.	—	—	34
	Hister.			
766	2. *guttatus. M.*	—	—	34
767	bis 6. striatus.	p.	—	12
768	coerulescens.	—	—	48
769	conjungens. *Pay.*	—	—	10
770	10. striatus *R.*	p.	—	24
771	*discoideus. M, virid, aen. elytr. disc rub. tibiis medi. valde dent*	—	1	8
772	frontalis. *Pay.*	—	—	15
773	*giganteus. M.*	—	1	20
774	*maximus. L.* et *Ol*	—	—	40
775	oblongus. *Var. stri. 4. integr.*	—	—	12
776	picipes.	—	—	6
777	planus.	p.	—	50
778	*punctatus. M.*	—	—	45
779	pygmaeus.	p.	—	10
780	12. *striatus. M. maj. bis6. striato.*	—	—	30
781	rotundatus.	—	—	15
782	rufipes. *Pay.*	—	—	10
783	semistriatus. *H.*	—	—	20
784	*specularis. M.*	—	2	—
785	striatus.	p.	—	12
786	sulcatus.	—	—	15
787	virescens. *A.*	—	—	17

No.			fl.	kr
	Hydrachna.			
788	gibba.	p.	—	14
789	ovalis.	p.	—	14
	Hydrophilus.			
790	Globulus. *Pay.*	—	—	10
791	luridus.	p.	—	12
792	marginellus.	—	—	6
793	*olivaceus.*	—	—	24
794	orbicularis.	p.	—	6
	Hylesinus.			
795	chloropus.	—	—	6
796	Fraxini.	p.	—	6
797	marginatus. *Fr.*	—	—	15
798	piniperda.	p.	—	12
799	vittatus.	p.	—	6
	Hypophloeus.			
800	bicolor.	—	—	7
801	Boros. *H.*	—	—	50
	Jps.			
802	2. fasciata.	—	—	20
803	ferruginea.	p.	—	16
804	haemorrhoidalis.	p.	—	6
805	4. notata.	p.	—	12
806	4. pustulata.	—	—	6
	Lamia.			
807	atomaria.	m, f	—	30
808	2. lineata. *Ill.*	—	1	20
809	cruciata.	—	3	30
810	decipiens. *Koy.*	—	—	20
811	Fuliginator.	—	—	15
812	funesta.	—	1	30
813	*Gladiator.*	—	2	—
814	holosericea. *M.*	—	1	8
815	pedestris.	p.	—	34
816	*Rubus.*	—	2	—
817	tristis.	p.	—	16
818	vittigera. *P.*	p.	—	24
	Lampyris.			
819	Italica.	m.	—	20
820	*marginata.*	—	1	20
821	Mauritanica. *ex Russia.*	—	1	30
	Latridius.			
822	fasciatus. *V.*	—	—	12
	Latrobium.			
823	terminatum. *Grav.*	—	—	15
	Leptura.			
824	auriflua. *M.*	m. f	—	12
825	aurulenta.	—	—	15

No.			fl.	kr
826	2. *lineata. M.*	—	1	—
827	cincta.	m. f	—	14
828	Exclamationis.	p.	—	20
829	hastata.	p.	—	45
830	holosericea.	—	—	12
831	humeralis.	p.	—	20
832	Interrogationis.	—	—	40
833	lurida.	p.	—	8
834	Morio.	—	—	20
835	praeusta.	p.	—	12
836	4. fasciata.	m. f	—	16
837	4. guttata.	m. f	—	12
838	scutellata.	m. f	—	12
839	spadicea. *Pay.*	—	1	30
840	tomentosa.	p.	—	14
841	villica.	—	—	34
842	villosa.	m. f	3	—
843	virens.	p.	—	10
	Lethrus.			
844	Cephalotes.	m. f	—	40
	Limnius.			
845	Megerlei. *Ill.*	p.	—	30
	Lixus.			
846	angustatus.	—	—	30
847	Ascanii.	—	—	6
848	bicolor. *P.*	—	—	10
849	ferrugatus.	—	—	12
850	filiformis.	p.	—	6
851	Indigenus. *H. Curc.*	—	—	30
852	pulverulentus.	p.	—	20
853	*tricolor. M.*	—	—	30
854	violaceus. V.	—	—	30
	Lucanus.			
855	rufipes.	—	—	12
856	tenebrioides.	m. f	—	24
857	idem *mi. an no. Sp*?	—	—	30
	Lycus.			
858	minutus.	p.	—	24
859	*palliatus.*	—	—	40
	Lyctus.			
860	2. pustulatus.	p.	—	12
861	Juglandis.	p.	—	20
862	4. pustulatus. *Fr.*	—	—	15
863	testaceus.	p.	—	30
	Lymexylon.			
864	dermestoides.	p.	—	12
865	Morio.	—	—	20
866	proboscideum.	—	—	20
	Lytta.			
867	afra.	m. f	5	—

No.			fl.	kr
868	crassicornis.	—	—	50
869	*ruficollis.* *	—	—	20
870	Syriaca.	p.	—	12
871	verticalis. *Ill.*	p.	—	10
	Malachius.			
872	angulatus.	p.	—	8
873	flavipes.	—	—	10
874	*laetus.*	—	—	36
875	pallipennis. *F.*	p.	—	24
876	pedicularius.	p.	—	10
877	sanguinolentus.	—	—	12
	Mastigus.			
878	Palpator. *Hl.*	—	—	40
	Melandrya.			
879	barbata.	—	—	51
	Melasis.			
880	flabellicornis.	m. f	—	20
	Meloe.			
881	brevicollis.	p.	—	6
882	glabrata. *M.*	—	—	20
883	majalis.	p.	—	12
	Melolontha.			
884	aestiva. *Ol.*	—	—	12
885	aprilina. *Cr.*	p.	—	12
886	atra.	—	—	48
887	aurata.	—	—	40
888	2. maculata. *H.*	—	—	17
889	bombyliformis. **	—	—	36
890	brunnea.	m. f	—	20
891	chrysomelina.	—	—	7
892	*elongata. H.*	—	1	—
893	errans.	—	1	—
894	farinosa.	—	—	40
895	*femoralis. M.*	—	1	—
896	*fervida.*	—	2	—
897	Fullo.	m. f	—	14
898	graminicola.	—	—	20
899	*haemorrhoidal. M*	—	2	30
900	hirtula. *Ill.*	—	—	24
901	humeralis.	—	—	48
902	Hypocastani.	m. f	—	12
903	immaculata. *Ol.*	—	—	24
904	Junii. *Cr.*	—	2	30
905	*lanata.*	—	1	—
906	marginata.	p.	1	12
907	occidentalis.	—	1	30
908	papposa. *Hl.*	m.	1	40
909	*plebeja. Ol.*	—	—	30
910	pulverulenta.	—	—	24
911	*rubripes. M.*	—	2	—
912	strigosa. *Ill.*	—	—	34

			fl.	kr
913	subnuda. *M.*	p.	—	24
914	*tarsata. M.*	—	2	—
915	transuersa.	—	1	—
916	*Ursus.* *	—	—	24
917	variabilis.	p.	—	8
918	viridis.	—	1	12
	Melyris.			
919	aenea. *Ol.*	—	—	30
920	*viridis.*	p.	—	30
	Molorchus.			
921	abbreviatus.	—	—	12
	Monotoma.			
922	picipes. *H.*	—	—	20
	Mordella.			
923	abdominalis.	p.	—	12
924	atomaria.	p.	—	12
925	brunnea.	—	—	10
926	thoracica.	—	—	20
	Mycetophagus.			
927	fulvicollis.	—	—	20
928	multi punctatus.	—	—	7
929	piceus.	p.	—	12
	Mylabris.			
930	2. *punctata. M.*	—	—	24
931	*Capensis.**	—	—	12
932	crocata. *Pall.*	—	1	30
933	10. punctata.*	—	—	12
934	Hermaniae.*	—	—	15
935	*lunata.*	—	—	24
936	*eadem.* * *	—	—	12
937	*oculata. Ol.*	—	—	30
938	*Punctum.*	m. f	—	30
939	4. punctata. *L.*	—	—	15
	Necrophorus.			
940	curvipes. *M. aff. Vespil.*	m. f	—	30
941	Germanicus.	—	—	17
942	Mortuorum.	—	—	10
	Necydalis.			
943	clavipes.	—	—	7
944	collaris. *P.*	—	—	12
945	melanocephala.	—	—	10
946	sanguinicollis.	p.	—	12
947	ustulata.	p.	—	6
948	virescens.	p.	—	16
	Odacantha.			
949	*cyanocephala.* * 1. *Ant.*	—	2	16
950	melanura.	—	1	—

			fl.	kr
	Omalysus.			
951	suturalis.	—	—	40
	Onitis.			
952	*Appeles.*	—	1	—
953	*Aygulus.*	—	—	40
954	Bison.	m. f	—	51
955	Corydon. *ex Russia.*	—	2	30
956	*Inuus.*	—	1	—
957	Menalcas. * 2. T.	—	2	12
958	*thoracicornis. M.*	m. f	3	—
959	Vandellii.	m. f	1	—
	Opatrum.			
960	*arenarium.*	p.	—	20
961	gibbum.	p.	—	24
962	Lusitanicum.	—	—	20
963	*orientale.*	—	—	45
964	pictum.	p.	—	30
965	Ulyssiponnense *Hl*	—	—	30
	Oxyporus.			
966	brevis. V.	—	—	36
967	lunulatus.	—	—	6
968	marginatus.	p.	—	6
969	maxillosus.	p.	—	16
970	pubescens. V.	p.	—	30
971	rufus.	p.	—	10
972	3. maculatus.	—	—	10
	Paederus.			
973	angustatus. *Grav.*	p.	—	10
974	elongatus.	p.	—	10
975	melanocephalus.V.	p.	—	30
976	monilicornis.	—	—	15
977	orbiculatus. *Grav.*	p.	—	30
978	Pini. V.	—	—	30
979	ruficollis.	—	—	8
980	testaceus. *Ol.*	—	—	15
	Passalus.			
981	*barbatus.*	—	1	20
982	*cornutus.*	—	1	8
983	*interruptus.*	—	1	8
	Pausus.			
984	*denticornis. M.*	—	2	30
	Peltis.			
985	dentata.	—	1	—
	Pimelia.			
986	glabrata.	—	—	12
987	*scabra.*	—	1	—
988	*striata.*	—	—	40

			fl.	kr
	Prionus.			
989	depsarius.	—	—	50
990	Faber.	—	—	30
991	scabricornis.	m. f	—	24
992	Serrarius. *P.*	—	—	40
	Psellaphus.			
993	Dresdensis.	p.	—	36
994	Heissei. *H.*	—	—	15
995	hirticollis. *Ill.*	—	—	30
996	impressus. *P.*	—	—	30
997	3. punctatus. *Fr.*	—	—	20
	Psoa.			
998	Viennensis.	p.	—	20
	Ptilinus.			
999	pallidus. *M. ex Russia.*	—	—	24
1000	serratus.	p.	—	20
	Ptinus.			
1001	Latro.	p.	—	12
1002	nitidus. *M.*	—	—	24
1003	rufipes.	p.	—	17
1004	Scotias.	p.	—	12
	Pyrochroa.			
1005	pectinicornis.	—	—	20
	Pytho.			
1006	castaneus.	—	—	51
1007	coeruleus.	—	—	30
	Rhagium.			
1008	2. fasciatum.	m. f	—	12
1009	cinctum.	m. f	1	20
1010	idem *nigrum.*	—	2	—
1011	clathratum.	m. f	1	—
1012	idem . *mag. lutco irrorat.*	—	1	—
1013	Cursor.	p.	—	30
1014	dispar.	m. f	—	30
1015	Noctis.	p.	—	24
1016	Salicis.	p.	—	16
	Rhamphus.			
1017	flavicornis. *Latreille.*	p.	—	30
	Rhinomacer.			
1018	attelaboides.	—	—	30
1019	fulvicornis. *Ill.*	—	—	51
1020	lepturoides.	m. f	—	24
1021	necydaloides. *Ill. Lept. rostrat. F.*	—	—	36
	Rhynchaenus.			
1022	Absynthii. *P.*	—	—	6

			fl.	kr
1023	Aethiops.	—	—	20
1024	acridulus.	p.	—	10
1025	*albo guttatus. M.*	—	—	51
1026	albo lineatus.	—	—	30
1027	AndropoginisKoch	p.	—	40
1028	Arcticus. *Sc.*	—	1	—
1029	Artemisiae. *P.*	p.	—	10
1030	Atriplicis.	—	—	15
1031	avarus.	—	—	10
1032	2. *spinosus.*	m. f	4	—
1033	canus.	—	—	7
1034	contaminatus. *H.*	—	—	20
1035	Creutzeri. *M.**	—	—	51
1036	Crux.	—	—	14
1037	cuprirostris. *F. Atelab.*	—	—	24
1038	Cynarae.	—	—	6
1039	didymus.	p.	—	10
1040	dorsalis.	—	—	24
1041	Druparum.	p.	—	10
1042	elevatus. V.	—	—	36
1043	*Famulus.*	—	—	24
1044	fasciculatus. *H.*	—	—	12
1045	fatuus. *R.*	—	—	34
1046	Fossarum. *Reich.*	p.	—	24
1047	haemorrhoidalis.	p.	—	10
1048	*Hebes.*	—	—	24
1049	Hellwigii. *M.* *	—	—	24
1050	horridus. *P.*	—	—	24
1051	Inquisitor. *H.*	—	—	30
1052	interstitialis.*Reich*	—	—	20
1053	Lamii.	p.	—	14
1054	Litura.	p.	—	7
1055	Lysimachiae Koch.	—	—	24
1056	maculatus. *M.*	p.	1	—
1057	melanocephalus.	—	—	18
1058	nigrirostris.	p.	—	10
1059	Nucleorum. *Cr.*	p.	—	14
1060	*Onopordinis.*	—	1	—
1061	Oxalis. *H.*	—	—	30
1062	pectoralis.	—	—	8
1063	Pericarpius.	p.	—	16
1064	Pineti.	p.	—	20
1065	piperatus. *M.*	—	—	30
1066	Pomorum.	p.	—	10
1067	Pseudacori.	p.	—	12
1068	punctatus.	p.	—	10
1069	Rhamni. *H.*	—	—	30
1070	rufitarsis.	—	—	30
1071	rugulosus. *H.*	p.	—	10
1072	Salicis.	—	—	7
1073	Styriacus. *M.*	—	—	50
1074	taeniatus.	p.	—	10

			fl.	kr
1075	teres.	p.	—	16
1076	timidus. R.	—	—	10
1077	3. guttatus. V.	—	—	24
1078	3. maculatus.	—	—	7
1079	Troglodytes.	p.	—	16
1080	variegatus. V.	—	—	36
1081	venosus. K*n*.	—	—	30
1082	villosulus. *M.*	p.	—	20
1083	viminalis.	p.	—	6
1084	Vulpes. *M exRussia.*	—	—	40
	Saperda.			
1085	affinis.	—	—	24
1086	albo guttata. *M.*	—	1	12
1087	Argus.	—	—	30
1088	coerulescens. *Sr.*	p.	—	10
1089	dubia. *A.*	—	—	20
1090	hirsutula.	—	—	24
1091	Lima. *Fr.*	—	1	30
1092	maculicornis. V.	—	1	30
1093	marginella.	p.	—	24
1094	rufimana.	—	—	30
1095	scutellata.	—	—	24
1096	Seidlii.	—	—	45
1097	suturalis.	—	—	48
1098	testacea.	p.	—	20
1099	violacea.	—	—	17
1100	virescens.	p.	—	6
	Sarrotrium.			
1101	muticum.	—	—	40
1102	sulcicolle. *A.*	—	—	50
	Scaphidium.			
1103	agaricinum.	p.	—	16
1104	Punctum. V.	—	—	30
	Scarabaeus.			
1105	dispar.	m. f	1	30
1106	laevigatus.	—	—	34
1107	mobilicornis.	m. f	—	20
1108	quadridens.	m. f	—	16
1109	*testaceus.*	—	—	45
	Scarites.			
1110	*emarginatus. M.*	—	—	45
1111	littoralis. *Cr.*	—	—	30
1112	*picicornis. M. min littorali.*	—	1	—
1113	*picipes. M. thoracico 3. plo maj.*	—	—	51
1114	*rugifrons. M. aff. littor. sed elyt. striis punct.*	—	1	8
1115	subterraneus.	—	1	—

			fl.	kr
1116	thoracicus.	—	—	24
	Scaurus.			
1117	punctatus.	—	1	—
1118	sulcatus.	—	1	12
	Silpha.			
1119	Americana. *	—	—	51
1120	dispar.	p.	1	36
1121	fusca.	p.	—	48
1122	melanocephala.	—	—	36
1123	minuta.	p.	—	6
1124	Nigrita. *Cr.*	p.	—	34
1125	fubpunctata. R.	—	1	30
	Sinodendron.			
1126	cylindricum.	m. f	—	20
1127	muricatum.	p.	—	24
	Sphaeridium.			
1128	Colon.	—	—	12
1129	globosum. *V.*	—	—	30
1130	melanocephalum.	p.	—	12
1131	*5. punctatum. M.*	—	—	34
	Staphylinus.			
1132	aeneocephalus.	—	—	6
1133	2. maculatus. *Grav.*	p.	—	14
1134	2. pustulatus.	—	—	20
1135	chalcocephalus.	p.	—	12
1136	chloropterus.	—	—	20
1137	cyaneus.	—	—	10
1138	Fossor.	—	—	7
1139	fulgidus.	p.	—	20
1140	impressus.	—	—	10
1141	olens.	p.	—	8
1142	picipennis.	—	—	15
1143	porcatus.	—	—	15
1144	rufipennis. *M.*	p.	—	20
1145	rufus. V.	—	—	15
1146	rugicollis. *D.*	—	—	30
1147	tectus. *Pay.*	—	—	6
1148	tenuis.	p.	—	10
1149	tripustulatus *V. sed Var. sanguinol.*	—	—	30
1150	tristis.	p.	—	20
	Stenocorus.			
1151	*festivus. * 1. P.*	—	—	40
1152	*ruficollis. M.*	—	3	—
1153	*undatus. * 1. Ant.*	—	1	8
	Stenosis.			
1154	atra. *H.*	—	—	24
1155	filiformis.	—	—	40
1156	unicolor. *H.*	—	—	24

			fl.	kr
	Strongylus.			
1157	abbreviatus. *H.*	—	—	15
1158	ater. *A.*	—	—	30
	Synchita			
1159	axillaris. *A.*	—	—	30
1160	picta. *M.*	—	—	45
	Tenebrio.			
1161	culinaris.	p.	—	12
1162	ferrugineus.	p.	—	12
1163	*latipes. M. culinari maj. nig. tibiis anti. compres. incurv.*	—	1	8
1164	loripes. *Ill.*	—	—	12
1165	*Oryzae. H. * 1. P.*	—	—	30
1166	purpurascens. *H.*	—	—	40
1167	rufipes. *A.*	—	—	51
	Tillus.			
1168	ambulans.	—	—	10
1169	*2 lineatus M. magn ater thor. lin. 2. aureis.*	—	3	—
1170	elongatus.	—	—	10
	Trachys.			
1171	pygmaea.	—	—	36
	Trichius.			
1172	Eremita.	—	—	15
1183	nobilis.	m. f	—	10
1174	8. punctatus.	m. f	—	14
	Trichodes.			
1175	alvearius.	—	—	10
1176	Amios.	—	—	40
1177	favarius. *Ill.*	—	—	15
1178	8. punctatus.	—	1	48
	Trittoma.			
1179	connatum. *P.*	p.	—	20
1180	glabrum.	—	—	36
1181	*striatum. M.*	—	—	20
	Trogosita.			
1182	Calcar.	m. f	1	—
1183	coerulea.	—	—	34
	Trox.			
1184	hispidus.	p.	—	10
1185	*suberosus.*	—	—	24
	Upis.			
1186	ceramboides.	p.	—	40
1187	*punctata. M. parva*	—	1	12
1188	*substriata. M. media.*	—	1	12

			fl.	kr
	Zonitis.			
1189	atrata. *Koy.*	—	2	30
1190	2. fasciata. K*oy.*	—	2	30
1191	clauipes. *M.*	m. f	1	30
1192	eadem *ped. nig.*	m. f	1	45
1193	fulvipennis.	—	2	16
1194	mutica.	—	—	20
1195	praeusta.	—	1	—
1196	*vittata.*	—	1	20

HEMIPTERA.

			fl.	kr
	Acheta.			
1	*monstrosa.*	—	2	16
	Blatta.			
2	*Petiveriana.*	—	—	30
	Edessa.			
3	*Janus.*	—	—	30
4	*nigripes.*	—	—	30
5	*obscura.*	—	—	24
	Fulgora.			
6	*candellaria.*	—	—	48
7	Europaea.	p.	—	10
8	*hyalinata.*	—	1	8
	Halys.			
9	*dentata. **	—	—	34
10	*nubilus.*	—	—	20
	Lygaeus.			
11	apterus *allatus.*	p.	—	12
12	*bicolor. M.*	—	—	24
13	*Capensis. M.*	—	—	51
14	Koenigii. *	—	—	17
15	*nigricornis. M.*	—	—	30
16	*pictus. M.*	—	—	51
	Membracis.			
17	*picicornis. M.*	—	—	34
	Nepa.			
18	*grandis.*	—	1	8
19	*rustica.*	—	—	30
	Notonecta.			
20	*nivea.*	—	—	20
	Reduvius.			
21	*flavipes. M.*	—	—	45
	Tettigonia.			
22	haematodes.	—	—	12
23	obscura.	—	—	24
24	sanguinea.	—	—	17

			fl.	kr
25	*sanguinolenta.*	—	—	40
	Tetyra.			
26	12. *pustulata. M.*	—	—	34
27	Nigellae.	—	—	12
28	*nobilis.*	—	—	30
29	*Stockerus.*	—	—	30
	Xya.			
30	variegata. *Ill.*	—	2	—
	LEPIDOPTERA.			
	Bombyx.			
1	*Acria. Sm.*	—	2	30
2	Aesculi.	f	1	20
3	*Alcifron. C.*	—	1	20
4	Anastomosis. *var.*	f.	—	30
5	argentina.	m. f	1	—
6	— — —	m. f	1	40
7	Arundinis. *Hyb.*	m. f	8	—
8	Asella. *B.*	—	—	20
9	*Atlas.* *	m.	8	—
10	aulica.	m. f	—	24
11	aureola. *Hyb.*	—	—	34
12	*Aurora. Sm.*	—	1	40
13	*Bella. C.*	—	1	30
14	*bicolora. C.*	—	1	20
15	bicoloria.	m. f	2	—
16	bifida.	m. f	—	30
17	Camelina. *var.*	m. f	—	30
18	Capucina. *Hyb.*	—	3	—
19	cassinia.	m. f	—	20
20	— — —	m. f	—	40
21	chaonia.	m. f	—	30
22	*Cecropia.*	m.	7	—
23	— — — *	m.	4	40
24	communimacula.	—	—	30
25	Crataegi.	—	—	15
26	*cribraria. C.*	—	—	54
27	Cribrum.	f.	2	—
28	Cucula.	m.	1	30
29	cuculatella. *B.*	—	—	12
30	*Cynthia. Dr.*	m. f	5	—
31	dodonea. *Hyb.*	m. f	1	—
32	Dominula.	m. f	—	24
33	Dromedarius.	—	—	20
34	Dumeti.	—	—	50
35	Everia. *E.*	m. f	—	45
36	Falcula.	—	—	20
37	Flina. *Hyb.*	—	—	24
38	griseola. *Hyb.*	—	—	20
39	Hama. *Hyb.*	m. f	—	40

			fl.	kr
40	Hebe.	m. f	—	40
41	Helvola. *Hyb.*	m. f	1	—
42	*Hesperus.*	m.	3	30
43	Hospita.	m.	—	40
44	imbuta. *Hyb.*	—	1	—
45	*impudens. Zi.*	—	1	20
46	irrorea.	m.	—	10
47	*leucophea. Sm.*	m. f	2	30
48	luctifera.	m. f	—	45
49	luteola.	—	—	10
50	maculosa.	m. f	1	—
51	marginea. *B.*	—	—	15
52	Matronula.	—	2	30
53	— — —	m. f	4	—
54	mendica.	m. f	—	30
56	Morio.	m. f	—	20
57	mundana.	—	—	15
58	— — —	—	—	24
59	nubeculosa.	—	—	40
60	nuda. *Hyb.*	—	—	15
61	obliterata. *B.*	m. f	—	40
62	oleagina,	m. f	—	48
63	pantherina. *Hyb.*	—	1	—
64	Pavonia. *Pyri.*	m. f	1	—
65	— Spini.	m. f	1	8
66	— — —	f.	—	30
67	*pellucida.* †	m.	1	—
68	plumbeola. *Hyb.*	—	—	15
69	Plumifera. *Zi.*	m.	—	20
70	Pruni.	m. f	1	8
71	*pulchella.*	—	—	40
72	pulchra.	—	1	30
73	*Pytiocampa. C.*	m. f	3	30
74	Advena.	m.	1	—
75	reclusa.	—	—	20
76	Rimicola. *W. V.*	m. f	1	—
77	roscida.	m. f	—	24
78	rubicunda.	—	—	24
79	rubricollis.	—	—	24
80	Selenitica.	m. f	2	—
81	— —	m. f	3	—
82	sericina. *Hyb.*	—	—	45
83	Sphinx. *Hyb.*	f.	—	50
84	*Stigma. Sm.*	—	1	20
85	Taraxaci.	m. f	2	—
86	— —	m. f	2	30
87	Tau.	m. f	—	40
88	*tenera. Zi.*	—	1	30
89	Terrifica.	f.	1	40
90	Torva. *Hyb.*	m.	—	48
91	— —	m. f	1	20
92	Tremula. *Hyb.*	—	—	20
93	trepida.	m. f	—	30

			fl.	kr
94	Trifolii.	m. f	—	40
95	Tritophus.	—	1	—
96	Ulmi. *W. V.*	m. f	—	24
97	— —	m. f	—	40
98	Uncula. *Hyb.*	—	—	40
99	Unguicula. *Hyb.*	—	—	30
100	velitaris. *eleg.*	f.	1	—
101	versicolora.	m. f	—	48
102	Viciae.	m.	—	30
103	villica.	m. f	—	40
104	Ziczac.	f.	—	24
	Ceometra.			
105	abietaria.	m.	—	30
106	aceraria.	—	—	20
107	advenaria.	—	—	15
108	aescularia.	m. f	—	15
109	albulata.	p.	—	12
a	— — —	—	—	12
110	alchemillata.	—	—	10
111	alpinata.	—	—	15
112	apiciaria.	—	—	20
113	— — —	—	—	12
114	*aproximaria. Zi.*	m. f	1	45
115	afenacearia.	—	—	15
116	aurantiaria.	—	—	20
117	aureolaria.	—	—	7
118	auroraria.	—	—	20
119	aversaria.	—	—	12
120	badiata.	—	—	10
121	bajaria.	—	—	12
122	— — —	m. f	—	24
123	bajularia.	—	—	20
124	berberata.	—	—	10
125	*bifilaria. Zi.*	—	—	50
126	*bipartaria. Zi.*	m. f	1	45
127	*bistrigaria. Zi.*	—	—	40
128	caesiata.	—	—	45
129	capreolaria.	—	—	25
130	carbonaria.	—	—	12
131	— — —	—	—	24
132	chaerophylata.	p.	—	15
133	chenopodiata.	—	—	10
134	— — —	—	—	15
135	cinctaria.	—	—	7
136	cineraria.	f.	—	15
137	*clemataria. Sm.*	m. f	2	30
138	coarctata.	—	—	12
139	consingnata.	—	—	10
140	conspicuaria.	—	—	25
141	cordiaria.	—	—	30
142	*crassipedaria. Zi.*	—	—	36
143	crepuscularia.	—	—	10
144	defoliaria.	m. f	—	30

			fl.	kr
145	degeneraria.	—	—	20
146	dilectaria.	—	—	24
147	dilutata.	—	—	20
148	disparata.	m.	—	20
149	*dissimilaria. Zi.*	—	1	8
150	*diversilinaria. Zi.*	—	1	20
151	dolabraria.	—	—	15
152	elinguaria.	—	—	12
153	emarginaria.	—	—	10
154	extersaria.	m. f	1	12
155	— — —	—	—	30
156	flavicaria.	p.	2	30
157	furvaria.	—	—	15
158	galiata.	—	—	12
159	gilvaria.	—	—	12
160	grisearia.	—	—	10
161	hastata.	—	—	12
162	hispidaria	m. f	—	30
163	honoraria.	m. f	1	30
164	illustraria.	—	—	15
165	lignata.	—	—	30
166	ligustrata.	—	—	15
167	linearia.	—	—	24
168	lineolata.	—	—	20
169	*Liriodendraria. Sm.*	m.	2	—
170	lituraria.	—	—	20
171	luctuata.	—	—	20
172	lunaria.	—	—	15
173	lutearia.	—	—	10
174	margaritaria.	m. f	—	30
175	miata.	—	—	24
176	moniliaria.	—	—	15
177	montanata.	—	—	15
178	*multilinearia. Zi.*	—	—	30
179	murinaria.	—	—	10
180	naevaria.	—	—	20
181	notataria.	—	—	20
182	obeliscata.	—	—	30
183	obfuscaria.	—	—	30
184	obscuraria.	—	—	20
185	parallelaria.	—	—	12
186	olivata.	—	—	20
187	pendularia.	—	—	12
188	— — —	—	—	15
189	pennaria.	—	—	20
190	petraria.	m. f	—	30
191	petrificata. *Hyb.* *	—	—	30
192	pinetaria.	—	—	24
193	piniaria.	—	—	24
194	plumaria.	—	—	18
195	Plumistaria.	m. f	4	—
196	polycomata.	—	—	12

			fl.	kr
197	polygramata.	—	—	12
198	— — —	—	—	24
199	pomonaria.	m. f	1	—
200	populata.	—	—	10
201	prasinaria.	—	—	15
202	procellata.	—	—	10
203	prodromaria.	—	—	20
204	progemaria.	—	—	12
205	prunaria.	—	—	10
206	punctularia.	—	—	15
207	*pustularia. Zi.*	—	1	20
208	*quernaria. Sm.* *	f.	1	8
209	rhamnata.	—	—	15
210	rhomboidaria.	—	—	10
211	russata.	—	—	12
212	sacraria.	m. f	—	48
213	scripturaria.	m. f	—	40
214	scutellaria.	—	—	15
215	*Soraria. Zi.*	—	—	36
216	spartariaria.	m. f	—	30
217	temeraria.	—	—	20
218	tersata.	—	—	15
219	tristata.	—	—	15
220	ulmaria.	—	—	30
221	— — —	m. f	1	—
222	*umbrosaria. Zi.*	m. f	1	30
223	undulata.	—	—	20
224	— — —	—	—	34
225	vespertaria.	—	—	20
226	— — —	—	—	36
227	*vibicaria. C.*	m. f	1	48
228	vitalbata.	—	—	24
229	zonaria.	m. f	—	20
230	— — —	m. f	—	36

Noctua.

			fl.	kr
231	Abluta. —	m.	2	—
232	Absynthii.	m. f	—	24
233	Acetosellae.	—	—	30
234	— — —	—	—	40
235	Advena.	—	—	20
236	affinis.	m. f	—	36
237	albimacula.	p.	—	25
238	Alchymista.	—	—	40
239	— — —	—	—	50
240	Algae.	—	1	20
241	Alsines. *B.*	p.	—	20
242	ambigua. *Hyb.*	—	—	15
243	— — —	m. f	1	—
244	*Amica. Zi*	—	2	—
245	*anilis. Dr.*	—	2	30
246	aprilina.	—	—	24
247	— — —	p.	—	50
248	aquilina.	—	—	30

			fl.	kr
249	— — —	—	—	40
250	Asclepiadis.	—	—	30
251	*atomaris. Zi.*	—	1	12
252	atratula.	—	—	12
253	— — —	—	—	15
254	Atriplicis.	m. f	1	—
255	Augur. *Hyb.*	—	1	—
256	Aurago. *Hyb.*	—	—	20
257	*Auricoma.*	—	—	24
258	auricularis. *Hyb.**	—	3	—
259	*aurita. Zi.*	—	1	—
260	Baja.	—	—	40
261	basilinea.	—	—	12
262	— — —	—	—	20
263	Batis.	—	—	12
264	— — —	—	—	20
265	*bellicula. Zi.*	—	1	—
266	bicoloria. *B.*	—	—	15
267	bilinea. *Hyb.* *	f.	1	8
268	bimaculosa.	m. f	—	20
269	— — —	m. f	—	45
270	*bistria. Zi.*	—	1	30
271	blanda. *Hyb.*	—	—	20
272	coecimacula.	m. f	—	20
273	— — —	f.	—	24
274	Caesia.	—	—	40
275	calcedonica. *Hyb.*	—	1	30
276	*calciptera. B.*	—	2	—
277	Calcites.	—	1	40
278	Calvariae. *B.*	—	—	20
279	Capsincola.	m. f	—	30
280	caracterea. *Hyb.*	—	—	30
281	— — —	—	—	48
282	Cardui	—	—	20
283	— — —	—	—	40
284	Cespitis.	m f	—	40
285	Chamomillae. *Hyb.*	—	—	45
286	Chi.	p.	—	20
287	*chloropha. Zi.*	—	1	20
288	chrysographa.	m. f	1	30
289	Chrysozona. B.	—	—	15
290	cinerea. *Hyb.*	—	—	30
291	Citrago.	—	—	30
292	Coma. *Hyb.*	m. f	—	48
293	combusta. *Hyb.*	—	—	30
294	Communimacula.	—	—	10
295	— — —	m. f	1	—
296	compta. B.	p.	—	20
297	concina. *Hyb.*	—	—	40
298	conformis.	—	—	20
299	*confusa. Zi.*	—	1	20
300	conigera.	—	—	20
301	connexa. *B.*	—	—	40

			fl.	kr
302	conspersa. *B.*	—	—	20
303	— — *Hyb.*	m. f	1	—
304	contigua. *Hyb.*	—	—	30
305	convergens.	p.	—	20
306	corticea. *Hyb.*	—	—	34
307	Croceago.	—	—	15
308	cruda. *Hyb.*	—	—	45
309	cubicularis.	—	—	15
310	Cucubalis.	—	—	15
311	culta. *B.*	—	—	30
312	cuprea. *Hyb.*	—	—	40
313	*cuspidea Zi.*	—	1	40
314	Deceptricula. *Hyb.*	—	—	24
315	decora.	—	—	40
316	*decora.*	—	1	—
317	degener.	—	—	30
318	Delphinii.	—	—	30
319	— — —	—	—	50
320	derasa.	—	—	36
321	didyma. *B.*	—	—	40
322	diffinis.	p.	—	20
323	— — —	m. f	—	40
324	dilecta. *B.*	—	2	30
325	diluta.	p.	—	30
326	*distincta. Zi.*	m. f	2	—
327	Ditrapezium. *Hyb.*	—	—	40
328	divergens.	—	1	20
329	Domiduca.	p.	5	30
330	dyssodea. *Hyb.*	—	—	40
331	electa.	—	—	20
332	*Elonympha. Zi.*	—	2	—
333	Euphorbiae.	—	—	24
334	*facilis. Zi.*	—	1	30
335	favilacea.	—	—	20
336	— — —	—	—	40
337	Festucae.	—	—	15
338	— — —	—	—	24
339	ferruginea. *Hyb.*	m. f	—	30
340	Fimbria.	—	—	20
341	— — —	—	—	24
342	Flammatra.	—	—	20
343	— — —	—	—	24
344	flavicincta.	—	—	30
345	— — —	—	1	—
346	flavicornis.	—	—	15
347	Fraudatricula. *Hyb*	—	—	20
348	Fraxini.	—	—	30
349	fumosa. *Hyb.*	—	—	15
350	— — —	—	—	30
351	furva. *Hyb.*	—	1	20
352	glabra. *Schif.*	—	—	20
353	— — —	—	—	45
354	gothica.	—	—	10

			fl.	kr
355	*grata. Zi.*	—	—	50
356	*hastulifera. Sm.*	—	1	40
357	herbida.	—	—	50
358	humilis. *Hyb.*	—	—	30
359	Hymenea.	—	1	30
360	Hyperici.	—	—	25
361	— — —	—	—	30
362	Janthina.	—	—	15
363	— — —	—	—	20
364	J. cinctum.	—	2	—
365	J. intactum.	—	1	—
366	Interrogationis*Hyb*	—	1	—
367	Jota.	—	1	—
368	*jucunda. Zi.*	—	2	—
369	laevis.	—	—	15
370	leporina.	m. f	1	—
371	leucographa. *Hyb.*	—	1	—
372	leucostigma. *E.*	—	—	40
373	levis. *Hyb.*	—	—	40
374	lignosa. *Hyb.*	—	—	30
375	Ligustri.	—	—	15
376	— — —	—	—	24
377	Linariae.	p.	—	20
378	Lithoxylea.	—	—	30
379	— — —	—	—	40
380	Litura.	—	—	10
381	— — —	—	—	20
382	livida.	—	1	20
383	lota. *E.*	—	—	15
384	— — —	—	—	30
385	lucifuga.	—	—	30
386	lucipara.	—	—	12
387	— — —	—	—	24
388	lucipeta. *Hyb.*	—	2	—
389	lunaris.	m. f	1	—
390	— —	—	1	8
391	*lunifera. Zi.*	—	1	20
392	lusoria.	—	—	25
393	lutulenta. *Hyb.*	—	—	25
394	*margaritigera. Zi*	—	1	40
395	*materna.* *	—	2	16
396	Maura.	—	—	25
397	— —	—	—	34
398	*Mauritanea. Zi.*	—	1	20
399	*Melicerta.*	—	1	20
400	mendosa. *Hyb.*	—	1	8
401	Menyanthidis.	m. f	—	50
402	meticulosa.	m. f	—	45
403	miniosa.	—	—	20
404	— —	—	—	34
405	*moesta. Zi.*	—	1	30
406	*monilis.*	—	—	50
407	*mosaica. Zi.*	m.	2	30

			fl.	kr
408	munda.	—	—	20
409	N. atrum. B.	—	—	15
410	*nana. Zi.*	—	—	40
411	*Neonympha. M.*	—	2	—
412	nervosa. B.	—	—	30
413	Ni. *Hyb.*	—	2	—
414	nigricans. B.	—	—	20
415	nitida. *Hyb.*	—	—	15
416	— —	—	—	24
417	Nota. *Hyb.*	m.	—	30
418	*notata. Zi.*	—	1	—
419	nupta. *Hyb.*	—	—	24
420	Nymphaea.	—	2	30
421	Nymphagoga.	—	1	—
422	obsoleta. *Hyb.*	—	—	20
423	oculta.	—	—	48
424	— *var.*	—	—	40
425	ochroleuca. B.	—	—	20
426	— —	—	—	30
427	olivea.	—	—	12
428	Ononis.	—	—	17
429	Oo. *var.*	m. f	—	30
430	Paleago.	—	—	20
431	Paranympha.	m. f	—	48
432	Pasithea. *Hyb.*	—	2	—
433	Pellex. *Hyb.*	m. f	4	—
434	peltigera.	—	1	—
435	Perla. *Hyb.*	m. f	—	30
436	perplexa. Hyb.	—	—	40
437	*perspicillaris. var.*	—	—	50
438	Petroriza. B.	—	—	15
439	*Pharetra. Zi.*	—	1	20
440	Phragmitidis.	—	1	20
441	— —	—	1	30
442	Piniperda.	—	—	24
443	Pisi.	—	—	20
444	Pistacina. Hyb.	—	—	20
445	— —	—	—	40
446	plecta.	—	—	10
447	— —	—	—	20
448	polygona.	—	—	24
449	Polyodon Hyb.	m. f	2	40
450	porphyrea.	m. f	2	30
451	praeceps.	—	—	50
452	promissa.	—	—	15
453	— —	—	—	20
454	Protea.	p.	—	30
455	Pteridis. *Hyb.*	—	1	30
456	pulmonaris. Hyb.	—	—	30
457	purpurina.	—	1	30
458	putris.	—	—	12
459	*pygmaea. Zi.*	—	1	12
460	pyralina.	—	—	30

			fl.	kr
461	pyrophila.	—	—	20
462	— —	—	—	30
463	ravida. *Hyb.*	—	—	30
464	Receptricula. Hyb.	—	—	24
465	respersa. Hyb.	—	—	40
466	retusa. Hyb.	—	—	15
467	— —	—	—	30
468	*Rexiae. Sm.*	—	2	—
469	ridens. Hyb.	—	1	40
470	— —	—	2	—
471	rubiginea.	—	—	30
472	rubricosa. Hyb.	—	—	30
473	*Rufago. Zi.*	—	1	12
474	*rufimargo. Zi*	—	1	20
475	rufina.	—	—	25
476	— —	—	—	30
477	rurea. B.	—	—	20
478	Ruris. Hyb.	—	—	48
479	Rutilago.	—	—	34
480	scripta. Hyb.	—	—	40
481	scutigera.	—	—	40
482	scutosa.	—	—	30
483	— —	m.	—	50
484	secalina.	—	—	12
485	serena.	—	—	10
486	Sigma. Hyb.	—	—	30
487	signifera. Hyb.	—	—	30
488	— —	—	—	45
489	Silago. Hyb.	—	—	30
490	Silene. Hyb.	—	—	40
491	Spectrum.	m. f	4	—
492	Spoliatricula. Hyb.	—	—	30
493	Sponsa.	m. f	—	48
494	spuria. Hyb.	—	—	15
495	Suasa. Hyb.	—	—	36
496	— *var.*	—	—	36
497	subsequa.	—	—	15
498	Tanaceti. Hyb.	—	—	30
499	testacea. Hyb.	—	1	8
500	tetra.	—	—	2[illegible]
501	texta.	—	—	4[illegible]
502	triangularis. Hyb.	—	1	3[illegible]
503	*trifascia. Zi.*	—	1	2[illegible]
504	*Tritona. Zi.*	—	1	1[illegible]
505	*turbulenta. Zi.*	—	—	5[illegible]
506	Turca.	f.	1	3[illegible]
507	Typhae.	—	1	—
508	— *var.*	—	1	2[illegible]
509	typica. Hyb.	—	1	2[illegible]
510	Uxor. Hyb.	—	—	3[illegible]
511	Veligera. Hyb.	m.	—	4[illegible]
512	*venusta. Zi.*	—	1	2[illegible]
513	*Vidua. Sm.*	f.	3	3[illegible]

			fl.	kr
514	Villae. *Zi.*	—	1	20
515	virens.	—	—	30
516	V. punctatum.	—	—	40
517	Xanthographa Hyb	—	—	40
518	Ypsilon.	p.	—	30
	Papilio.			
519	*Accius. Sm.*	—	1	—
520	*Aceris.*	—	—	50
521	Actea.	—	2	—
522	— — *	—	1	30
523	Acteon.	—	—	20
524	Aelo.	m. f	4	—
525	— —	m. f	4	30
526	*Agamemnon.* *	—	1	45
527	*Alcander. M.*	—	1	45
528	Alcon. Hyb.	m.	—	20
529	Alcyone.	m. f	1	—
530	*Alcyonià. C.*	—	—	50
531	*Alcythoe.*	f.	2	16
532	*Alimena.* *	—	2	30
533	Alionia.	—	1	—
534	— —	—	1	12
535	*Almana.*	—	—	50
536	Alveolus. Hyb.	—	—	20
537	Alveus. Hyb.	—	—	20
538	Amandus. Hyb.	m.	1	—
539	*Amor.* *	—	—	36
540	*Andromacha. M.*	—	1	45
541	*Aonis. C*	—	1	—
542	Aphirape.	m.	—	45
543	Apollo.	m. f	—	24
544	Arachne. Hyb.	m.	—	40
545	— —	f.	1	8
546	*Arbutes. H.*	—	1	20
547	*Archippus.*	—	1	20
548	*areolatus. Sm.*	—	1	12
549	Arethusa.	m. f	—	30
550	*Argante. C.*	—	1	20
551	*Argiolus. Sm.*	—	—	30
552	*Ariadne.*	m. f	2	16
553	*Aristeus.* *	—	1	20
554	Artemis. Hyb.	—	—	20
555	— —	m. f	—	36
556	*Asteriae.*	—	—	40
557	Athalia. Hyb.	—	—	10
558	Atis. Hyb.	—	—	45
559	*Atymus. C.*	—	—	30
560	Aurora. *C.*	—	1	20
561	*Baliston. Zi.*	—	—	45
562	*Banksii. H.*	—	1	—
563	*Batyllus. Sm.*	—	1	8
564	Belemia.	—	1	30
565	*Belia.*	m. f	3	—

			fl.	kr
566	Bellidice. *Zi.*	—	1	20
567	*Beroe. C.*	m. f	3	—
568	*Beon. C.*	m. f	1	40
569	Boeticus.	—	1	—
570	*Bolina. C.*	—	1	20
571	Bore. *ex Lapp.*	—	2	—
572	*Bubastus.*	—	—	30
573	*Calais. C.*	m. f	1	20
574	*Calcas.*	—	1	12
575	*Catilla.*	—	1	20
576	*Catullus. Sm.*	—	—	50
577	Celtis.	—	3	—
578	*Cephea.*	—	—	50
579	Cerasi.	—	—	15
580	*Chora.*	—	1	20
581	*Chrisippus. C.*	—	—	36
582	Chrysoteme.	m. f	1	20
583	— —	m. f	1	30
584	*Clarissa. C.*	m. f	3	—
585	*Claudia. C.*	—	1	40
586	Cleo. Hyb.	—	—	50
587	Cleodoxa.	m. f	1	—
588	Cleopatra.	m.	1	30
589	— —	m. f	3	30
590	Clotho. Hyb.	—	2	—
591	*Clyton.* H.	—	—	40
592	*Colanus. Zi.*	—	1	40
593	*Columbina. C.*	—	1	—
594	*Cortina. H.*	—	1	8
595	*Corus.*	—	—	30
596	Corythalia. Hyb.	—	—	30
597	Cynthia.	—	—	40
598	*Cynthia.*	—	1	30
599	Daphne.	—	—	15
600	*Delia. C.*	—	1	8
601	*Demoleus.*	—	1	—
602	Dictinna. Hyb.	m. f	1	8
603	Dorion. Hyb.	m.	1	8
604	Dorylas. Hyb.	—	—	15
605	*Druida.. Zi*	—	2	30
606	— *var.*	—	3	—
607	*Drurii. M.*	—	1	12
608	*Echerius. C.*	—	1	8
609	*Eduarda. Zi.*	—	2	16
610	*Eleusina.*	—	1	20
611	*Ephestion. C.*	—	2	30
612	*Epius.*	—	—	50
613	Epiphron.	p.	1	30
614	Erebus. Hyb.	—	1	8
615	*Errippus.*	—	2	—
616	*Erosine.* *	—	—	50
617	*Eucharis.*	—	1	—
618	Eupheno.	m. f	2	30

			fl.	kr
619	— —	m.	—	50
620	*Euripilus.* *	—	1	12
621	*Eubule.*	—	1	20
622	Europome.	m. f	2	—
623	— —	m.	1	—
624	*Evagete. C.*	m. f	2	—
625	*Ferronia. C.* *	—	1	20
626	Fidia.	m.	2	30
627	— —	—	3	—
628	Freya.	—	1	—
629	— —	m. f	1	40
630	Friga.	m. f	1	40
631	*Gema. Zi.*	—	2	—
632	*Genutia. C.*	—	—	50
633	Geticus.	—	1	40
634	glacialis.	—	3	—
635	*glaucus.*	m. f	3	30
636	Gorge. Hy*b.*	—	1	40
637	— —	m. f	3	—
638	*Gorgonia. Zi*	—	1	40
639	*Greton. Zi.*	—	1	—
640	*Hecabe.*	—	—	30
641	Hecate.	—	—	15
642	*Hector.*	—	4	—
643	Helle. Hy*b.*	m. f	1	—
644	— —	—	—	30
645	*Hellenor.* *	—	2.	40
646	Hellice. Hy*b.*	—	1	—
647	*Heraldus. Zi.*	—	1	—
648	Hermione.	m. f	—	20
649	Herse.	m. f	1	—
650	*Hierte. Zi.*	m.	2	—
651	*Hilaria. H.*	—	1	—
652	*Hiparete.*	m. f	3	—
653	*Horta.*	—	—	40
654	*Huntera.*	—	1	20
655	Hylas.	—	—	40
656	— —	m. f	1	20
657	*Hyperia. C.*	—	1	20
658	Hypothoae.	m. f	—	20
659	Janthe. Hy*b.*	—	—	34
660	*Jatrophe.*	—	—	50
661	Ida.	—	—	48
662	— —	m. f	1	40
663	Illicis.	—	—	24
664	*Illioneus.*	—	3	30
665	Iris Ilia.	m. f	—	40
666	— junonia.	m.	—	24
667	Isis. Hy*b.*	f.	—	48
668	*Juvenalis.*	m. f	2	20
669	*Ladon. C.*	—	—	40
670	Lachesis. Hy*b*	—	1	45
671	L. album.	m. f	2	—

			fl.	kr
672	*Lalage.*	—	—	50
673	*Lampetie.*	m. f	—	40
674	*Laomedia.*	—	—	50
675	Lappona.	m. f	1	30
676	Lavatherae.	—	—	30
677	*Leda.*	—	—	50
678	Lemonias.	—	1	—
679	Leucomelas.	—	1	—
680	Ligea.	f.	—	24
681	*Limniacae.*	—	—	50
682	*Lirio.*	—	2	30
683	*Litura. Zi.*	—	1	12
684	Lucilla.	m. f	1	—
685	Lucilla. Hy*b.*	—	1	15
686	*Lycidas. Sm.*	—	2	—
687	*Lysander. H.*	—	1	—
688	— — *C.*	—	1	8
689	*Macropus. Zi.*	—	1	12
690	*Mamerta. C.*	—	—	40
691	Manto. *Hyb.*	—	1	—
692	— —	m. f	3	—
693	*marmorea. Zi*	m. f	2	30
694	marturna. *Hyb.*	—	—	12
695	*Meleander. H.*	—	1	—
696	*melinus. Zi.*	—	1	12
697	*Melpomene.*	—	—	45
698	*Mesentina.*	—	1	12
699	*Metis.*	—	—	40
700	*Minna. H.*	m. f	1	20
701	Mnemosine.	m. f	1	—
702	— —	—	—	24
703	Napi. *Hyb. var.*	m.	—	40
704	*Niphon. Zi.*	—	2	—
705	Norna.	—	1	—
706	Oeme. *Hyb.*	p.	1	36
707	*Oenone.*	—	—	50
708	optilete.	—	1	—
709	— —	—	1	15
710	*Orythia..*	m. f	2	—
711	*Otreus. C.*	—	1	—
712	Pales. *Hyb.*	—	—	40
713	— —	—	—	45
714	*Pamon.*	—	—	50
715	Pandora.	m. f	1	—
716	— —	f.	—	34
717	*Paliphae.*	—	1	—
718	*Passiflorae.* *	—	1	30
719	*Pctalus. C.*	—	1	—
720	*Phalantha.* *	—	—	20
721	Pharthe. *Hyb.*	—	1	12
722	*Phetusa. "C.* *	—	—	50
723	Phicomone.	—	1	8
724	— —	m. f	3	—

			fl.	kr
725	*Phileonor.*	—	2	—
726	*Phileus. Dr.*	—	1	—
727	*Philippina. H.*	m. f	2	20
728	Philomela. *Hyb.*	m. f	1	8
729	Philomene. *ex* L*app*	m.	2	30
730	*Phlegia C. Ant* *	f.	1	8
731	Phoebe.	—	—	24
732	*Piera. * Ant.*	—	1	20
733	*Plexippus.*	—	—	30
734	*Polydamas. C.*	—	2	—
735	*Polydorus.*	m. f	2	16
736	Polymeda. *var.*	—	—	36
737	*Polytes.*	—	1	20
738	Polyxena.	—	—	24
739	*Polyxenes.*	—	1	40
740	Populi *var. absqu. fasc. alb.*	—	—	36
741	Porima.	—	—	48
742	Proserpina.	m. f	—	20
743	*Proteus.*	—	1	12
744	*Protogenia. C.*	—	2	—
745	Psyche. *Hyb.*	m. f	3	—
746	*Puer. Zi.*	—	1	—
747	Pyrata. *E.*	m. f	1	20
748	Pyrene. *Hyb.*	m.	3	—
749	Pyrrha. *Hyb.*	m.	—	40
750	— — —	f.	1	—
751	Pytho. *Hyb.*	—	3	—
752	Quercus.	m. f	—	24
753	*Quirina. C.*	—	—	50
754	*Remus. Ant. des.*	—	3	30
755	*Roxane. Ant des.*	—	1	12
756	Rumina.	m. f	3	30
757	Sao.	—	—	15
758	*Sesia.*	—	—	50
759	*Sessonia. C.*	—	2	—
760	Steropes.	—	—	20
761	*Syrichtus.*	—	—	40
762	Tagis.	—	2	—
763	Telicanus.	m.	1	8
764	— — —	f.	1	20
765	Tessellum. *Hyb.*	—	—	24
766	*Teucer. Ant. des.*	—	2	30
767	*Tharos. C.*	—	1	20
768	*Trax.*	—	—	50
769	Trivia. *Hyb.*	—	—	18
770	*Tubalchius H. Ant des.*	—	1	8
771	Tullia. *Hyb.*	—	—	24
772	*Turnus. Ant. des.*	—	2	16
773	Tyresias. *Hyb.*	m. f	—	40
774	*undularis. C.*	—	2	10
775	V. album.	—	1	—

			fl.	kr
776	*Vaieria. C.*	—	1	12
777	*Vanillae.*	—	—	34
778	*Violae.*	—	—	34
779	*Vitellius*	—	—	50
780	V*ulcanus. C.*	—	—	40
781	W. latinum.	—	—	24
782	Xanthomelas.	—	1	—
783	— — —	—	1	30
784	*Zelinde. Zi.*	—	2	16
785	*Zelopius. Zi.*	—	1	12

Pyralis.

			fl.	kr
786	*argyralis. M.*	—	1	20
787	*bicoloralis Zi.*	—	1	20
788	calvarialis.	—	—	36
789	*chlatralis. Zi.*	—	1	12
790	*decoralis. Zi.*	—	1	20
791	diversalis.	—	—	40
792	*gumalis. Zi.*	—	—	30
793	*illibalis. Zi.*	—	1	20
794	*lacertulalis. Zi*	—	—	36
795	*leucostigmalis. Zi.*	—	—	34
796	*levigalis. Zi.*	—	—	50
797	*lituralis. Zi.*	—	1	—
798	*lucernalis.*	—	1	—
799	*lustralis Zi.*	—	—	50
800	*lythargyralis. Zi.*	—	1	—
801	*monilialis. Zi.*	—	—	54
802	*obscuralis. Zi.*	—	—	40
803	*ruficostalis. Zi.*	—	1	—
804	*straminalis. Zi.*	—	—	50
805	*venustalis. Zi.*	—	1	—
806	*virginalis. Zi.*	—	—	50
807	*vitralis. Zi.*	—	1	20

Sphinx.

			fl.	kr
808	Anthraciformis.	—	—	34
809	appendiculata.	m. f	1	—
810	— — —	—	1	12
811	Asiliformis.	—	—	30
812	Astragali.	—	—	30
813	*Carolina.*	—	2	16
814	*Cerberus.*	—	1	20
815	Conopiformis.	—	—	30
816	*Creusa. C.*	—	—	40
817	Culiciformis. *Hyb.*	—	—	30
818	C*ynarae.*	—	1	30
819	Cynipiformis.	—	—	30
820	*Cysseus. C.*	—	—	40
821	*Eas. C.*	—	2	—
822	Empiformis.	—	—	12
823	Ephialtes.	—	—	15
824	Euphorbiae. *var. rubr.*	—	—	34

			fl.	kr
825	exulans.	m.	1	20
826	fausta.	—	—	40
827	fenestrina.	—	—	8
828	fuciformis.	—	—	20
829	*Gordius.* *	—	1	12
830	infausta.	m. f	2	—
831	*Juglandis. Sm.*	m. f	4	—
832	Köchlinii. s.lineata	—	4	—
833	Loti. *B.*	—	—	20
834	— *Hyb.*	—	—	30
835	*marginata. M.*	—	2	20
836	Medicaginis. *Hyb*	—	1	8
837	*Morpheus. C.* *	—	1	30
838	Nerii.	—	8	—
839	occitanica.	m. f	1	40
840	8. *meculata. Sm* * 1/2 *Ant.*	—	2	16
841	Oenotherae.	m. f	—	48
842	Oestriformis.	—	—	30
843	*Peneus. C.*	—	2	30
844	Phegea.	—	—	10
845	*Picus. C.*	—	1	8
846	*Polymena.*	—	1	20
847	Quercus. *eleg.*	f.	9	—
848	Rhadamantus.	—	2	30
849	— — —	m. f	4	30
850	Scabiosae.	—	—	12
851	Spheciformis.	—	—	34
852	Spicae.	p.	3	—
853	Syrphiformis. Hy*b*.	—	—	30
854	Tenebrioniformis. Hy*b*.	m. f	1	—
855	*Thyelia. C.*	—	1	40
856	transalpina.	—	1	—
857	Veronicae. *B.*	—	1	20
858	Vespertilio.	m. f	16	—
	Tinea.			
859	cribrella.	—	—	10
860	cultrella.	—	—	24
861	cuspidella.	—	—	20
862	*decussella: Zi.*	—	—	30
863	marmorella. *Zi.*	—	—	20
864	*nubeculella. Zi.*	—	—	50
865	Radella.	p.	1	—
866	Strobilella. *Zi.*	—	—	20
867	Sturmella. *M.*	—	—	20
868	Wenzellidella. *Zi.*	—	—	15
	Tortrix.			
869	*aculeana. Zi.*	—	—	30
870	*contextana. Zi.*	—	—	40
871	*cultana. Zi.*	—	1	20
872	*florana. Zi.*	—	—	30

			fl.	kr
873	*fuscimaculana. Zi.*	—	—	40
874	*nitidana. Zi.*	—	—	20
875	prasinana.	—	—	20
876	quercana.	—	—	15
877	Strobilana. *Zi.*	—	—	20
878	*Stiitziana. Zi.*	—	—	50
879	3. *mammilana. Zi.*	—	—	50
880	undulana.	—	—	15

NEUROPTERA.

			fl.	kr
	Ascalaphus.			
1	*pallidus.*	—	1	—
	Dyptila.			
2	Lusitanica. *Ill.*	—	2	—
	Libellula.			
3	*equestris.*	—	—	34
4	*Indica.*	—	—	40
5	*lineata.*	—	—	20
6	4. *notata.*	—	—	36
7	*vibrans.*	—	—	24
	Myrmeleon.			
8	Libelluloides.	—	—	50

HYMENOPTERA

			fl.	kr
	Apis.			
1	*aestuans.*	—	—	20
2	*Caffra.*	—	—	24
3	*Morio.*	—	—	36
	Chrysis.			
4	*splendida.*	—	—	20
	Cynips.			
5	adscendens.	m. f	—	34
	Mutilla.			
6	6. *guttata. M.*	—	1	—
	Myrmosa.			
7	atra. *P.*	—	—	15
	Oryssus.			
8	Vespertilio.	m. f	—	20
	Sphex.			
9	*lobata.*	—	—	34
10	*violacea.*	—	—	20
	Tenthredo.			
11	haematopus.	m. f	—	20
	Vespa.			
12	*affinis.*	—	—	34
13	*conica.*	—	—	20
14	*hebraea.*	—	1	—

	DYPTERA.		fl.	kr
	Ceria.			
1	clavicornis.	—	—	12
2	conopsea.	p.	—	20
	Hyppobosca.			
3	*variegata. M.*	—	1	—
	Myopa.			
4	*undata. M.*	—	—	30
	Tabanus.			
5	*cinctus. M.*	—	1	—
6	*guttatus.*	—	—	50

	APTERA.		fl.	kr
	Julus.			
1	*Indus.*	—	—	50
	Scolopendra.			
2	*morsitans. eleg. max.*	—	1	—
	Scorpio.			
3	*Capensis. M.*	—	—	50
4	*Caspicus. M.*	—	1	—
5	*longicaudus. M.*	—	1	20

Pro 100. fl. pronunciabitur una Collectio de 1710. Eleuteratis europaeis, 334. Species constituentibus, inque Arca quercina loculis duplicatis—sive per medium divisis, fundo cereo superfusis, atque vitris ductilibus instructis, distributis.

APPENDIX

AD

CATALOGUM INSECTORUM, QUAE MENSE JUNII MDCCCV. VIENNAE AUSTRIAE AUCTIONIS LEGE VENDITA FUERE.

Monenda.

I. Die 18. et sequentibus Novembris 1805. alia Insectorum Auctio erit, in qua non solum illa, hisce pagellis enumerata, sed — deletis absentibus speciebus Catalogi supra nominati — nempe *Coleopt.* 25. 26. 108. 134. 154. 202. 319. 445. 469. 478. 512. 607. 701. 750. 751. 801. 854. 867. 869. 907. 956. 964. 975. 984. 1002. 1006. 1007. 1037. 1104. 1119. 1125. 1188. *Lepidopt*, 4. 7. 17. 31, 37. 39. 76. 83. 89. 90. 95. 99. 112. 145, 146. 165. 176. 182. 191. 192. 196. 209. 224. 231. 236. 239. 258. 277. 291. 306. 312. 457. 458. 469. 506. 511. 538. 641. 646. 728. 788. 824. 836. 847. 851. 854. — etiam omnia reliqua, ibi allegata, Emtioni publicae exponentur.

II. Collectio Eleuteratorum, de qua in fine Catalogi hujus Anni Mentio erat, adhuc adest, et hac vice pro 80 fl. unacum Arca pronunciabitur.

Nro.		Exemplaria.	Pretium Subhastationis. fl.	kr
	COLEOPTERA.			
	Agathidium.			
1	globosum.	p.	—	30
2	minutum.	—	—	20
	Akis.			
3	aurita. *Pall. Tenebr.* *	—	1	30
4	leucographa. *	—	1	20
5	lineata. *	—	1	20
6	reflexa.	—	1	30
	Aleochara.			
7	pallida. *V.*	p.	—	30
	Anisotoma.			
8	corticalis.	p.	—	24
9	punctata. V.	p.	—	30
	Anthia.			
10	*maxillosa.* * *Ant.*	m.f	6	40
	Anthicus.			
11	anobicornis. *M. ex Ross. fors nov. Gen. griseo unicol. Stat. Anthici, Ant. Anobii.*			
	Aphodius.			
12	arenarius.	—	—	15

			fl.	kr
13	elongatulus.	—	—	40
14	moestus.	—	—	30
15	obscurus.	—	—	24
16	pictus.	—	—	20
17	Scrofa.	—	—	20
18	Scrutator.	p.	—	14
	Apion.			
19	cyaneum. A.	—	—	15
20	elevatum. A.	—	—	15
21	femorale. A.	—	—	12
22	flavipes. A.	—	—	10
23	nanum. A.	—	—	10
24	pedestre. A.	—	—	12
25	Perforator. A.	—	—	15
26	pilosum. A.	—	—	15
27	Pumilio. A.	—	—	12
28	punctigerum. A.	—	—	15
29	Rosarum. A.	—	—	10
30	subglobosum. A.	—	—	15
31	tenuirostre. A.	—	—	12
32	Thapsi. A.	—	—	15
33	tibiale. A.			40
	Ateuchus.			
34	granulatus.	m.f	1	40
35	— — Ol.	—	1	8
36	virens. M.	—	2	30
37	volvens.	—	—	48
	Bembidium.			
38	2. striatum. Koch.	p.	—	30
39	lnnulatum. M.	—	—	30
40	6. striatum. M.	p.	—	20
41	Sturmii.	p.	—	20
42	suturale. M. ex Ross. aff. Sturmii, sed Sutura late nig.	—	1	—
	Blaps.			
43	Russica. M. maj. trist. R.	—	1	8
	Brachinus.			
44	detonans. M. ex Ross. aff. exhall. R. sed nig.	—	1	30
	Brachycerus.			
45	apterus.	—	2	40
46	Barbarus.	—	1	30
	Bruchus.			
47	fulvicornis. V.	p.	—	40

			fl.	kr
48	imbricornis.	p.	—	45
49	marginellus.	—	—	32
50	Seminarius.	p.	—	30
	Buprestis.			
51	antiqua. H.	—	2	30
52	apiformis. Schr.	—	1	20
53	elegans.	—	2	16
54	imperialis. perqu. magn.	—	3	30
55	lineata.	—	1	30
56	minutula. Schr.	—	—	50
57	Salicella. Schr.	—	—	20
58	spinosa.	—	1	40
59	tenebrosa. ex Hisp.	—	3	30
60	testudinaria. Schr. ex nov Holl. maj. Marian. aenea, Elytr. flavis, punct. impr. cyan.	—	5	—
61	Tubulus.	—	1	8
62	variabilis. Schr. * 1. P. vid. Cat. 1802. No. 85.	—	5	—
63	eadem, Elytr. immacul.	—	5	—
	Callidium.			
64	Hungaricum.	—	1	—
65	rufipes.	—	—	30
66	testaceum.	—	—	20
67	variabile.	—	—	24
	Carabus.			
68	arenarius.	—	1	48
69	Boeberi. M. ex Ross. min. arvensi, violace.*	—	1	30
70	clypeatus. Knoch.	—	—	30
71	dorsiger.	p.	1	—
72	exaratus. M. ex Ross. Magnit. monil. viola. ater striis elevat.	—	3	—
73	idem. *	—	2	30
74	Jurine. P.	—	—	34
75	laevicollis. M.	—	—	30
76	Lusitanicus.	—	1	30
77	marginicollis. M. *	—	—	24
78	megacephalus.	—	—	51
79	miliaris.	p.	—	45
80	peltatus.	p.	—	30
81	pertusus. M. ex Ross. aff. nodu-			

			fl.	kr
	los. sed glab. foveol. rotund. *	—	2	30
82	rutilus. Ill.	p.	—	40
83	Terricola. P.	—	—	34
84	— — Var. nig.	—	—	36
85	ventricosus. M. ex Ross. aff. Blaps. spinip. sed cupreo aene. *	—	1	—
86	Vafer.	—	—	20
	Cassida.			
87	dubia. V.	p.	1	—
	Cateretes.			
88	2. pustulatus. V.	—	—	18
	Cerambyx.			
89	Ephippium. M. ex Ross. medi. int. Budens. et Koehl sed min. **	—	1	30
	Cetonia.			
90	marginicollis. M. ex Ross. aff. Sticti. sed Thoracis margi. albo.		1	—
	Chrysomela.			
91	Adonidis.	p.	—	20
92	Carnifex.	p.	—	40
93	multipunctata. V.	—	1	12
94	Philadelphica.	—	1	—
95	puncticollis. M.	—	1	20
96	3. macalata.	—	1	20
	Clerus.			
97	8. punctatus.	—	1	12
98	transversalis. Hl.	—	1	8
	Clypeaster.			
99	glaber. A.	p.	1	12
	Clythra.			
100	concolor.	m.f	—	24
101	marginata. M. ex Ross. virid. aur. Elytr. margine flavo.	—	1	—
	Clytus.			
102	4. punctatus.	—	2	30
103	3. fasciatus.	—	1	12
	Colaspis.			
104	Barbara. ex Gall.	—	1	—
	Copris.			
105	Austriaca.	m.f	—	24

			fl.	kr
106	Bubalus. M.	m.	1	30
107	Bucephalus.	m.f	4	—
108	Dama.	—	1	8
109	Mimas.	m.	2	—
110	Pardalis.	m.	—	45
111	pulchella. H. Scarab.	—	1	30
112	4. cornis.	—	1	20
	Crioceris.			
113	Betulae. Gyll. ex Suecia, Thor. spinos.	—	1	40
	Cryptocephalus			
115	gracilis.	—	—	30
116	pilosulus. M. 2. not. olim.	m.f	—	40
117	Quadrum.	—	—	48
	Cryptophagus.			
119	adustatus. A.	—	—	25
120	antherinus. A.	—	—	15
121	Boleticola. A.	—	—	15
122	equestris. A.	—	—	30
123	nigricollis. A.	—	—	30
124	rufipes. A.	—	—	30
125	Seminulum. A.	—	—	30
126	Umbellatarum. A.	—	—	15
	Cucujus.			
127	maxillosus.	—	1	—
	Curculio.			
128	adspersus.	—	—	20
129	albulatus. A.	—	—	40
130	Avellanae. M.	—	—	20
131	Avenae. Gyll.	—	—	40
132	2. lineatus.	—	—	20
133	cicatricosus. M.	m.f	1	30
134	Consors. A.	—	—	15
135	cylindricus. Pay.	—	—	12
136	designatus. A.	—	—	20
137	Erythropus. A.	—	—	15
138	exasperatus. M.	—	—	40
139	Festucae.	—	—	30
140	flavescens.	—	1	30
141	Gyllenhallii. A.	—	—	30
142	haemorrhous. H.	—	—	20
143	imperialis. * Ant.	—	2	—
144	Maurus. A.	—	—	12
145	multipunctatus.	—	—	17
146	Myrtilli. A.	—	—	15
147	Passer. A.	—	—	15
148	pulicarius. A.	—	—	15
149	Punctator. A.	—	—	15

			fl.	kr
150	ruficornis. *A.*	—	—	15
151	Rumicis. *L.*	—	—	20
152	scabriculus.	p.	—	16
153	Scalptor. *H.*	—	—	15
154	sellatus.	—	1	8
155	tenebricosus.	—	—	24
156	undulatellus. *A.*	—	—	15
	Dasytes.			
157	ater.	—	—	24
	Donacia.			
158	pallipes.	m. f	1	—
	Dyticus.			
159	alternans. *Koch.*	—	—	36
160	4. lineatus. *M. ex Ross. aff. confluenti, sed lin. integr.*	—	—	40
161	variegatulus.	p.	—	40
162	vitreus. *Pay.*	—	—	20
	Elater.			
163	equestris.	p.	—	12
164	haematoceros.	—	—	15
165	lepidopterus. P.	—	2	—
166	litigiosus.	—	—	40
167	melancholicus.	—	—	45
168	ochropus. *Pay.*	—	—	40
169	*oculatus.*	—	4	—
170	*virens.*	—	2	—
	Endomychus			
171	cruciatus.	—	—	17
	Engis.			
172	sanguiniccollis.	—	—	24
	Erodius.			
173	3. *lineatus. Ol.*	—	1	30
	Eumolpus.			
174	Asiaticus. * 1. *P. elegant.*	—	2	30
	Galerita.			
175	*Americana.*	—	2	16
	Galleruca.			
176	*Sagittariae. Gyll.*	—	—	20
	Geotrupes.			
177	*Aloeus.* *	m. f	4	—
178	*Boas.* *	m.	3	—
179	*Chorinaeus.* *	m.	7	—
180	*Gideon.*	m.	4	—
181	*Hercules.*	m.	10	—
182	*idem.* **	m.	6	—

			fl.	kr
183	*Maimon.*	—	2	—
184	*Phorbanta. Ol.*	m.	4	—
185	*piceus.*	m.	—	30
186	Silenus.	f.	2	—
187	*Syrichtus.*	m.	1	8
188	*Titanus.*	f.	2	16
189	*truncatns.*	—	1	30
	Gnoma.			
190	*rugicollis.*	—	9	—
	Gyrinus.			
191	bicolor.	—	—	40
192	idem.	—	1	30
193	spinosus.	—	—	36
	Haltica.			
194	antennata.	m. f	—	40
	Hister.			
195	*angulosus. M.*	—	1	—
196	*cyaneue.*	—	1	8
	Hydrophylus.			
197	aeneus.	—	—	20
	Ips.			
198	punctata. *	—	—	15
	Lagria.			
199	*villosa.*	—	1	8
	Lamia.			
200	2. lineata.	—	1	48
201	carinata.	—	1	3[illegible]
202	— — — *	—	1	2[illegible]
	Lampyris.			
203	*laticornis.*	—	2	—
	Latridius.			
204	Dumetorum. *V.*	p.	—	3[illegible]
205	filiformis. *V.*	p.	—	40
206	Graminis. *V.*	p.	—	24
207	hirtellus. V.	p.	—	20
208	uniguttatus. V.	p.	—	40
	Leptura.			
209	2. *pustulata. M.*	—	2	—
210	*dispar.*	m.	1	3[illegible]
211	humeralis.	m. f	1	—
212	*lunata.*	m. f	2	30
	Lixus.			
213	cylindricus. *ex* Ross	—	2	30
214	violaceus. V.	—	—	48
	Lycus.			
215	reticulatus. *M.*	—	1	—
216	rubens. *M.*	—	—	2[illegible]

			fl.	kr
	Lytta.			
217	afra.	f.	2	30
218	*atrata.*	—	—	45
219	*vittata.*	—	—	45
	Melolontha.			
220	Arctos. *Pall.*	—	1	20
221	— — *	—	1	—
222	Austriaca.	—	—	15
223	bombyliformis.	—	1	20
224	— — *	—	1	8
225	farinosa.	—	—	40
226	— — *elegantiss.*	—	1	—
227	hirta.	m. f	2	16
228	— — *	m. f	2	—
229	Norwichii. *Ill.*	—	1	48
230	occidentalis.	—	1	48
231	regia. *ex Hisp.*	—	2	30
232	Ruricola.	p.	—	15
233	Vitis.	—	—	20
234	Vulpes.	m. f	2	20
235	— — *	m. f	2	8
	Molorchus.			
236	Umbellatarum.	m. f	—	36
	Mordella.			
237	*nigra.*	—	1	—
238	8. *punctata.*	—	1	30
	Myllabris.			
239	*pustulata. Ol.*	—	—	34
240	3. punctata.	—	—	30
	Necrophorus.			
241	Humator.	—	—	20
	Nitidula.			
242	Dulcamarae.	p.	—	16
	Onitis.			
243	Furcifer. R.	—	1	30
244	gilvipes. *Boeb. ex Ross.*	—	—	36
245	*Inuus.*	m. f	1	—
246	Marschallii. *M. ex Ross. maj. Clinias.*	—	1	30
247	Menalcas. *perqu. magn.*	—	2	40
248	Moeris. *Pall.*	—	2	40
249	Sphinx.	m. f	1	30
	Opatrum.			
250	*elongatum. M. Stat. Tenebr.*			

			fl.	kr
—	*Mollit. Tib. ant. dentat.*	—	1	8
251	pictum.	p.	—	40
	Paederus.			
252	flavicornis. V.	—	—	20
253	melanocephalus.	p.	1	—
	Pimelia.			
254	*aenea.* * 1. *P.*	—	2	—
255	*aranipes. Ol.*	—	2	—
256	*dentata.*	—	1	12
257	*laevigata.*	—	1	30
258	*longipes.*	—	1	30
259	*maculata.*	—	1	—
260	*muricata.*	—	1	—
261	*porcata.*	—	1	30
262	pygmaea.	p.	—	34
263	subglobosa. *Pall. Tenebr.*	—	1	30
	Platynotus.			
264	*dilatatus.* * 1. *P.*	—	2	—
265	excavatus. *	—	3	—
	Prionus.			
266	*imbricornis.*	m. f	6	—
267	*serricollis.*	—	2	—
	Psellaphus.			
268	Claviger. *V.*	—	1	—
269	Dejeannii. V.	—	1	—
270	impressus.	—	—	40
271	pubescens. V.	—	—	40
272	sanguineus.	p.	—	30
	Pytho.			
273	castaneus.	—	1	20
	Ramphus.			
274	tomentosus. V.	p.	1	—
	Rhyrchaenus.			
275	Achilleae.	p.	—	30
276	Armeniacae.	p.	—	14
277	Carpini.	—	—	7
278	collaris. *M.*	p.	1	—
279	cuprirostris.	—	—	30
280	denticollis.	—	—	24
281	parallelus. *P.*	p.	—	30
282	Pruni.	—	—	10
283	Punctum. *Schn.*	—	—	24
284	5. sulcatus. *Koch.*	—	—	36
285	Tamarisci.	—	—	45
286	— — *	—	—	16
287	ventralis. *M.*	—	—	36

No.			fl.	kr
	Rhinchites.			
288	Austriacus. *M. Stat Rhynchaen. Tortr nig. villos.*	p.	1	30
289	*filiformis. M. Attel antea.*	—	2	16
	Ripiphorus.			
290	2. maculatus.	—	—	48
291	— —* *var. min.*	—	—	24
	Saperda.			
292	brunnea.	—	—	15
293	rufipes. *M. ex Ross. min. coerul. ped. ruf.*	—	1	30
294	scalaris.	—	—	12
	Scaphidium.			
295	fasciculare. V.	—	—	36
296	Punctum. *P.*	p.	—	48
	Scarabaeus.			
297	*Arcas. Ol.*	m.	3	—
298	*carbonarius. M. Typhoeo mult. min. mutic. Elytr. punctat. striat.*	—	1	20
299	*Lazarus.*	m. f	3	—
300	*mucronalis. M. Carbonar maj. Elytr. vage punct.*	—	1	30
	Scarites.			
301	Bucephalus. *Ol.*	—	1	48
302	*marginatus.*	—	2	16
	Scaurus.			
303	calcaratus.	—	1	12
	Sepidium.			
304	elongatum.	—	1	12
305	reticulatum.	—	1	12
	Silpha.			
306	Lapponica.	—	1	20
	Staphylinus.			
307	attenuatus.	p.	—	32
	Tenebrio.			
308	*dispar. H.*	m.	1	30
309	Mauritanicus. *ex Hisp.*	—	—	40
310	pallens.	—	—	30
	Trachys.			
311	Austriaca. *M.*	m. f	1	30
312	eadem *Elytr. virid. aur.*	p.	1	40
313	nana.	—	—	15
	Trichius.			
314	*Delta.*	—	1	—
315	*viridulus.*	—	1	8
	Trichodes.			
316	*crabroniformis.*	—	1	—
	Triplax.			
317	fulvicollis. V.	p.	—	40
	Trox.			
318	*crenatus. Ol.*	—	1	—
319	*denticulatus. Ol.*	—	1	—
320	*luridus.*	—	—	40
	Upis.			
321	*Chrysops. H.*	—	1	12
	Zonitis.			
322	2. fasciata.	m. f	5	—
323	6. maculata.	—	3	—

LEPIDOPTERA.

No.			fl.	kr
	Bombyx.			
1	Arundinis. *Hyb.*	f.	4	—
2	Capucina. *Hyb.*	—	2	30
3	Colona. *Hyb.*	—	4	30
4	Cribrum.	m.	2	30
5	Franconica.	f.	2	30
6	*gibbosa. Sm.*	m.	1	30
7	gramica. *var.*	m. f	—	24
8	graminella.	m.	—	20
9	Hamula.	—	—	15
10	Hebe. *var.*	m.	—	30
11	Helvola.	—	—	20
12	— — *Hyb.*	p.	—	50
13	Illicifolia.	m.	—	24
14	lobulina.	m. f	—	48
15	lugubris *Hyb.* 217**	—	—	24
16	luteola.	—	—	12
17	Matronula.	m. f	3	—
18	Medicaginis. *Hyb.*	m. f	—	24
19	Monacha.	f.	—	20
20	*Neustria. Sm.*	f.	—	40
21	*opercularis. Sm.*	f.	2	40
22	paleola. *Hyb.*	—	—	34
23	pulchra.	—	1	20
24	Querna.	—	1	—
25	*regia.* ♂ *eleg.* ♀ *	m. f	15	—
26	Selenitica.	m. f	1	40
27	Taraxaci.	m. f	1	40
28	— —	f.	1	20
29	Terrifica.	m.	1	30
30	Tremula. *Hyb.*	m. f	—	30
	Geometra.			
31	adspersaria.	—	—	30
32	aestivaria. *Hyb.*	—	—	15
33	alniaria. *Hyb.*	m. f	—	24
34	Buplearia. *Hyb.*	—	—	12
35	caesiata.	—	—	30
36	cebraria. *Hyb.*	—	—	20
37	— —	—	—	30
38	cervinata. *Hyb.*	—	—	12
39	citraria. *Hyb.*	—	—	34
40	concordaria. *Hyb.*	—	—	50
41	conversaria. *Hyb.* *	—	—	30
42	cordiaria. *Hyb.*	m. f	1	—
43	cyanata. *Hyb.*	—	—	50
44	decussaria.	—	—	20
45	delunaria *Hyb.*	—	—	15
46	— —	—	—	17
47	derivata. *Hyb.*	—	—	15
48	diversaria. *Hyb.*	m.	—	20
49	dubitata. *Hyb.*	—	—	15
50	emutaria.	—	—	30
51	erosaria. *Hyb.*	—	—	15
52	fasciaria. *Hyb.*	—	—	17
53	— —	—	—	30
54	hepararia. *Hyb.*	—	—	15
55	horridaria.	—	—	40
56	hortaria. *Hyb.*	—	2	30
57	illunaria. *Hyb.*	—	—	15
58	— —	—	—	20
59	laevigaria. *Hyb.*	—	—	20
60	linearia.	—	—	20
61	lutearia.	—	—	15
62	minutata. *Hyb.*	—	—	20
63	nigricaria.	—	—	30
64	nivearia.	—	—	30
65	obeliscata.	—	—	20
66	obliquata.	—	—	20
67	occellaria. *Hyb.*	—	—	30
68	pectinaria. *Hyb.*	—	2	—
69	phyteumaria.	—	1	—
70	pilosaria. *Hyb.*	m. f	—	30
71	plumaria. *Hyb.*	f.	—	24
72	pollutata.	—	—	20
73	propugnata. *Hyb.*	—	—	15
74	pulveraria	—	—	24
75	pygmaeata. *Hyb.*	—	—	20
76	4. fasciata. *Hyb.*	—	—	20
77	4. punctaria. *A.*	—	—	30
78	quercinaria. *Hyb.*	m. f	—	24
79	rubricaria. *Hyb.*	—	—	10
80	rufaria. *Hyb.*	—	—	17
81	salicata. *Hyb.*	—	—	30
82	smaragdaria. *Hyb.*	m. f	1	20
83	strigillaria. *Hyb.*	—	—	15
84	subumbrata. *Hyb.*	—	—	20
85	suffumata.	—	—	40
	Noctua.			
86	Abrotani.	—	—	20
87	Absynthii.	—	—	10
88	affinis.	—	—	15
89	Albicolon. *Zi.*	—	1	—
90	Albicosta.	—	3	—
91	Albipuncta. *Hyb.*	—	—	15
92	albolineata. *A.*	—	—	30
93	aliena. *Hyb.* 441.	—	—	40
94	amoena. *Hyb.* *	—	—	30
95	ampla. *Hyb.*	—	2	30
96	aprica. *Hyb.*	—	1	30
97	Artemisiae.	—	—	30
98	atratula.	—	—	15
99	Atriplicis.	—	—	15
100	Augur. *Hyb.*	—	—	40
101	auricoma.	—	—	20
102	blanda. *Hyb.*	—	—	15
103	bractea.	—	1	30
104	brunnea. *Hyb.*	—	—	50
105	Caloris. *Hyb.*	—	2	16
106	*Camelinae. Sm.*	—	2	16
107	candelisequa. *Hyb.*	—	1	40
108	Capreae. *Hyb.*	—	1	20
109	Capsincola.	p.	—	20
110	caracterea. *Hyb.*	—	—	20
111	Cardui.	—	—	15
112	Celsia. *	—	1	—
113	Cespitis.	m. f	—	30
114	Chamomillae. *Hyb.*	—	—	30
115	Chenopodii. *var.*	—	—	25
116	Chimerae. *Hyb.*	m. f	1	8
117	chrysographa.	—	—	30
118	Citrago.	—	—	20
119	Comma. *Hyb.*	—	—	20
120	compta. *Hyb.*	—	—	15
121	concina. *Hyb.*	—	—	30
122	Concubina. *Hyb.*	—	—	30
123	connexa. *Hyb.*	—	1	—
124	consequa. *Hyb.*	—	1	—
125	consobrina. *B.*	—	—	30
126	conspersa. *Hyb.*	—	—	20
127	contigua. *Hyb.*	—	—	20

			fl.	kr
128	corticea. *Hyb.*	—	—	30
129	crassa. *Hyb.*	—	2	—
130	cuprea. *Hyb.*	—	—	30
131	demissa. *A.* *	—	—	20
132	didyma. *B.*	—	—	30
133	diffinis.	—	—	10
134	Ditrapezium. *Hyb.*	—	—	30
135	dyssodea. *Hyb.*	—	—	15
136	erythrocephala. Hy*b*	—	—	24
137	— —	—	—	30
138	Famula. *B.*	—	—	50
139	ferruginea. H*yb.*	—	—	15
140	Flavago.	—	—	30
141	flavicornis.	—	—	10
142	fumosa. H*yb.*	—	—	20
143	Genistae. *B.*	—	—	15
144	glabra. H*yb.*	—	—	15
145	glauca. H*yb.*	—	1	20
146	heliophyla. H*yb.*	—	1	—
147	herbida.	—	—	30
148	humilis. H*yb.*	—	—	20
149	Hyperici.	—	—	20
150	J. cinctum.	—	1	40
151	J. intactum.	—	—	50
152	Lactucae. H*yb.*	—	—	30
153	— —	—	—	50
154	laevis. H*yb.*	—	—	20
155	lepida. *B.*	—	—	40
156	Leucomelas.	—	—	20
157	— —	—	—	30
158	Leucostigma. H*yb.*	—	—	30
159	Lichenis.	—	—	20
160	lignosa. H*yb.*	—	—	12
161	Ligustri.	—	—	10
162	Litura.	—	—	20
163	lucipara.	—	—	15
164	ludicra. H*yb.*	—	—	50
165	lunaris.	—	1	30
166	lusoria.	—	—	20
167	lutosa. H*yb.*	—	—	50
168	lutulenta. *Hyb.*	—	—	20
169	macilenta. H*yb.*	—	—	30
170	Malvae. H*yb.*	—	2	—
171	mendosa. H*yb.*	—	1	—
172	Menyanthidis.	—	—	20
173	Molochina. H*yb.*	—	—	50
174	multangulata.	—	1	30
175	neglecta. H*yb.*	—	—	40
176	nervosa.	—	—	25
177	nupta. H*yb.*	—	—	15
178	Nymphaea.	—	1	30
179	*obliquistria. Zi.*	—	1	30

			fl.	kr
180	obsoleta. H*yb.*	—	—	15
181	— —	—	—	30
182	occulta.	—	—	30
183	ochroleuca.	—	—	15
184	Oo. *var.*	—	—	15
185	Ononis.	—	—	12
186	opalina. H*yb.*	—	2	—
187	Opima. H*yb.*	—	1	20
188	Or. H*yb.*	—	—	15
189	Orbatricula. *A.*	—	—	40
190	Orbona. H*yb.*	—	2	30
191	Oxalina.	—	—	50
192	Paleago.	—	—	15
193	Pancratii. H*yb.*	—	2	30
194	peltigera.	—	—	50
195	Perla.	—	—	12
196	perplexa. H*yb.*	—	—	30
197	Pharetra. *Zi.*	—	1	30
198	Pisi.	—	—	15
199	pistacina. H*yb.*	—	—	15
200	polita. H*yb.*	—	—	15
201	— —	—	—	24
202	polygona.	—	—	20
203	porphyraea.	—	1	—
204	Praecox.	—	1	30
205	Praedatricula.	—	—	12
206	Pronuba. *var.*	—	—	30
207	Protea.	—	—	10
208	Pteridis. H*yb.*	—	1	20
209	pudorina. B.	—	—	50
210	punicea. H*yb.*	—	—	50
211	putris. H*yb.*	—	—	15
212	— —	—	—	24
213	pyralina.	—	—	15
214	pyrophyla.	—	—	15
215	ramosa.	—	2	30
216	rectangula.	—	—	30
217	remissa. H*yb.*	—	—	45
218	respersa. H*yb.*	—	—	30
219	retusa. H*yb.*	—	—	12
220	rubiginea.	—	—	20
221	rubricosa. H*yb.*	—	—	20
222	rufina.	—	—	20
223	Rufulago. *A.*	—	—	30
224	Ruricola. *A.*	—	—	20
225	Ruris. H*yb.*	—	—	40
226	Rutilago.	—	—	20
227	Satura.	—	—	50
228	Saucia. H*yb.*	—	2	—
229	scutigera.	—	—	30
230	Scrophulariae.	—	—	20
231	Sigma. H*yb.*	—	—	25

			fl.	kr
32	signifera. H*yb.*	—	—	20
33	Silago. H*yb.*	—	—	15
34	Silene. H*yb.*	—	—	25
35	spadicea. H*yb.*	—	—	24
36	Spartii. B.	—	—	15
37	Spoliatricula. H*yb.*	—	—	15
38	Sponsa.	—	—	20
39	subsequa. *var. nigr.*	—	—	30
40	subtusa.	—	—	30
41	Sulphurago.	—	—	15
42	Tanaceti. H*yb.*	—	—	20
43	Terricola. *A.*	—	—	30
44	testacea. H*yb.*	—	—	40
45	tetra.	—	—	15
46	tincta. B. *elegant.*	—	2	—
47	triangularis. H*yb.*	—	1	20
48	Tritici. H*yb.*	—	—	45
49	triquetra.	—	—	30
50	turbida. H*yb.*	—	—	30
51	Uxor. H*yb.*	—	—	20
52	Vaccinii. H*yb.*	—	—	18
53	Valligera. H*yb.*	—	—	50
54	venosa. H*yb.*	—	—	20
55	veterata. *A. Aff. obsoletae.*	—	1	30
56	virens. *eleg.*	—	—	40
57	Vitta. B.	—	—	40
58	V. punctatum.	—	—	15
59	Xanthoceros. H*yb.*	m. f	—	36
	Papilio.			
60	Actea.	—	1	30
61	Aethiops. *A. ex Lapp.*	—	2	—
62	Alcyone.	m. f	—	40
63	Amantus. *Hyb.*	f.	1	20
64	Apollo. *var. flav.*	—	1	30
65	— *var. macul. flav.*	—	—	50
66	Arsilache. H*yb.*	—	—	40
67	Artemis. H*yb. var.*	—	—	50
68	atratus. *E.*	—	2	—
69	Atis. H*yb.*	m. f	1	40
70	Ausonia.	—	1	40
71	Battus. H*yb.*	f.	—	24
72	Belgicus. B*l.*	—	2	—
73	Bellidice.	—	—	40
74	Bore. *ex* L*app.*	—	1	40
75	Callidice.	m.	2	30
76	*Cardamines.*	m.	—	20
77	*celsus. Zi.*	—	—	40
78	Ceronus. H*yb.*	—	—	40
79	Chrysotheme.	m. f	1	—
80	Cleo. H*yb.*	—	—	40

			fl.	kr
281	Corythalia. H*yb.*	—	—	20
282	— — *var.*	—	—	30
283	Cinxia. *var. nigr.*	—	1	—
284	Cynthia. *var. rarr.*	—	1	20
285	Daphnis.	m. f	—	48
286	Dorion. H*yb.*	—	—	40
287	*dissimilis.*	—	1	30
288	Eudora.	—	—	15
289	Eupheno.	m. f	1	30
290	Europome.	m. f	1	30
291	Fidia.	m.	1	30
292	Glauce. H*yb.*	—	1	40
293	Gorge. H*yb.*	—	1	20
294	Griela. *ex Lapp. eleg.*	—	2	40
295	Hecate. *var.*	—	—	30
296	Helle. H*yb.*	—	—	20
297	Hero.	—	—	20
298	Hylas. H*yb.*	m. f	1	—
299	Ida.	—	—	40
300	Iris junonia. *var. eleg. rarriss. fasci. roseis.*	—	6	30
301	Janthe. H*yb.*	—	—	30
302	Isis. H*yb.*	—	—	50
303	Manto. H*yb.*	—	—	50
304	Meone. H*yb.*	—	—	40
305	Myrmidone	m. f	—	36
306	Nello. H*yb.*	—	2	30
307	Oeme. H*yb.*	—	—	40
308	Pandora.	m. f	—	50
309	Pasiphae.	m. f	1	30
310	Pharte. H*yb.*	—	1	—
311	Philea. H*yb.*	—	—	50
312	Philomene. *ex Lapp*	—	2	—
313	Phoebe. H*yb.*	—	—	20
314	Phoebus. H*yb.*	—	3	30
315	Phryne. *ex Rossia.*	m. f	7	—
316	— ♂. paul. *	m. f	6	—
317	Plautilla. H*yb.*	—	—	50
318	— —	—	1	—
319	Polyxena. *var. elegantiss.*	—	3	—
320	Pyrrha. H*yb.*	—	—	30
321	Pytho. H*yb.*	—	2	30
322	Scaea. H*yb.*	—	2	—
323	Selene. H*yb.*	—	—	20
324	Stheno. H*yb.*	—	2	30
325	Sylvius.	—	—	50
326	Tagis.	—	1	40
327	Telicanus.	m.	—	50
328	Trivia. H*yb.*	—	—	15

			fl.	kr
329	V. album.	—	—	54
330	Xanthomelas.	—	—	54
	Pyralis.			
331	dentalis. H*yb*.	—	—	10
332	guttalis. H*yb*.	—	—	12
333	marginalis. H*yb*.	—	—	17
334	nemoralis. H*yb*.	—	—	17
335	pallealis. H*yb*.	—	—	15
336	pallidalis H*yb*.	—	—	12
337	palliolalis. H*yb*.	—	—	12
338	unonialis. H*yb*.	—	1	—
	Sphinx.			
339	Aeacus.	—	1	—
340	Atropos.	—	—	24
341	Bellis.	—	—	20
342	Elpenor.	—	—	30
343	exulans.	m. f	1	40
344	fuciformis.	—	—	20
345	laeta. H*yb*.	—	2	—
346	Ligustri, *var. rubr.*	—	1	40
347	lineata.	—	2	40

			fl.	kr
348	Nerii.	—	7	—
349	— * *ad lat. corp.*	—	5	3
350	Phacae. H*yb*.	—	1	3
351	Pinastri. *var. rubr.*	—	2	3
352	*Prini. Sm.*	—	3	—
353	Tenebrioniformis. H*yb*.	m.	—	3
354	*Tersa. Cr.*	—	3	—
355	Trifolii.	—	—	2
356	Veronicae. B.	—	—	3
357	Vespertilio.	m. f	12	—
	Tinea.			
358	Anthracinella. H*yb*.	m. f	—	30
359	argentiferella. *A.*	—	—	30
360	Boletella.	—	1	—
361	Christernianella. H.	—	—	20
362	convolutella. H*yb*.	—	—	3
363	cuspidella. H*yb*.	—	—	12
364	Echiella. H*yb*.	—	—	12
365	Phantasmatella. H.	—	1	—
366	Schlemerella. H*yb*.	—	—	17

SCHENKLING, Sigm.
Über die alten Auktionskataloge von Johann Carl MEGERLE. [Concerning the old public sale catalogues of Johann Carl Megerle.]
Arb. morphol. & taxonom. Entomologie. Vol. 2 No. 3, 1935. pp. 153-156. (Translation C. Zeimet.)

A historical-bibliographic study.

JOHANN BAPTIST MEGERLE worked towards the end of the 18th and in the beginning of the 19th century as curator at the Imperial Natural History Museum in WIEN (Vienna) and later also as assistant director of said institution. After serving this institution for 42 years the emperor Franz II elevated him to the hereditary rank of nobility with the name von MÜHLFELD. He did little in entomology and his main interest was centered upon minerals and fossils. He died May 28, 1813 at the age of 71 years.

JOHANN BAPTIST MEGERLE had two sons: JOHANN CARL and JOHANN GEORGE. The latter entered as assistant in 1802 the entomological division of the institution without wages and he resigned from that position in 1805. He became later imperial counsellor and director of the Imperial Court, but passed away on September 15, 1831, at the age of 52. He is the author of the paper published in 1805 entitled: "Abhandlung über die dem Getriede und Weinstocke im Erzherzogthum Österreich vorzüglich nachtheiligen Thiere". [Treatise on the animal life particularly injurious to the cultivation of cereals and grape vines in the archduchy of Austria.] This publication consequently is not the work of Johann Carl Megerle, as is stated in the "Index Litteraturae Entomologicae" by Hagen and unfortunately also in the Index published by the aforesaid Institution.

JOHANN CARL MEGERLE was born in Vienna in the year 1765. He entered in 1786 the service of the Natural History Museum without pay and worked in the divisions of Mollusca, Crustacea, insecta and Radiata. In 1792 he was promoted to the position of an assistant and was entrusted with the mineral collection. In the following years he made several trips to Dalmatia Silesia and Galicia and brought back several objects for the various divisions he had charge of and among others many insects. In 1789 he established a special auction hall for objects of natural history in the building of the Civic Hospital in Vienna which continued till 1806. His object for the establishment of the auction hall was to enliven the trade in objects of natural history and to check the exorbitant prices asked by some dealers in these commodities (Fitzinger). Since 1801 MEGERLE regularly issued catalogues of

insects offered at auction. Of these catalogues we shall speak more in detail below. From the year 1803 on Joh. Carl Megerle added to his name the name von Mühlfeld, like his father. He sold his private collection to the Natural History Museum in 1808, but promptly resumed to collect again for himself. This second collection was bought after his death on September 12, 1840, (not 1832 as stated in Hagen and in the Index Litt. Ent.) by count J. A. Ferrari and became later the property of the Museum of Vienna combined with Farrari's separate collection.

JOH. CARL MEGERLE has published in Linz in 1815 a booklet of 44 pages entitled: Observations, corrections and contributions to Illiger's contributions, corrections and remarks concerning Fabricius' systems of Eleu therata, besides other papers on conchology. Besides this he has been the editor of the catalogues of public sales of natural history objects, referred to above.

The titles of these catalogues are:

1. Catalogue of insects offered at public auction on December 14 and subsequent days 1801. - 16 pages.
2. Supplement to the insect catalogue listing insects offered for sale in December 1801. - 6 pages.
3. Same as No. 1 except that the date is November 4, 1802, and subsequent days. 28 pages with a supplement. Desiderata of Eleutherata.
4. Same as No. 2 but November 1802. - 18 pages.
5. Same as No. 1 but the date is November 28, 1803 - 36 pages.
6. Same as No. 2 however date is November, 1803. - 8 pages.
7. Catalogue of two collections of Eleuterata on public sale on May 14, 1804, at the Public Auction Hall in Vienna. - 8 pages.
8. Same as No. 1, but date is September 20 and following days, 1804, - 24 pages.
9. Same as No. 2 but dated September 1804 and following days. - 12 pages.
10. Same as No. 1, however with the date June 1805, the day is being left out. 25 pages.
11. Same as No. 2, dated June 1805. - 10 pages.

The aforesaid catalogues are apparently very scarce. There are no copies in the Natural History Museum in Vienna, where one would suppose to find them. The copies have evidently been destroyed during the great fire in 1847. The publication of Megerle is also

lacking in the library of the Zoological Museum of the University in Berlin and of the State's Library in Berlin. Part 10 is listed in the great catalogue of the British Museum among the insects and in the list of literature of the "Nomenclator animalium generum et subgenerum" I (Berlin 1926), only the first three parts are listed on p. 210. Hagen neither has seen the work and he only mentioned part I (the same as our Index litteraturae entomologicae). An apparent complete set of 6 catalogues with 5 supplements is in the library of the German Entomological Institute at Berlin-Dahlem, obtained from the library of Herrich-Schaeffer.

Each of the eleven catalogues is printed in two columns (except catalogue 7); there is no indication of pages in any of them, however the species of insects are enumerated, thus in catalogue 3 the Coleoptera run from 1 to 1555, the Lepidoptera from 1 to 619. Besides the Coleoptera there are offered: Hemiptera, Lepidoptera, Hymenoptera Dyptera (?) and Aptera. The genera are arranged alphabetically within their order to which they belong, and so are the species within the genera. For each species a price is quoted. A few examples: Apate dispar is marked Kr. 1.30, Byrrhus gigas Gld. 1.oo, Cicindela carolina Gld. 5.oo, Calosoma sycophanta Kr. 20.oo. Particularly expensive specimens were: Sphinx nerii Gld. 14.- Geotrupes atlas Gld. 18.-, Scarabaeus longimanus Gld. 24.- Geotrupes elephas Gld.50.- A whole collection of Austrian insects including various orders was also offered and quoted at Gld. 30.--. It comprised about 800 species of which 453 were determined. The majority of insects offered in the catalogues referred to European species, but also exotic species, especially from Georgia (U.S.A.) and from Bengal (India) were offered for sale. The names of the exotic specimens are printed in cursive types.

That which is of particular interest in the catalogues is the number and description of new insects, a total of about 300. In the back of the new names the author has printed an "M", which would stand for Megerle, according to the introduction in Latin. We also find in them several new varieties. Some few examples may show how Megerle has characterized the new species.

Curculio chlorophanus M (without habitat). Aff. gemmat, sed elytr. striat, et mag. macul.

Engis ornata M Bengal Atra, thor. mac 2 elytr. fasciis 2 dentat. rufis, 9 lin. long.

Ripiphorus (!) fasciatus M. ex Georg. Stat. congest. nig. Ant. et ped. fulv. Elytr. flav. punct 3. 2. 1. marginal. 2 et mac. com. magn. sub med. nigr.

Syrphus violaceus M (without habitat) Sta. specios. violaceo atro.

In some species only the habitat or the relation is mentioned, as for example: Cicindela repanda M ex Beng., Cetonia angustata ex Dalmat. aff. metall., Elater deflexicollis M aff. buprestoid.

New species with their descriptions are also quoted by other authors in the catalogues, for example: Carabus fossulatus Preyssl., Carabus consitus Hoff. Dytiscus semicornis Scop., Clypeaster n.g. Andersch, Coccinella tomentosa Hellw. Buprestis variabilis Schreibers Curculio obtusus Hellw. Rhynchaenus amicus Hellw. Pyralis gumalis Ziegl.

The descriptions are unsufficient in most of the cases in order to identify the species, especially as abbreviations are used which are sometimes non-decipherable, and without the type specimens, nothing can be done. What has become of the type specimens, is a matter of guess as nothing can be ascertained. According to the information of Dr. K. Holdhaus the type specimens are not in the Vienna Museum.

Megerle is frequently quoted as the author in old catalogues thus by Dejean and Sturm, but also in a few old publications. Duftschmid mentioned in the preface of vol. 2 of his work on the fauna of Austria, the Vienna Auction catalogue and saw himself under the necessity to change several names in favor of the denominations he found in said catalogues. Panzer also cited in Fauna Insect. Germaniae frequently Megerle and quoted the Vienna catalogue of insects as the source, thus for example in Carabus (now Nebria) hellwigii. In spite of this Panzer is quoted as the author for this species and for many others, in more recent publications. To give an example of the order of Diptera, I quote Wiedemann "Diptera outside Europe" part 2, 1830 in which is stated on page 603 "Hippobosca variegata, Catalogue of insects Museum Vienna". The year 1823 is wrong and the species Hippobosca maculata Leach, described later is placed as a synonym.

cz.